Page 1 of 8 IC1341-0101 MSDS #:

Canon

## MATERIAL SAFETY DATA SHEET Product Code:

0934A / F45-1171, F47-1771, F47-1781

**SECTION 1** IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

**COMPANY/UNDERTAKING** 

BJ Cartridge BC-80 **Product Name:** 

**Product Code:** 0934A / F45-1171, F47-1771, F47-1781

Manufacturer: Canon Inc., 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph# 03-3758-2111

Canon USA, Inc., One Canon Park, Melville, NY 11747, USA Supplier:

Phone #: 1-800-OK-CANON 24 Hr. Emergency CHEMTREC # 1-800-424-9300

#### **SECTION 2** COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) > Chemical Name / Generic name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m <sup>3</sup>	Not established	Not established
Diethylene glycol (Contained only in ink optimizer)	111-46-6 / 203-872-2	5 - 10	Xn / R22	Not established	Not established	Not established	10 ppm, 44 mg/m <sup>3</sup>
Thiodiglycol (Contained only in black ink)	111-48-8 / 203-874-3	2 - 8	Xi / R36	Not established	Not established	Not established	Not established
Isopropyl alcohol (Contained only in black ink)	67-63-0 / 200-661-7	2 - 5	F/R11 Xi/R36 R67	TWA = 400 ppm, 980 mg/m <sup>3</sup>	TWA = 200 ppm, 492 mg/m <sup>3</sup> STEL = 400 ppm, 984 mg/m <sup>3</sup>	Not established	200 ppm, 500 mg/m <sup>3</sup>
Ammonia derivative (Contained only in black ink)	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	65 - 85	None / None	Not established	Not established	Not established	Not established

Page 2 of 8 MSDS #: IC1341-0101



### MATERIAL SAFETY DATA SHEET

Product Code:

0934A / F45-1171, F47-1771,

F47-1781

### < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

### SECTION 3 HAZARDS IDENTIFICATION

### **EU Classification:**

Not classified as dangerous.

### **Emergency Overview:**

A two-color ink cartridge. (Black Ink and Ink optimizer)

All the ink is liquid mixture with slight odor.

## **Potential Health Effects and Symptoms:**

### Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

## **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

### Eve:

Black: May cause minimal irritation.

Ink optimizer: No irritation is expected. (See SECTION 11)

### Skin:

Black: May cause mild irritation and no sensitization.

Ink optimizer: Neither irritation nor sensitization is expected. (See SECTION 11)

### **Chronic Effects:**

Not identified

### Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

## SECTION 4 FIRST AID MEASURES

### First Aid Measures:

### **Inhalation:**

If symptoms are experienced, move victim to fresh air and obtain medical advice.

### **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

### Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

### Note to Physicians:

None

Page 3 of 8 MSDS #: IC1341-0101

Canon

## MATERIAL SAFETY DATA SHEET

Product Code:

0934A / F45-1171, F47-1771, F47-1781

SECTION 5 FIRE FIG	GHTING MEASURES						
Fire Fighting Measures:							
Extinguishing Media:							
CO <sub>2</sub> , water, foam or dry chemicals							
Unsuitable Extinguishin	g Media:						
None							
Special Fire Fighting Procedures: None							
Unusual Fire and Explos None	sion Hazards:						
Fire and Explosive Propertie	es (See also Section 9):						
Hazardous Combustion Products:							
CO, CO <sub>2</sub> , NOx and SOx							
Other Properties:							
None							
SECTION 6 ACCIDE	ENTAL RELEASE MEASURES						
<b>Personal Precautions:</b>							
Avoid contact with skin, ex	yes and clothing.						
<b>Environmental Precautions</b>							
	urface water or ground water.						
Method for Cleaning Up:							
Wipe off with wet cloth or	paper.						
SECTION 7 HANDLE	ING AND STORAGE						
Handling:							
Use with adequate ventilat							
•	Avoid contact with skin, eyes and clothing.  In case of contact, wash out the contaminated area immediately.						
	it the contaminated area immediately.						
Storage: Keep in a cool and dry place	re						
	p away from heat and flame.						
Keep out of the reach of children.							
Specific Uses:							
Ink/ Ink optimizer for Ink	Jet Printer.						
For more information, please refer to the instruction of this product.							
SECTION 8 EXPOSU	URE CONTROLS / PERSONAL PROTECTION						
<b>Exposure Guidelines:</b> Not established for this in	k. (See also SECTION 2)						
<b>Engineering Controls:</b>							
Use adequate ventilation.							
Personal Protection Equipment(s):							
<b>Respiratory Protection:</b>	☐ Required  ➤ Not Required						
Eye/Face Protection:	Required						
•	■ Not Required						
Skin Protection:	Required						
	Not Required						

Page 4 of 8 IC1341-0101 MSDS #:

Canon

MATERIAL SAFETY DATA SHEET Product Code:

0934A / F45-1171, F47-1771, F47-1781

SECTION 9 PHYSICAL AND C	HEMICAL PROPERTIES				
Appearance:	Black and transparent pale yellow liquid				
Odor:	Slight odor				
pH:	Black: 9.7 - 10.7, Ink optimizer: 6.9 - 7.9				
<b>Boiling Point/Range(°C):</b>	Not available				
Melting Point/Range(°C):	Not available				
<b>Decomposition Temperature</b> ( ${}^{\circ}$ C):	Not available				
Flash Point(°C):	Black: 48.2 (Tag. Closed Cup. Combustion is not sustainable.) Ink optimizer: more than 80 (Tag. Closed Cup. Combustion is not sustainable.)				
Flammable (Explosive) Limits:	Not available				
Autoignition Temperature ( ${}^{\circ}C$ ):	Not available				
Flammability:	Black: Classified as "combustible liquid" under OSHA-HCS. Not classified as "flammable" or "combustible" under FHSA. Not classified as "flammable" under 1999/45/EC. Ink optimizer: Neither flammable nor combustible.				
Explosive Properties:	None				
Oxidizing Properties:	None				
Vapor Pressure :	Not available				
Vapor Density :	Not available				
Density / Specific Gravity:	1.05 - 1.08				
Water Solubility :	Miscible				
Fat Solubility :	Not available				
Partition Coefficient (n-Octanol/Water)	Not available				
Percent Volatile (%):	65 - 85				
Evaporation Rate:	Not available				
Viscosity (mPa s):	1.9 - 2.5				
SECTION 10 STABILITY AND R	REACTIVITY				
Stability:	✓ Stable     ☐ Unstable				
Conditions to Avoid:	None				
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents				
Hazardous Decomposition Products:	CO, CO <sub>2</sub> , NOx, SOx and Ammonia				
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur				
Conditions to Avoid:	None				

Page 5 of 8 MSDS #: IC1341-0101

Canon

MATERIAL SAFETY DATA SHEET

Product Code:

0934A / F45-1171, F47-1771,

F47-1781

### SECTION 11 TOXICOLOGICAL INFORMATION

### **Acute Toxicity:**

### **Inhalation:**

Not available

## **Ingestion:**

Black: Not available

Ink optimizer: LDL<sub>0</sub> > 5000 mg/kg, 0/10 mortalities at 5000 mg/kg (rat)

40 CFR 798.1175

### Eye:

Black: Minimal irritant, Maximum Group Mean Score = 6.0, Class 3 (rabbit)

OECD Guidelines No.405 (1987)

92/69/EEC Method B5

Ink optimizer: [Data of similar composition ink] Non-irritant (rabbit)

OECD Guidelines No.405 (1987)

92/69/EEC Method B5

### Skin:

Black: Mild irritant, Primaly Irritation Index = 0.7 (rabbit)

OECD Guidelines No.404 (1992)

92/69/EEC Method B4

Ink optimizer: [Data of similar composition ink] Non-irritant (rabbit)

OECD Guidelines No.404 (1992)

92/69/EEC Method B4

### **Sensitization:**

Black: Non-sensitizer, Sensitization rate = 0% (0/10) (guinea pig)

OECD Guidelines No.406 (1992)

96/54/EC Method B6

Ink optimizer: [Data of similar composition ink] Non-sensitizer (guinea pig)

Adjuvant & Patch Method

### **Mutagenicity:**

Ames test: Negative

(test strains: S. typhimurium & E. Coli)

### **Reproductive Toxicity:**

Not available

### Carcinogenicity:

Not available

### Others:

Not available

Page 6 of 8 IC1341-0101

MSDS #: IC1341-0101
0934A / F45-1171, F47-1771,

MATERIAL SAFETY DATA SHEET Product Code: F47-1781 **SECTION 12 ECOLOGICAL INFORMATION** Not available **Mobility:** Persistence Not available / Degradability: **Bioaccumulation:** Not available **Ecotoxicity:** Not available **Other Adverse Effects:** Not available **SECTION 13** DISPOSAL CONSIDERATION Method of Disposal: Disposal should be subject to federal, state and local laws. **SECTION 14** TRANSPORT INFORMATION UN #: None **UN Shipping Name:** None **UN Classification:** None UN Packing Group: None **Marine Pollutant:** ☐ Yes Chemical name (wt%): **⋈** No Special Precautions: None REGULATORY INFORMATION **SECTION 15** < EU Information > **Information on the Label:** 

Symbol & Indication: Not required

R-Phrase:
Not required
S-Phrase:

Not required

**Dangerous Component(s):** 

None

Special Precautions under 1999/45/EC Annex V:

Not required

Specific Provisions in Relation to Protection of Man or the Environment:

 76/769/EEC:
 Not regulated

 (EC)2037/2000:
 Not regulated

 (EC)304/2003:
 Not regulated

Others: None

Page 7 of 8

MSDS #: IC1341-0101

# Canon

## MATERIAL SAFETY DATA SHEET

Product Code:

0934A / F45-1171, F47-1771,

F47-1781

### < USA Information >

Information on the Label under FHSA:

Signal Word: Not required

**Hazard warning:** 

Not required

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

None

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

### SECTION 16 OTHER INFORMATION

<R phrase list>

R11: Highly flammable.

R22: Harmful if swallowed.

R36: Irritating to eyes.

R67: Vapours may cause drowsiness and dizziness.

<Revised information from the previous version>

Entirely revised.

Page 8 of 8

MSDS #: IC1341-0101



### MATERIAL SAFETY DATA SHEET

Product Code:

0934A / F45-1171, F47-1771, F47-1781

### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

### Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.