Page 1 of 8



## MATERIAL SAFETY DATA SHEET

MSDS #: \_ Product Code: IC1885-0202

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

**Product Name:** Canon Ink Tank CLI-221GY

**Product Code:** 2950B

Manufacturer: Canon Inc., 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, PH# 03-3758-2111

Supplier: Canon U.S.A., Inc., One Canon Park, Melville, NY, 11747, USA

**Phone #:** 1-800-OK-CANON 24 Hr. Emergncy CHEMTREC # 1-800-424-9300

## SECTION 2 HAZARDS IDENTIFICATION

## **EU Classification:**

Not classified as dangerous.

# **Emergency Overview:**

Ink tank containing black liquid ink with slight odor.

# **Potential Health Effects and Symptoms:**

#### **Inhalation:**

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

## **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

## Eye:

May cause minimal irritation. (See SECTION 11)

## Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

## **Chronic Effects:**

Not identified

## Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

MATERIAL SAFETY DATA SHEET

MSDS #: <u>IC1885-0202</u> Product Code: 2950B

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS  < Ingredient(s) > CAS # / Wright File Survey / USA A GOVERN A							
Chemical Name / Generic Name	CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m <sup>3</sup>	Not established	Not established
Substituted Phthalocyanine salt	Confidential	1 - 5	Xi / R41	Not established	Not established	Not established	Not established
Pyiridine Azo dye	Confidential	1 - 5	N / R51/53	Not established	Not established	Not established	Not established
Heterocyclic compound	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Glycol	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established

# < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

# < PBT substance and vPvB substance >

No component of this ink is a PBT or vPvB substance under Regulation (EC)1907/2006.



## MATERIAL SAFETY DATA SHEET

MSDS #: Product Code:

IC1885-0202

2950E

# SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

#### **Inhalation:**

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Eve:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

#### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

#### Note to Physicians:

None

## SECTION 5 FIRE FIGHTING MEASURES

## Fire Fighting Measures:

## **Extinguishing Media:**

CO<sub>2</sub>, water, foam or dry chemicals

## **Unsuitable Extinguishing Media:**

None

## **Special Fire Fighting Procedures:**

None

#### **Unusual Fire and Explosion Hazards:**

None

## Fire and Explosive Properties (See also SECTION 9):

#### **Hazardous Combustion Products:**

CO, CO<sub>2</sub>, NOx and SOx

# **Other Properties:**

None

# SECTION 6 ACCIDENTAL RELEASE MEASURES

## **Personal Precautions:**

Avoid contact with skin, eyes and clothing.

## **Environmental Precautions:**

Do not release to sewer, surface water or ground water.

## **Method for Cleaning Up:**

Wipe off with wet cloth or paper.

# SECTION 7 HANDLING AND STORAGE

# Handling:

Use with adequate ventilation.

Avoid contact with skin, eyes and clothing.

In case of contact, wash out the contaminated area immediately.

## Storage:

Keep in a cool and dry place.

Protect from sunlight.

Keep out of the reach of children.

## **Specific Uses:**

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

Page 4 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1885-0202
Product Code: 2950B

SECTION 8 EXPOSURE CONTR	ROLS / PERSONAL PROTECTION					
Exposure Guidelines: Not establish	ned for this ink. (See also SECTION 3)					
	e ventilation.					
<b>Personal Protection Equipment(s): Respiratory Protection:</b> □ Required	Not Required					
Eye/Face Protection: Required						
	·					
Skin Protection: Required Not Required  SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES						
Appearance:	Black liquid					
Odor:	Slight odor					
pH:	8 - 9					
<b>Boiling Point/Range(°C):</b>	Not available					
<b>Melting Point/Range(°C):</b>	Not available					
<b>Decomposition Temperature</b> (°C):	Not available					
Flash Point(°C):	None (Estimate)					
Flammable (Explosive) Limits:	Not available					
Autoignition Temperature ( ${}^{\circ}C$ ):	Not available					
Flammability:	Neither flammable nor combustible.					
<b>Explosive Properties:</b>	None (Estimate)					
Oxidizing Properties:	None (Estimate)					
Vapor Pressure :	Not available					
Vapor Density:	Not available					
Density / Specific Gravity:	1.0 - 1.1					
Water Solubility:	Miscible					
Fat Solubility:	Not available					
Partition Coefficient (n-Octanol/Water): Not available						
Percent Volatile (%):	60 - 80					
<b>Evaporation Rate:</b>	Not available					
Viscosity (mPa s):	1-5					
SECTION 10 STABILITY AND REACTIVITY						
Stability:	☑ Stable ☐ Unstable					
Conditions to Avoid:	None					
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents					
<b>Hazardous Decomposition Products:</b>	CO, CO <sub>2</sub> , NOx and SOx					
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur					
Conditions to Avoid:	None					

2950B



# MATERIAL SAFETY DATA SHEET

MSDS #: \_\_\_

Product Code:

IC1885-0202

SECTION 11 TOXICOLOGICAL INFORMATION

**Acute Toxicity:** 

Inhalation:

Not available

**Ingestion:** 

Not available

Eye:

Minimal irritant (rabbit)

OECD Guidelines No. 405 (2002), 2004/73/EC Method B5

Skin:

Non-irritant (rabbit)

OECD Guidelines No. 404 (2002), 2004/73/EC Method B4

**Sensitization:** 

Non-sensitizer (mouse)

OECD Guidelines No. 429 (2002), 2004/73/EC Method B42

**Mutagenicity:** 

Ames test: Negative (S. typhimurium & E. Coli)

**Reproductive Toxicity:** 

Not available

Carcinogenicity:

Not available

Others:

Not available

Page 6 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1885-0202
Product Code: 2950B

SECTION 12 E	COLOGICAL INFORMATION						
<b>Mobility:</b>	Not available						
Persistence / Degradability:	Not available						
Bioaccumulation:	Not available						
<b>Ecotoxicity:</b>	Not available						
Other Adverse Effec	ets: Not available						
	ISPOSAL CONSIDERATIONS						
Method of Disposal:							
Disposal should be subject to federal, state and local laws.							
SECTION 14 T	RANSPORT INFORMATION						
UN #:	None						
<b>UN Shipping Name</b> :	None						
UN Classification:	None						
UN Packing Group:	None						
Marine Pollutant:	☐ Yes Chemical name (wt%): ☐ No						
Special Precautions: None							
SECTION 15 R	EGULATORY INFORMATION						
< EU Information >							
Information on the	Label:						
Symbol & Indica	ation: Not required						
R-Phrase:	R-Phrase:						
Not required S-Phrase:							
Not required							
Dangerous Component(s):  Not required							
Special Precautions under 1999/45/EC Annex V:							
Not required							
Specific Provisions in Relation to Protection of Man or the Environment:							
76/769/EEC:	Not regulated						
(EC)2037/2000:	Not regulated						
(EC)304/2003:	Not regulated						
Others:	None						

Page 7 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: <u>IC1885-0202</u> Product Code: 2950B

< USA Information >

**Information on the Labelunder FHSA:** 

Signal Word: Not required

Hazard warning:

Not required

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

Not required

SARA Title III §313:

Chemical Name Weight %

"Copper Compounds" 1 - 5 (as Cu) (< 0.35)

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: This product will not be shipped to Australia.

## SECTION 16 OTHER INFORMATION

<R phrase list>

R41: Risk of serious damage to eyes.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<Revised information from the previous version>

**SECTION 15** 

<Term explanation>

Estimate: Estimate based on data of similar ink or the ingredient(s).



MATERIAL SAFETY DATA SHEET

MSDS #: <u>IC1885-0202</u> Product Code: 2950B

#### **Literature References:**

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003, (EC)1907/2006
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### **Abbreviations:**

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.