MSDS #: ____

Product Code:

IC3090-0101

5198B

Page 1 of 8

| | OMPANY/UNDERTAKING | | | | | | |
|--|---|--|--|--|--|--|--|
| Product Identifier: | | | | | | | |
| Product Name: | Canon FINE Cartridge PG-140XXL | | | | | | |
| Product Code: 5198B | | | | | | | |
| Relevant Identified | Relevant Identified Uses: Ink for Ink Jet Printer | | | | | | |
| Details of Supplier of | f Safety Data Sheet: | | | | | | |
| Supplier: | er: | | | | | | |
| Address: | | | | | | | |
| Telephone Numb | er: | | | | | | |
| E-mail Address: | | | | | | | |
| Emergency Telepho | ne Number: | | | | | | |
| Manufacturer: | Canon Inc. | | | | | | |
| Address: | 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan | | | | | | |
| SECTION 2 H | IAZARDS IDENTIFICATION | | | | | | |
| Emergency Overvie Ink cartridge con | w: aining black liquid ink with slight odor. | | | | | | |
| US Regulatory Statu | s under FHSA: | | | | | | |
| Not classified as | nazardous. | | | | | | |
| US Label Elements | under FHSA: | | | | | | |
| Signal Word: | Not required | | | | | | |
| Hazard Warnin | Not required | | | | | | |
| Safety Advice: | Not required | | | | | | |
| Hazardous Com | Hazardous Component: Not required | | | | | | |
| EU Classification un Not classified a | | | | | | | |
| EU Label Elements | under 1999/45/EC: | | | | | | |
| Symbol & Indicate | ation: Not required | | | | | | |
| R-Phrase: | Not required | | | | | | |
| S-Phrase: | Not required | | | | | | |
| Dangerous Com | ponent: Not required | | | | | | |
| _ | El Elements in accordance with Annex V to 1999/45/EC: | | | | | | |
| Other Hazards: | | | | | | | |
| None | | | | | | | |



MSDS #:

Page 2 of 8 IC3090-0101

Product Code: 5198B

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Substance or Mixture: Mixture

Ingredient(s):

| Ingredient(s): Chemical Name/ Generic Name | CAS #/ EC # | Concentration/ Concentration Range (%) | 67/548/EEC | | EU Classification according to (EC) No 1272/2008 | | Note to Other |
|--|--------------------------|--|---------------------------------|------------|---|-----------------------|------------------|
| | | | Symbol/ Indication of Danger | R-Phrase*1 | Hazard Class/ Category Code | Hazard Statement*1 | Hazards*2 |
| Glycerin | 56-81-5 / 200-289-5 | 10 - 15 | None | None | None | None | (1) |
| Triethylene glycol | 112-27-6 / 203-953-2 | 5 - 10 | None | None | None | None | (1) |
| Lactam | Confidential | 5 - 10 | None | None | None | None | |
| Water | 7732-18-5 / 231-791-2 | 60 - 80 | None | None | None | None | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

^{*1} Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

^{*2} The following substance(s) is (are) marked with (1), (2) and/or (3)

⁽¹⁾ Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

⁽²⁾ PBT substance or vPvB substance under Regulation (EC) No 1907/2006

⁽³⁾ Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006



MSDS #: _ Product Code: Page 3 of 8 IC3090-0101

5198B

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Most Important Symptoms and Effects, both Acute and Delayed:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

Eye:

May cause minimal irritation. (See SECTION 11)

Chronic Effects:

Not identified

Indication of Any Immediate Medical Attention and Special Treatment Needed:

None

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing Media:

Suitable Extinguishing Media:

CO₂, water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Hazards:

None

Hazardous Combustion Products:

CO, CO2, NOx, SOx and POx

Advice for Fire-fighters:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.



Page 4 of 8 IC3090-0101

MSDS #: _ MATERIAL SAFETY DATA SHEET 5198B Product Code:

| | DLING AND STORAG | E | | |
|--|--|--|-----------------|------------------------|
| recautions for Safe Han | ~ | | | |
| Use with adequate vent Avoid contact with skir | | | | |
| | n out the contaminated a | rea immediately | | |
| onditions for Safe Stora | | | | |
| Keep in a cool and dry | | impationities. | | |
| Protect from sunlight. | P. M. C. | | | |
| Keep out of the reach o | f children. | | | |
| pecific End Uses: | | | | |
| Ink for Ink Jet Printer. | | | | |
| For more information, j | please refer to the instruc | ction of this product. | | |
| CONTONIO ENDO | AGUDE COMEDOL C / I | DEDGONAL DDOT | TE CONTON | |
| | SURE CONTROLS / I | PERSONAL PROT | ECTION | |
| ontrol Parameters: | USA | ACGIH TLV | EU OEL | DFG MAK |
| Product (Ink) | OSHA PEL Not established | Not established | Not established | Not established |
| Floduct (llik) | Not established | Not established | Not established | Not established |
| Glycerin | Glycerin mist: TWA 15 mg/m ³ | Glycerin mist: TWA 10 mg/m ³ | Not established | Not established |
| | (Total dust) | 1 W/Y 10 mg/m | | |
| | TWA 5 mg/m ³ | | | |
| | (Respirable fraction) | | | |
| Triethylene glycol | Not established | Not established | Not established | 1000 mg/m ³ |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| Exposure Controls: | | | | |
|---------------------------------|-----------------------|-----------------------|--------------------|------------------|
| Engineering Controls: N | No special ventilatio | n equipment is needed | under intended use | of this product. |
| Individual Protection Measures: | | | | |
| Eye/Face Protection | : Required | Not Required | | |
| Skin Protection: | ☐ Required | Not Required | | |
| Respiratory Protect | ion: Required | Not Required | | |

MSDS #: ____

Product Code:

Page 5 of 8 IC3090-0101

5198B

| SECTION 9 PHYSICAL AND CHI | EMICAL PROPERTIES | | |
|--|---|--|--|
| Information on Basic Physical and Chem | ical Properties: | | |
| Appearance: | Black liquid | | |
| Odor: | Slight odor | | |
| pH: | 8 - 9 | | |
| Melting Point/Freezing Point (${}^{\circ}$ C): | Not available | | |
| Initial Boiling Point and Boiling Range (°C): | Not available | | |
| Flash Point(°C): | None (Estimate) | | |
| Evaporation Rate: | Not available | | |
| Flammability: | Neither flammable nor combustible. | | |
| Upper/Lower Flammable or Explosive Limits: | Not available | | |
| Vapor Pressure : | Not available | | |
| Vapor Density: | Not available | | |
| Relative Density: | 1.0 - 1.1 | | |
| Water Solubility: | Miscible | | |
| Fat Solubility: | Not available | | |
| Partition Coefficient (n-Octanol/Water) | Not available | | |
| Auto-ignition Temperature (°C): | Not available | | |
| Decomposition Temperature (${}^{\circ}$ C): | Not available | | |
| Viscosity (mPa s): | 1 - 5 | | |
| Explosive Properties: | None (Estimate) | | |
| Oxidizing Properties: | None (Estimate) | | |
| Other Information: | Not available | | |
| SECTION 10 STABILITY AND REA | ACTIVITY | | |
| Reactivity: None | ; | | |
| Chemical Stability: | table Unstable | | |
| Possibility of Hazardous Reactions: None | | | |
| Conditions to Avoid: None | , | | |
| Incompatible Materials: Acid | s, bases, oxidizing materials and reducing agents | | |
| Hazardous Decomposition Products: CO, CO ₂ , NOx, SOx and POx | | | |

MSDS #: __ Product Code:

IC3090-0101

5198B

Page 6 of 8

SECTION 11 TOXICOLOGICAL INFORMATION

Information on Toxicological Effects:

Acute Toxicity:

Inhalation:

Not available

Ingestion:

Not available

Corrosivity/Irritation:

Skin:

Non-irritant (rabbit) (Estimate)

OECD Guidelines No. 404 (2002), (EC) No 440/2008 Method B4

Eye:

Minimal irritant (rabbit) (Estimate)

OECD Guidelines No. 405 (2002), (EC) No 440/2008 Method B5

Sensitization:

Skin:

Non-sensitizer (mouse) (Estimate)

OECD Guidelines No. 429 (2002), (EC) No 440/2008 Method B42

Repeated Dose Toxicity:

Not available

Carcinogenicity:

Not available

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Toxicity for Reproduction:

Not available

Other Information:

Not available

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: Product Code:

Page 7 of 8 IC3090-0101

5198B

SECTION 12 ECOLOGICAL INFORMATION

Toxicity:

Fish, Acute toxicity test:

96 Hour LL50 > 1000 mg/l LR WAF, NOEL = 1000mg/l LR WAF (Oncorhynchus mykiss) (Estimate)

OECD Guideline No. 203 (1992), (EC) No 440/1008 Method C.1

Daphnia sp., Acute immobilisation test:

48-Hour EL50 > 1000 mg/l LR WAF, NOEL = 1000 mg/l LR WAF (Daphnia magna) (Estimate)

OECD Guideline No. 202 (2004), (EC) No 440/1008 Method C.2

Freshwater Alga and Cyanobacteria, Growth Inhibition test:

ErL50 (0-72 h) > 1000 mg/l LR WAF, EyL50 (0-72 h) = 840 mg/l LR WAF,

NOEL = 320 mg/l LR WAF, LOEL = 1000 mg/l LR WAF (Desmodesmus subspicatus) (Estimate)

OECD Guideline No. 201 (2006), (EC) No 440/1008 Method C.3

LL: Lethal Loading rate, EL: Effective Loading rate, NOEL: No Observed Effect Loading rate,

LOEL: Lowest Observed Effect Loading Rate, LR WAF: Loading Rate Water Accommodated Fraction

Persistence and Degradability: Not available

Bioaccumulative Potential: Not available

Mobility in Soil: Not available

Results of PBT and vPvB **Assessment:**

No results that the component(s) of this ink meet(s) the PBT or vPvB criteria under

Regulation (EC) No 1907/2006.

Other Adverse Effects: Not available

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Disposal should be subject to federal, state and local laws.

SECTION 14 TRANSPORT INFORMATION

UN Number: None

UN Proper Shipping Name: None

None **Transport Hazard Class:**

None **Packing Group:**

Not classified as environmentally hazardous under UN Model Regulations and marine **Environmental Hazards:**

pollutant under IMDG Code.

Special Precautions for User: None

SECTION 15 REGULATORY INFORMATION

< USA Information >

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< EU Information >

Safety, Health and Environmental Regulations/Legislation:

(EC) No 1907/2006: Authorisation: Not regulated

Not regulated **Restriction:**

(EC) No 1005/2009: Not regulated

(EC) No 850/2004: Not regulated

(EC) No 689/2008: Not regulated

Chemical Safety Assessment under (EC) No 1907/2006: Not required

< Canada Information >

WHMIS Controlled Product: This product will not be shipped to Canada.

< Australia Information >

Statement of Hazardous Nature: This product will not be shipped to Australia.

Date of Issue: May 31, 2011

Revision Date:



MSDS #:

IC3090-0101

Product Code:

5198B

Page 8 of 8

SECTION 16 OTHER INFORMATION

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative SVHC: Substances of Very High Concern

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and

2009/161/EU

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft

TWA: Time Weighted Average STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.