•					Page 1 of 8
Canon	М	ATERIAL SAFE	TY DATA SHEET	MSDS #: Product Code:	IC3091-0101 5200B
	141.	ATERIAL SAFE	ATT DATA SHEET	Product Code:	<u>3200B</u>
	ENTIFICATIO MPANY/UND		ANCE/MIXTURE AND	OF THE	
Product Identifier:					
Product Name:	Canon FINE C	Cartridge PG-140XL			
Product Code:	5200B				
Relevant Identified U	ses: Ink for Ink	Jet Printer			
Details of Supplier of Supplier:	Safety Data Sh	eet:			
Address:					
Telephone Numbe	r:				
E-mail Address:					
Emergency Telephon	e Number:				
Manufacturer:	Canon Inc.				
Address:	30-2, Shimom	aruko 3-Chome, Ohta	-ku, Tokyo 146-8501, Jaj	pan	
SECTION 2 HA	ZARDS IDEN	TIFICATION			
Emergency Overview Ink cartridge conta		d ink with slight odor			
US Regulatory Status	under FHSA:				
Not classified as ha	zardous.				
US Label Elements u	nder FHSA:				
Signal Word:	Not required				
Hazard Warning					
Safatu A Juiaa	Not required				
Safety Advice: Hazardous Comp		irad			
EU Classification und Not classified as	er 1999/45/EC:				
EU Label Elements u	nder 1999/45/E	C:			
Symbol & Indicat	ion: Not requ	uired			
<b>R-Phrase:</b>	Not requ	uired			
S-Phrase:	Not requ	uired			
Dangerous Comp	onent: Not requ	iired			
•		cordance with Anne	x V to 1999/45/EC:		
Other Hazards:					
None					



## MATERIAL SAFETY DATA SHEET

Page 2 of 8 IC3091-0101

MSDS #:

Product Code:

5200B

# SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

ngredient(s): Chemical Name/ Generic Name	CAS #/ EC #	Concentration/ Concentration	67/548/EE0	2	EU Classification (EC) No 12	72/2008	Note to Other
		Range (%)	Symbol/ Indication of Danger	R-Phrase <sup>*1</sup>	Hazard Class/ Category Code	Hazard Statement <sup>*1</sup>	Hazards*
Glycerin	56-81-5 / 200-289-5	10 - 15	None	None	None	None	(1)
Triethylene glycol	112-27-6 / 203-953-2	5 - 10	None	None	None	None	(1)
Lactam	Confidential	5 - 10	None	None	None	None	
Water	7732-18-5 / 231-791-2	60 - 80	None	None	None	None	

\*1 Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

\*2 The following substance(s) is (are) marked with (1), (2) and/or (3)

(1) Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

(2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006

(3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.



5200B

MSDS #:

Product Code:

FIRST AID MEASURES **SECTION 4 First Aid Measures:** Inhalation: If symptoms are experienced, move victim to fresh air and obtain medical advice. **Ingestion:** Rinse mouth. Give one or two glasses of water. If irritation or discomfort occurs, obtain medical advice immediately. Skin: Wash with water and soap or mild detergent. If irritation persists, obtain medical advice. Eye: Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately. Most Important Symptoms and Effects, both Acute and Delayed: Inhalation: No adverse effects are expected under intended use. Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea. **Ingestion:** May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting. Skin: Neither irritation nor sensitization is expected. (See SECTION 11) Eye: May cause minimal irritation. (See SECTION 11) **Chronic Effects:** Not identified Indication of Any Immediate Medical Attention and Special Treatment Needed: None

### SECTION 5 FIRE FIGHTING MEASURES

#### **Extinguishing Media:**

Suitable Extinguishing Media:

# $\underline{CO_2}$ , water, foam or dry chemicals

# Unsuitable Extinguishing Media:

# None

Special Hazards:

None

#### **Hazardous Combustion Products:**

CO, CO<sub>2</sub>, NOx, SOx and POx

#### **Advice for Fire-fighters:**

None

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

#### **Environmental Precautions:**

Do not release to sewer, surface water or ground water.

#### Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.

Canon	MATERIAL SAFETY DATA SHEET	MSDS #: Product Code:	Page 4 of 8 IC3091-0101 5200B
SECTION 7	HANDLING AND STORAGE		
Precautions for	Safe Handling:		
Use with adeq	uate ventilation.		
	with skin, eyes and clothing.		
In case of con	tact, wash out the contaminated area immediately.		
Conditions for S	afe Storage, Including Any Incompatibilities:		
Keep in a cool	l and dry place.		
Protect from s	unlight.		
Keep out of th	he reach of children.		
Specific End Use	es:		

#### End Uses:

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

#### **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

trol Parameters:	USA OSHA PEL	ACGIH TLV	EU OEL	DFG MAK
Product (Ink)	Not established	Not established	Not established	Not established
Glycerin	Glycerin mist: TWA 15 mg/m <sup>3</sup> (Total dust) TWA 5 mg/m <sup>3</sup> (Respirable fraction)	Glycerin mist: TWA 10 mg/m <sup>3</sup>	Not established	Not established
Triethylene glycol	Not established	Not established	Not established	1000 mg/m <sup>3</sup>

**Exposure Controls:** 

Engineering Controls: No special ventilation equipment is needed under intended use of this product. Individual Protection Measures:

**Eye/Face Protection:** Required Not Required

**Skin Protection:** 

Required Not Required

**Respiratory Protection:** Required Not Required

MSDS #:

Product Code:

#### PHYSICAL AND CHEMICAL PROPERTIES **SECTION 9 Information on Basic Physical and Chemical Properties: Appearance:** Black liquid **Odor:** Slight odor 8 - 9 pH: Melting Point/Freezing Point (°C): Not available **Initial Boiling Point and** Not available Boiling Range (°C): Flash Point(°C): None (Estimate) **Evaporation Rate:** Not available Neither flammable nor combustible. Flammability: Upper/Lower Flammable or **Explosive Limits:** Not available Vapor Pressure : Not available Vapor Density : Not available **Relative Density:** 1.0 - 1.1 Water Solubility : Miscible **Fat Solubility :** Not available Partition Coefficient (n-Octanol/Water): Not available Auto-ignition Temperature (°C): Not available **Decomposition Temperature(°C):** Not available Viscosity (mPa s): 1 - 5 None (Estimate) **Explosive Properties: Oxidizing Properties:** None (Estimate) **Other Information:** Not available **SECTION 10** STABILITY AND REACTIVITY **Reactivity:** None $\boxtimes$ Stable $\square$ Unstable **Chemical Stability:** Possibility of Hazardous Reactions: None **Conditions to Avoid:** None

Acids, bases, oxidizing materials and reducing agents

Hazardous Decomposition Products: CO, CO<sub>2</sub>, NOx, SOx and POx

**Incompatible Materials:** 



Canon	MATERIAL SAFETY DATA SHEET	Product Code:	5200B
SECTION 11	TOXICOLOGICAL INFORMATION		
Information on T Acute Toxicity Inhalation:	oxicological Effects: :		
Not availab	le		
Ingestion:			
Not availab	le		
Corrosivity/Ir Skin:	ritation:		
Non-irritan	t (rabbit) (Estimate)		
OECD O	Guidelines No. 404 (2002), (EC) No 440/2008 Method B4		
Eye:			
Minimal irr	itant (rabbit) (Estimate)		
OECD C	Guidelines No. 405 (2002), (EC) No 440/2008 Method B5		
Sensitization: Skin:			
Non-sensiti	zer (mouse) (Estimate)		
OECD (	Guidelines No. 429 (2002), (EC) No 440/2008 Method B42		

#### **Repeated Dose Toxicity:**

Not available

**Carcinogenicity:** 

Not available

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

**Toxicity for Reproduction:** 

# Not available

# **Other Information:**

Not available

Omm		MSDS #:	Page 7 of 8 IC3091-0101		
Canon	MATERIAL SAFETY DATA SHEET	Product Code:	5200B		
SECTION 12 ECOL	OGICAL INFORMATION				
Toxicity:	Fish, Acute toxicity test: 96 Hour LL50 > 1000 mg/l LR WAF, NOEL = 1000mg/l LR V OECD Guideline No. 203 (1992), (EC) No 440/1008 Metho Daphnia sp., Acute immobilisation test: 48-Hour EL50 > 1000 mg/l LR WAF, NOEL = 1000 mg/l LR	od C.1	•		
	OECD Guideline No. 202 (2004), (EC) No 440/1008 Metho Freshwater Alga and Cyanobacteria, Growth Inhibition test: ErL50 (0-72 h) > 1000 mg/l LR WAF, EyL50 (0-72 h) = 840 m NOEL = 320 mg/l LR WAF, LOEL = 1000 mg/l LR WAF (De OECD Guideline No. 201 (2006), (EC) No 440/1008 Metho LL: Lethal Loading rate, EL: Effective Loading rate, NOEL: No C LOEL: Lowest Observed Effect Loading Rate, LR WAF: Loading	od C.2 ng/l LR WAF, ismodesmus subspice od C.3 Dbserved Effect Load	atus) (Estimate) ling rate,		
Persistence and Degradab	ility: Not available				
Bioaccumulative Potentia	Not available				
Mobility in Soil:	Not available				
Results of PBT and vPvB Assessment:	No results that the component(s) of this ink meet(s) t Regulation (EC) No 1907/2006.	No results that the component(s) of this ink meet(s) the PBT or vPvB criteria under Regulation (EC) No 1907/2006.			
Other Adverse Effects:	Not available				
Waste Treatment Method Disposal should be s	subject to federal, state and local laws.				
	SPORT INFORMATION				
UN Number:	None				
UN Proper Shipping Nam					
<b>Transport Hazard Class:</b>	None				
Packing Group:	None				
Environmental Hazards:	Not classified as environmentally hazardous under UI pollutant under IMDG Code.	N Model Regula	tions and marin		
Special Precautions for U					
SECTION 15 REGU < USA Information >	LATORY INFORMATION				
SARA Title III §313: Chemical Name		Weight %			
None California Propagition (1)	<del>.</del>				
California Proposition 65 <u>Chemical Name</u>	5:	Weight %			
<u>None</u> < EU Information >					
	onmental Regulations/Legislation:				
(EC) No 1907/2006: Au	uthorisation:Not regulated				
R	estriction: Not regulated				
(EC) No 1005/2009: <u>N</u>	ot regulated				
(EC) No 850/2004: <u>N</u>	lot regulated				
(EC) No 689/2008: <u>N</u>	lot regulated				
Others: <u>N</u>	lone				
•	nent under (EC) No 1907/2006: Not required				
< Canada Information >					
WHMIS Controlled P	roduct:         This product will not be shipped to Canada.				
< Australia Information >	roduct:         This product will not be shipped to Canada.           us Nature:         This product will not be shipped to Australia.				



MSDS #:

Product Code:

# SECTION 16 OTHER INFORMATION

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

## Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of

Chemicals to Humans

- DFG, List of MAK and BAT Values
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

#### Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

SVHC: Substances of Very High Concern

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft

TWA: Time Weighted Average

STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System

NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.