Page 1 of 8 IC3092-<u>0101</u> MSDS #: Canon MATERIAL SAFETY DATA SHEET Product Code: 5201B IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **SECTION 1** COMPANY/UNDERTAKING **Product Identifier:** Canon FINE Cartridge PG-140 **Product Name: Product Code:** 5201B Relevant Identified Uses: Ink for Ink Jet Printer **Details of Supplier of Safety Data Sheet:** Supplier: Address: **Telephone Number:** E-mail Address: **Emergency Telephone Number:** Manufacturer: Canon Inc. Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan **SECTION 2** HAZARDS IDENTIFICATION **Emergency Overview:** Ink cartridge containing black liquid ink with slight odor. **US Regulatory Status under FHSA:** Not classified as hazardous.

US Label Elements under FHSA:

Signal Word: Not required

Hazard Warning: Not required

Not required **Safety Advice:**

Hazardous Component: Not required

EU Classification under 1999/45/EC:

Not classified as dangerous.

EU Label Elements under 1999/45/EC:

Symbol & Indication: Not required

R-Phrase: Not required

S-Phrase: Not required

Dangerous Component: Not required

Applicable Label Elements in accordance with Annex V to 1999/45/EC:

Not required

Other Hazards:

None



MSDS #:

Page 2 of 8 IC3092-0101

MATERIAL SAFETY DATA SHEET Product Code: 5201B

COMPOSITION/INFORMATION ON INGREDIENTS **SECTION 3**

Substance or Mixture: Mixture

Ingredient(s):

ngredient(s): Chemical Name/ Generic Name	CAS #/ EC #	Concentration/ Concentration	67/548/EEC	;	EU Classification a (EC) No 1272	2/2008	Note to Other
		Range (%)	Symbol/ Indication of Danger	R-Phrase*1	Hazard Class/ Category Code	Hazard Statement*1	Hazards*
Glycerin	56-81-5 / 200-289-5	10 - 15	None	None	None	None	(1)
Triethylene glycol	112-27-6 / 203-953-2	5 - 10	None	None	None	None	(1)
Lactam	Confidential	5 - 10	None	None	None	None	
Water	7732-18-5 / 231-791-2	60 - 80	None	None	None	None	

^{*1} Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

^{*2} The following substance(s) is (are) marked with (1), (2) and/or (3)

⁽¹⁾ Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

⁽²⁾ PBT substance or vPvB substance under Regulation (EC) No 1907/2006

⁽³⁾ Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006



MATERIAL SAFETY DATA SHEET

MSDS #: _ Product Code: IC3092-0101

5201B

Page 3 of 8

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Most Important Symptoms and Effects, both Acute and Delayed:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

Eye:

May cause minimal irritation. (See SECTION 11)

Chronic Effects:

Not identified

Indication of Any Immediate Medical Attention and Special Treatment Needed:

None

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing Media:

Suitable Extinguishing Media:

CO₂, water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Hazards:

None

Hazardous Combustion Products:

CO, CO2, NOx, SOx and POx

Advice for Fire-fighters:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.



Page 4 of 8

	MSDS #:	IC3092-010
MATERIAL SAFETY DATA SHEET	Product Code:	5201

SECTION 7 H	ANDLING AND STORAGE			
Precautions for Safe Handling:				
Use with adequate ventilation.				
Avoid contact with skin, eyes and clothing.				
In case of contact, wash out the contaminated area immediately.				
Conditions for Safe S	Storage, Including Any Incompatibilities:			
Keep in a cool and dry place.				
Protect from sunlight.				
Keep out of the rea	ich of children.			
Specific End Uses:				
Ink for Ink Jet Prin	iter.			
For more information, please refer to the instruction of this product.				

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Glycerin mist: FWA 15 mg/m³ (Total dust) FWA 5 mg/m³ espirable fraction) Not established	Olycerin mist: TWA 10 mg/m ³ Not established	Not established Not established Not established	Not established Not established 1000 mg/m ³
(TWA 15 mg/m ³ (Total dust) TWA 5 mg/m ³ espirable fraction)	TWA 10 mg/m ³		
Not established	Not established	Not established	1000 mg/m ³

Exposure Controls:					
Engineering Controls: No special ventilation equipment is needed under intended use of this product.					
Individual Protection Measures:					
Eye/Face Protection	n: Required	Not Required			
Skin Protection:	Required	Not Required			
Respiratory Protec	tion: Required	Not Required			

Page 5 of 8 IC3092-0101 MSDS #:

5201B

MATERIAL SAFETY DATA SHEET Product Code:

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES				
Information on Basic Physical and Chemical Properties:				
Appearance:	Black liquid			
Odor:	Slight odor			
pH:	8 - 9			
Melting Point/Freezing Point (${}^{\circ}$ C):	Not available			
Initial Boiling Point and Boiling Range (°C):	Not available			
Flash Point(°C):	None (Estimate)			
Evaporation Rate:	Not available			
Flammability:	Neither flammable nor combustible.			
Upper/Lower Flammable or Explosive Limits:	Not available			
Vapor Pressure :	Not available			
Vapor Density:	Not available			
Relative Density:	1.0 - 1.1			
Water Solubility:	Miscible			
Fat Solubility:	Not available			
Partition Coefficient (n-Octanol/Water):	Not available			
Auto-ignition Temperature (${}^{\circ}$ C):	Not available			
Decomposition Temperature (${}^{\circ}C$):	Not available			
Viscosity (mPa s):	1 - 5			
Explosive Properties:	None (Estimate)			
Oxidizing Properties:	None (Estimate)			
Other Information:	Not available			
SECTION 10 STABILITY AND REACTIVITY				
Reactivity: None				
Chemical Stability:	table Unstable			
Possibility of Hazardous Reactions: None				
Conditions to Avoid: None				
Incompatible Materials: Acids	s, bases, oxidizing materials and reducing agents			
Hazardous Decomposition Products: CO, CO ₂ , NOx, SOx and POx				

MATERIAL SAFETY DATA SHEET

MSDS #: __ Product Code: Page 6 of 8 IC3092-0101

5201B

SECTION 11 TOXICOLOGICAL INFORMATION

Information on Toxicological Effects:

Acute Toxicity:

Inhalation:

Not available Ingestion:

Not available

Corrosivity/Irritation:

Skin:

Non-irritant (rabbit) (Estimate)

OECD Guidelines No. 404 (2002), (EC) No 440/2008 Method B4

Eye:

Minimal irritant (rabbit) (Estimate)

OECD Guidelines No. 405 (2002), (EC) No 440/2008 Method B5

Sensitization:

Skin:

Non-sensitizer (mouse) (Estimate)

OECD Guidelines No. 429 (2002), (EC) No 440/2008 Method B42

Repeated Dose Toxicity:

Not available

Carcinogenicity:

Not available

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Toxicity for Reproduction:

Not available

Other Information:

Not available

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: Product Code:

IC3092-0101

Page 7 of 8

5201B

SECTION 12 ECOLOGICAL INFORMATION

Toxicity:

Fish, Acute toxicity test:

96 Hour LL50 > 1000 mg/l LR WAF, NOEL = 1000mg/l LR WAF (Oncorhynchus mykiss) (Estimate)

OECD Guideline No. 203 (1992), (EC) No 440/1008 Method C.1

Daphnia sp., Acute immobilisation test:

48-Hour EL50 > 1000 mg/l LR WAF, NOEL = 1000 mg/l LR WAF (Daphnia magna) (Estimate)

OECD Guideline No. 202 (2004), (EC) No 440/1008 Method C.2

Freshwater Alga and Cyanobacteria, Growth Inhibition test:

ErL50 (0-72 h) > 1000 mg/l LR WAF, EyL50 (0-72 h) = 840 mg/l LR WAF,

NOEL = 320 mg/l LR WAF, LOEL = 1000 mg/l LR WAF (Desmodesmus subspicatus) (Estimate)

OECD Guideline No. 201 (2006), (EC) No 440/1008 Method C.3

LL: Lethal Loading rate, EL: Effective Loading rate, NOEL: No Observed Effect Loading rate, LOEL: Lowest Observed Effect Loading Rate, LR WAF: Loading Rate Water Accommodated Fraction

Persistence and Degradability: Not available

Bioaccumulative Potential: Not available

Mobility in Soil: Not available

Results of PBT and vPvB

No results that the component(s) of this ink meet(s) the PBT or vPvB criteria under

Assessment: Regulation (EC) No 1907/2006.

Other Adverse Effects: Not available

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Disposal should be subject to federal, state and local laws.

SECTION 14 TRANSPORT INFORMATION

UN Number: None

UN Proper Shipping Name: None

None **Transport Hazard Class:**

None **Packing Group:**

Not classified as environmentally hazardous under UN Model Regulations and marine **Environmental Hazards:**

pollutant under IMDG Code.

Special Precautions for User: None

SECTION 15 REGULATORY INFORMATION

< USA Information >

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< EU Information >

Safety, Health and Environmental Regulations/Legislation:

(EC) No 1907/2006: Authorisation: Not regulated

Not regulated **Restriction:**

(EC) No 1005/2009: Not regulated

(EC) No 850/2004: Not regulated

(EC) No 689/2008: Not regulated

Chemical Safety Assessment under (EC) No 1907/2006: Not required

< Canada Information >

WHMIS Controlled Product: This product will not be shipped to Canada.

< Australia Information >

Statement of Hazardous Nature: This product will not be shipped to Australia.



MATERIAL SAFETY DATA SHEET

MSDS #:

IC3092-0101

Product Code:

5201B

Page 8 of 8

SECTION 16 OTHER INFORMATION

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative SVHC: Substances of Very High Concern

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and

2009/161/EU

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft

TWA: Time Weighted Average STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.