Page 1 of 9 R94-3014 TC0261-0105

SECTION 1	IDENTIFICATION OF COMPANY/UNDERT		CE/PREPAR	ATION AND	OF THE	
Product Name:	Canon EP-82 Toner C	Cartridge Cyan for	Laser Beam l	Printer		
Product Code:	R94-3014					
Manufacturer:	Canon Inc., 30-2,Shir	nomaruko 3-Chom	e,Ohta-ku,To	kyo,Japan, Ph	# 03-3758-2111	
Supplier:	Canon USA, Inc., On	ne Canon Park, Me	lville, NY 11	747, USA		
Phone #:	1-800-OK-CANON 24 Hr. Emergency CHEMTREC # 1-800-424-9300					
MSDS #:	TC0261-0105					
SECTION 2	COMPOSITION/INFO	ORMATION ON I	NGREDIEN	ΓS		
Hazardous Ingred	ient(s)					
Chemical Name		CAS #	Weight %	EU Symbol	EU R-Phrase	
Chemical Name None		USA OSHA PEI		ACGIH TL	V	
Chemical Name None		EU ILV		DFG MAK		

Date of Issue: February 8, 1999

Revised:



Date of Issue: February 8, 1999

Canon MATERIAL SAFETY DATA SHEET

Page 2 of 9 R94-3014 TC0261-0105

SECTION 2 CO	OMPOSITION/INFOI	RMATION ON I	NGREDIENTS - Continued	
Carcinogen Chemical Name None		CAS#	Reference	
Other Ingredient(s) Chemical/Generic N	Name	_	Weight %	
Styrene acrylate co Wax Polyester resin Pigment	polymer		60-80 5-15 5-10 5-10	
SECTION 3 H	AZARDS IDENTIFI	CATION		
Emergency Overview:	Cyan fine powder, sl	light plastic odor.		
Potential Health Eff Inhalation:	fects and Symptoms: Minimal respiratory any non-toxic dust.	tract irritation ma	y occur as with exposure to large amounts of	
Ingestion:	Ingestion is not applicable route of entry for intended use.			
Eye:	May cause eye irritat	tion.		
Skin:	Unlikely to cause ski	in irritation.		
Chronic Effects:	Not known.			
Medical Condition	ons Generally known Not identified	to be Aggravated	by Exposure:	
	Falamage 9, 1000		Davisadı	

Revised:

Page 3 of 9 R94-3014 TC0261-0105

SECTION 4	FIRST	AID MEASURES				
First Aid Measure Inhalation:	Remo	s: Remove victim to fresh air. Get medical attention if symptoms persist.				
Ingestion:		Dilute stomach contents with several glasses of water. Get medical attention if symptoms persist.				
Eye:		Flush with running water for at least 15 minutes. If irritation persist, get medical attention.				
Skin:		Wash with soap and water. If irritation persist, get medical attention.				
Note to Physicians:	None					
SECTION 5	FIRE F	IGHTING MEASURES				
Fire Fighting Meas	sures:					
Extinguishing M	Iedia:	CO2, water, dry chemicals				
Unsuitable Extinguishing M	ledia:	None				
Special Fire Fighting Procedures:		None				
Unusual Fire and Explosion Hazards:		Toner material, like most organic material in powder form, is capable of creating a dust explosion.				
Fire and Explosive Flash Point(°C):	Propert	nies: No data available				
Flammable(Explosive) Limits:		No data available				
Autoignition Temperature(°C):		No data available				
Flammability:		Non-flammable solid (according to test methods of USA 16 CFR 1500.44 and Annex V of EU Directive 84/449/EEC)				

Date of Issue: February 8, 1999 Revised:



MATERIAL SAFETY DATA SHEET

Page 4 of 9 R94-3014 TC0261-0105

SECTION 5 FIRE FIGHTING MEASURES - Continued

Fire and Explosive Properties - Continued:

Autoflammability: Not applicable

Explosive Properties: See "Unusual Fire and Explosion Hazards"

Oxidizing Properties: No data available

Hazardous CO2, CO Combustion Products:

Other Properties: Not known

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid breathing dust.

Use with adequate ventilation.

Environmental

Precautions:

Do not wash away into sewer.

Method for Cleaning

Up:

Sweep material onto paper and carefully transfer to a sealable waste container.

Revised:

If a vacuum is used, the motor must be rated as dust tight.

A conductive hose bonded to the machine should be used to reduce static

buildup.

SECTION 7 HANDLING AND STORAGE

Handling: Avoid breathing dust.

Use with adequate ventilation. Wash thoroughly after handling.

Storage: Keep out of reach of children.

Date of Issue: February 8, 1999



Page 5 of 9 R94-3014 TC0261-0105

SECTION 8 EXP	SURE CONTROLS / PERSONAL PROTECTION	
Exposure Guidelines:	USA OSHA(TWA/PEL):15mg/m3 (Total dust) 5mg/m3 (Respirable fraction) ACGIH(TWA/TLV): 10mg/m3 (Inhalable particulate)	
	3mg/m3 (Respirable particulate) DFG (MAK): 4 mg/m3 (Inhalable fraction) 1.5 mg/m3 (Respirable fraction) (Also refer to SECTION 2)	
Engineering Controls:	Good general ventilation should be sufficient under intended use.	
Personal Protection Eq	ipment(s):	
Respiratory Protection:	☐ Required	
Eye/Face Protection:	☐ Required	
Skin Protection:	Required Not Required	
SECTION 9 PHYS	ICAL AND CHEMICAL PROPERTIES	
Appearance:	Cyan fine powder	
Odor:	Slight plastic odor	
pH:	Not applicable	
Boiling Point/Range(°C	Not applicable	
Melting Point/Range(°	(i): 100 - 150 (Softening point)	
Decomposition Tempe	ature(°C): No data available	
Flash Point(°C):	No data available	
Flammable (Explosive)		
Autoignition Temperat	re(°C): No data available	
Flammability:	Non-flammable solid (according to test methods of USA 16 C 1500.44 and Annex V of EU Directive 84/449/EEC)	:FR
Autoflammability:	Not applicable	
Explosive Properties:	See "Unusual Fire and Explosion Hazards"	
Oxidizing Properties:	No data available	
Vapor Pressure:	Not applicable	
Vapor Density:	Not applicable	
Density / Specific Grav	ty: 1.0 - 1.2	
Water Solubility:	Negligible	
Fat Solubility:	Partially soluble in toluene and xylene.	
Partition Coefficient (n-Octanol/Water):	Not applicable	
Percent Volatile:	Not applicable	
Evaporation Rate:	Not applicable	
Date of Issue: F	ebruary 8, 1999 Revised:	



Page 6 of 9 R94-3014 TC0261-0105

SECTION 10 STABILITY AND REACTIVITY					
Stability: Conditions to Avoid:		■ Stable □ Unstable None			
Materials to Avoid:		Strong oxidizers			
Hazardous Decompo	osition	Combustion will produce carbon dioxide and, possibly toxic chemicals such as carbon monoxide.			
Hazardous Polymerization: Conditions to Avoid:		☐ May Occur ☑ Will Not Occur None			
SECTION 11 TO	XICOL	OGICAL INFORMATION			
Acute Toxicity: Inhalation:	(Data	from similar toner): LC50: >5mg/L/4hr (rats)			
Ingestion:	(Data from similar toner): Oral LD50: >2000mg/kg (rats)				
Eye:	(Data from similar toner): Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC based on test data of rabbits.				
Skin:	(Data from similar toner): Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC based on test data of rabbits.				
Sensitization:	No sensitizer according to Annex I of EU Directive 67/548/EEC and strong sensitizer list of FHSA.				
Mutagenicity:	(Data	from similar toner): Negative (Ames Test: Salmonella typhimurium)			
Reproductive Toxicity:	-	productive toxic substances according to Annex I of EU Directive 3/EEC, California Proposition 65 and DFG.			
Date of Issue:	Februa	ry 8, 1999 Revised:			

Canon

MATERIAL SAFETY DATA SHEET

Page 7 of 9 R94-3014 TC0261-0105

SECTION 11 TOXICOLOGICAL INFORMATION - Continued

Carcinogenicity: No human carcinogen or potential carcinogen, according to IARC Monographs,

NTP, OSHA(USA) regulation, California Proposition 65 and Annex I of EU

Directive 67/548/EEC.

Others: Sub-acute Toxicity

- Rats; 90days inhalation Test Test sample: magnetic toner (mean volume diameter is 6.0 μm)

NOEL (No observed effect level): 16mg/m3

SECTION 12 ECOLOGICAL INFORMATION

No information indicating any adverse ecological effects.

SECTION 13 DISPOSAL CONSIDERATION

Method of Disposal: This product is constructed from plastics and metals. The waste toner could be

considered as plastic powder waste. Disposal should be subject to federal, state or

Revised:

local laws.

SECTION 14 TRANSPORT INFORMATION

UN #: None

UN Shipping Name: None

UN Classification: None

UN Packing Group: None

Special Precautions: None

Date of Issue: February 8, 1999



Page 8 of 9 R94-3014 TC0261-0105

SECTION 15 REC	GULATORY INFORMATION					
EU Information: Information on the	EU Information: Information on the Label:					
Symbol &	Not required					
Indication: R-Phrase:	Not required					
S-Phrase:	Not required					
Dangerous Component(s):	None					
Specific Provision	ns in Relation to Protection of Man or the Environment:					
76/769/EEC:	Not regulated					
(EC)3093/94:	Not regulated					
(EEC)2455/92:	: Not regulated					
Others:	None					
USA Information:	r 1 1					
Information on the L Signal Word:	Label: Not required					
Hazard warning:	Not required					
1141241 W W.11111g.	Not required					
Safety Advice:	Not required					
Hazardous Component(s):	None					
SARA Title III §31	13:					
Chemical Na	me Weight 9	<u>6</u>				
None						
California Propositi						
<u>Chemical Nar</u> None	me Weight 9	6				
None						
Date of Issue:	February 8, 1999 Revised:					

Canon

MATERIAL SAFETY DATA SHEET

Page 9 of 9 R94-3014 TC0261-0105

SECTION 16	OTHER	INFORMATION	J
DECTION	OILLI		4

Ω ₁	T C	, •
Offner	Inform	ation:

None

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 88/379/EEC and their amendments.
- EU Regulation (EC)3093/94, (EEC)2455/92 and their amendments.

Abbreviations:

"EU" stands for European Union.

"OSHA PEL" stands for PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration.

"ACGIH TLV" stands for TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

"EU ILV" stands for Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC.

"DFG MAK" stands for MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.

"TWA" stands for Time Weighted Average.

"IARC" stands for International Agency for Research on Cancer.

"NTP" stands for National Toxicology Program (USA).

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Date of Issue:	February 8, 19	99	_	
Revised Date:			_	
- CT		0.1000	 	

Date of Issue: February 8, 1999 Revised: