

Issuing date: 01-Sep-2006 Revision date: 19-Jan-2024

Safety Data Sheet

SDS#: TCW 0279 R - 02 US EN

Version: 04

SECTION 1: Product and company identification

Product identifier

Product name Canon Drum Cartridge 102 Black

Product code(s) 9628A003

Use Toner for electrophotographic machines

Details of the supplier of the safety data sheet

Supplier

Canon USA, Inc.

One Canon Park, Melville, NY 11747, USA Phone number: 1-800-OK-CANON

Emergency phone number: 24 Hr. Emergency CHEMTREC # 1-800-424-9300

Canon Canada Inc.

8000 Mississauga Road, Brampton, Ontario L6Y 5Z7, Canada

Phone number: (1) 905-863-8000

Emergency phone number: 24 Hr. Emergency CHEMTREC # 1-800-424-9300

Manufacturer

Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

SECTION 2: Hazards identification

Emergency overview

Grayish fine powder, slight plastic odor.

Inhalation of excessive amounts of manganese powder may cause cough, shortness of breath or pneumonitis.

Classification under OSHA HCS

Not classified

US Label elements under OSHA HCS

Symbol

Not required

Signal word

Not required

Hazard statements

Not required

Precautionary statements

Not required

Other information

None

Other hazards which do not result in classification

None

SECTION 3: Composition/information on ingredients

Chemical name	CAS-No	Weight %
Ferrite including manganese	66402-68-4	90-100 (as Mn:10-20)
Polyester resin	CBI	< 10
Carbon black	1333-86-4	< 1

SECTION 4: First aid measures

Description of first aid measures

Inhalation Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms

occur.

Skin contact Wash off immediately with soap and plenty of water. Get medical attention immediately if

symptoms occur.

Eye contact Flush with plenty of water. Get medical attention immediately if symptoms occur.

Most important symptoms and effects, both acute and delayed

InhalationNone under normal use. Exposure to excessive amounts of dust may cause physical

irritation to respiratory tract.

Ingestion None under normal use.

Skin contact None under normal use.

Eye contact None under normal use. May cause slight irritation.

Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Use CO₂, water, dry chemical, or foam.

Unsuitable extinguishing media

None

Special hazards arising from the substance or mixture

Special hazard

May form explosive mixtures with air.

Hazardous combustion products

Carbon dioxide (CO₂), Carbon monoxide (CO)

Advice for firefighters

Special protective equipment for firefighters

US EN Page 2/7

None

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid breathing dust. Avoid contact with skin, eyes and clothing.

Environmental precautions

Keep out of waterways.

Methods and material for containment and cleaning up

Clean up promptly by scoop or vacuum. If a vacuum cleaner is used, be sure to use a model with dust explosion safety measures. May form explosive mixtures with air.

Other information

None

SECTION 7: Handling and storage

Precautions for safe handling

Avoid breathing dust. Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use only with adequate ventilation.

Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Incompatible with oxidizing agents.

SECTION 8: Exposure controls/personal protection

Exposure guidelines

1	Chemical name	OSHA PEL	ACGIH TLV
	Ferrite including manganese 66402-68-4	Ceiling: 5 mg/m³ Mn	TWA: 0.1 mg/m ³ Mn inhalable fraction
	Carbon black 1333-86-4	TWA: 3.5 mg/m ³	TWA: 3 mg/m³ inhalable particulate matter

Appropriate engineering controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/face protectionNot required under normal use.Skin protectionNot required under normal use.Respiratory protectionNot required under normal use.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical statePowderColorBlackOdorSlight odor

Melting/freezing point (°C) 85 - 120 (Softening point)

Boiling point or initial boiling point and boiling range (°C) Not applicable

Flammability Not flammable; estimated

US EN Page 3/7

Not applicable

Lower and upper explosion limit

Flash point (°C)

Not applicable Auto-ignition temperature (°C) Not applicable > 200

Decomposition temperature (°C)

No data available Not applicable Kinematic viscosity (mm²/s)

Solubility Organic solvent; partly soluble

Not applicable Partition coefficient n-octanol/water (log value) Not applicable Vapor pressure Density and/or relative density 3.0 - 5.0 Relative vapor density Not applicable

Particle characteristics Other information

No data available

SECTION 10: Stability and reactivity

<100um

Reactivity

None

Chemical stability

Stable

Possibility of hazardous reactions

None

Conditions to avoid

None

Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

Hazardous decomposition products

Carbon dioxide (CO₂), Carbon monoxide (CO)

SECTION 11: Toxicological information

Information on toxicological effects

LD50 > 2000 mg/kg (Ingestion) **Acute toxicity**

Skin corrosion/irritation Not classified based on the classification criteria under UN GHS (OECD Guideline)

Serious eye damage/eye irritation Not classified based on the classification criteria under UN GHS (OECD Guideline)

Sensitization Not classified based on the classification criteria under UN GHS (OECD Guideline)

Ames Test (S. typhimurium, E. coli): Negative Germ cell mutagenicity

Carcinogenicity The IARC evaluated carbon black as a Group 2B carcinogen, for which there is inadequate

human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at

US EN Page 4/7

levels that induce particle overload of the lung.

However, there is a two-year inhalation study of a toner containing carbon black which demonstrated no association between toner exposure and tumor development in rats.

Reproductive toxicity No data available

STOT - single exposure No data available

STOT - repeated exposure Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a

toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive

amounts of any dust retained in the lung for a prolonged interval.

Aspiration hazard No data available

Other information Manganese and its inorganic compounds:

There are studies showing that inhalation of excessive amounts of manganese cause

effects on nervous system, respiratory function, and reproductive function.

However, no inhalation of manganese at a level which causes such adverse effects is

expected under intended use of this product.

SECTION 12: Ecological information

Toxicity

Ecotoxicity effects

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13: Disposal considerations

Waste treatment methods

DO NOT put toner or a toner container into fire. Heated toner may cause severe burns. DO NOT dispose of a toner container in a plastic crusher. Use a facility with dust explosion prevention measures. Finely dispersed particles form explosive mixtures with air. Dispose of in accordance with local regulations.

SECTION 14: Transport information

UN number None

US EN Page 5/7

UN proper shipping name None

<u>Transport hazard class</u> None

Packing group None

Environmental hazards Not classified as environmentally hazardous under UN Model Regulations and

marine pollutant under IMDG Code.

<u>Special precautions for users</u> IATA: Not regulated

Transport in bulk according to Annex II of

MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Sec. 4,5,6,7,8,12b None

SARA Title III Sec. 313 "Manganese compounds": 90-100 Weight % (as Mn: 10-20 Weight %)

California Proposition 65
CEPA Sec. 81
HPA (WHMIS)
Other information
None

SECTION 16: Other information

The data in SECTION 9, 11 and 12 of this SDS are based on the test results of this product, or estimates based on the data of similar product or the ingredients of this product.

Key literature references and sources for data

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Environmental Protection Agency, 40CFR Part 700-799
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- California EPA, Code of Regulations Title 27. Division 4. Chapter 1. Safe Drinking Water and Toxic Enforcement Act of 1986
- Environment and Climate Change Canada, Canadian Environmental Protection Act, 1999
- Health Canada, Hazardous Products Act, and Hazardous Products Regulations
- Canada Workplace Hazardous Materials Information System

Key or legend to abbreviations and acronyms used in the safety data sheet

- OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)
- FHSA: Federal Hazardous Substances Act
- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- TSCA: Toxic Substances Control Act
- SARA Title III: SARA Title III of the Superfund Amendments and Reauthorization Act of 1986
- Proposition 65: Safe Drinking Water and Toxic Enforcement Act of 1986
- CEPA: Canadian Environmental Protection Act, 1999
- HPA: Hazardous Products Act
- WHMIS: Workplace Hazardous Materials Information System

US EN Page 6/7

- CBI: Confidential Business Information

Issuing date: 01-Sep-2006

Revision date: 19-Jan-2024

Revision note Entirely revised

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

US EN Page 7/7