Page 1 of 9 F42-0412 TN0070-0605

SECTION 1	IDENTIFICATION O COMPANY/UNDER		CE/PREPARA	ATION AND	OF THE
Product Name:	Canon Starter (Cyan) for CLC700				
Product Code:	1459A001AA / F42-	0412			
Manufacturer:	Canon Inc., 30-2, Sh	imomaruko 3-Cho	ne, Ohta-ku, T	Sokyo, Japan,	Ph# 03-3758-2111
Supplier:	Canon USA, Inc., One Canon Park, Melville, NY 11747, USA				
Phone #:	1-800-OK-CANON 24 Hr. Emergency CHEMTREC # 1-80		EC # 1-800-4	24-9300	
MSDS #:	TN0070-0605				
SECTION 2	COMPOSITION/INFO	ORMATION ON II	NGREDIENTS	3	
Hazardous Ingred	ient(s)				
Chemical Name		CAS#	Weight %	EU Symbol	EU R-Phrase
Ferrite including	copper and zinc	66402-68-4	90-95 (AsCu:10-12)	None	None
Copper compour	ad	-	<0.5	None	None
Chemical Name		USA OSHA PE		ACGIH TL	V
Ferrite including	copper and zinc	Not established		Not establis	hed
Copper compour	nd	Not established		Not establis	hed
Chemical Name		EU ILV		DFG MAK	
Ferrite including	copper and zinc	Not established		1.0mg/m3 Copper and (Inhalable f	its compounds raction)
Copper compound		Not established		1.0mg/m3 Copper and its compounds (Inhalable fraction)	
	no: Fobruary 16, 1004			(Inhalable f	



Page 2 of 9 F42-0412 TN0070-0605

arcinogen Chemical Name			
		CAS#	Reference
carcinogen or potential Monographs, NTP, OS o Directive 67/548/EE	HA regulations or Annex I		
ther Ingredient(s)			
Chemical/Generic	Name		Weight %
Polyester resin			3 - 10
			-
SECTION 3 H	AZARDS IDENTIFICA	ATION	
Emergency Overview:	Cyanish gray fine pow	der, slight p	lastic odor.
Potential Health Ef Inhalation:	fects and Symptoms: Exposure to excessive tract.	amounts of	dust may cause physical irritation to respiratory
Ingestion:	Practically non-toxic .Ingestion is a minor route of entry for intended use of this product.		
Eye:	May cause transient sl	ight irritation	1.
Skin:	May be non irritant.		
Chronic Effects:			amounts of dust may cause lung damage. Use of esult in inhalation of excessive amounts of dust.

Canon

Date of Issue:

February 16, 1994

MATERIAL SAFETY DATA SHEET

Page 3 of 9 F42-0412 TN0070-0605

Revised: December 13, 2000

FIRST AID MEASURES **SECTION 4** First Aid Measures: Inhalation: If symptoms are experienced, move victim to fresh air and obtain medical advice. Ingestion: Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately. Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 Eye: minutes or until particle is removed. If irritation persists, obtain medical attention. Wash with soap and water. If irritation persists, obtain medical advice. Skin: Note to None Physicians: **SECTION 5** FIRE FIGHTING MEASURES Fire Fighting Measures: CO₂, water, dry chemicals Extinguishing Media: Unsuitable None Extinguishing Media: None Special Fire Fighting Procedures: Can form explosive dust-air mixtures when finely dispersed in air. Unusual Fire and **Explosion Hazards:** Fire and Explosive Properties: Flash Point(°C): Not applicable Flammable(Explosive) Not applicable Limits: Autoignition Not available Temperature($^{\circ}$ C): Flammability: Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))

Page 4 of 9 F42-0412 TN0070-0605

SECTION 5 FIRE	EFIGHTING MEASURES - Continued			
Fire and Explosive Pro	operties - Continued:			
Autoflammability:	Not applicable			
Explosive Properties	Can form explosive dust-air mixtures when finely dispersed in air.			
Oxidizing Properties	s: Not available			
Hazardous Combustion Produc	CO ₂ , CO			
Other Properties:	Not available			
SECTION 6 ACC	IDENTAL RELEASE MEASURES			
Personal Precautions:	Avoid breathing dust.			
Environmental Precautions:	Do not wash away into sewer.			
Method for Cleaning Up:	Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner. If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.			
SECTION 7 HAN	IDLING AND STORAGE			
Handling:	Avoid breathing dust. Use with adequate ventilation.			
Storage:	Keep away from oxidizing materials.			



Page 5 of 9 F42-0412 TN0070-0605

SECTION 8 EXPOSURE	E CONTROLS / PERSONAL PROTECTION		
Exposure Guidelines: USA C	OSHA(TWA/PEL):15mg/m3 (Total dust)		
-	5mg/m3 (Respirable fraction)		
ACGII	H(TWA/TLV): 10mg/m3 (Inhalable particulate) 3mg/m3 (Respirable particulate)		
DFG (MAK): 4 mg/m3 (Inhalable fraction)		
	1.5 mg/m3 (Respirable fraction) (Also refer to SECTION 2)		
Engineering Controls: Use a	dequate ventilation.		
Personal Protection Equipme	nt(s):		
Respiratory	quired Not Required		
Protection:			
•	quired Not Required		
Protection:			
Skin Protection:	quired Not Required		
	dance France		
SECTION 9 PHYSICAL	AND CHEMICAL PROPERTIES		
Appearance:	Cyanish gray fine powder		
Odor:	Slight plastic odor		
pH:	Not applicable		
Boiling Point/Range(°C):	Not applicable		
Melting Point/Range(°C):	100 - 150 (Softening point)		
Decomposition Temperature(
Flash Point(°C):	Not applicable		
Flammable (Explosive) Limit			
Autoignition Temperature(°C			
Flammability:	Not-flammable (Test method : Directive 92/69/EEC, A10 Flammability (Solids))		
Autoflammability:	Not applicable		
Explosive Properties:	Can form explosive dust-air mixtures when finely dispersed in air.		
Oxidizing Properties:	Not available		
Vapor Pressure:			
Vapor Density:	Not applicable		
•	Not applicable 4.0 - 5.0		
Density / Specific Gravity:			
Water Solubility:	Negligible		
Fat Solubility:	Partially soluble in toluene and xylene.		
Partition Coefficient (n-Octanol/Water):	Not applicable		
Percent Volatile:	Negligible		
Evaporation Rate:	Not applicable		
Date of Issue: Februar	y 16, 1994 Revised: December 13, 2000		



Page 6 of 9 F42-0412 TN0070-0605

SECTION 10 STABILITY AND REACTIVITY			
Stability:		Stable	
Conditions to Avoid:		None	
Materials to Avoid:		Strong oxidizers	
Hazardous Decompo Products:	sition	CO, CO ₂	
Hazardous Polymerization:		☐ May Occur ☑ Will Not Occur	
Conditions to Avo	oid:	None	
SECTION 11 TO	XICOLO	OGICAL INFORMATION	
Acute Toxicity:	NT /	91.11	
Inhalation:	Not av	railable	
Ingestion:	Estima	ate: Rat, LD50 > 5000 mg/kg	
Eye:	 Fetime	ate: Rabbit, transient slight conjunctival irritation only.	
Lyc.	Listinic	ite . Rabbit, transient siight conjunctival irritation omy.	
Skin:	Estima	ate : Rabbit, non irritant.	
Sensitization:	Not av	railable.	
Mutagenicity:	Estima	ate : Ames Test (Salmonella typhimurium) : Negative	
Reproductive	Not av	railable.	
Toxicity:	= 131 W		

Page 7 of 9 F42-0412 TN0070-0605

Carcinogenicity:	Not available
Caremogenicity.	
Others:	Chronic effects: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m3 which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m3, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m3. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.
SECTION 12 EC	COLOGICAL INFORMATION
Mobility:	Not available.
Persistence / Degradability:	Not available.
Bioaccumulation:	Not available.
Ecotoxicity:	Not available.
Other Adverse Effects:	Not available.
SECTION 13 DIS	SPOSAL CONSIDERATION
Method of Disposal:	Disposal should be subject to federal, state or local laws.
SECTION 14 TR	ANSPORT INFORMATION
UN #:	None
UN Shipping Name:	None
UN Classification:	None
UN Packing Group:	None
Special Precautions:	None
Date of Issue:	February 16, 1994 Revised: December 13, 2000



Page 8 of 9 F42-0412 TN0070-0605

SECTION 15 REC	GULATORY INFORMATION		
EU Information: Information on the	Label:		
Symbol &	Not required		
Indication: R-Phrase:	Not required		
S-Phrase:	Not required		
Dangerous Component(s):	None		
Specific Provision	s in Relation to Protection of Mar	or the Environmer	nt:
76/769/EEC:	Not regulated		
(EC)2037/2000:	Not regulated		
(EEC)2455/92:	Not regulated		
Others:	None		
USA Information: Information on the L	abel		
Signal Word:	Not required		
Hazard warning:	Not required		
Safety Advice:	Not required		
Hazardous Component(s):	None		
SARA Title III §313 Chemical Na			Weight %
	ng copper and zinc		95 wt% (Maximum)
Copper and compounds(As Copper metal)			(12 wt% (Maximum))
Zinc and com	pounds(As Zinc metal)		(14 wt% (Maximum))
California Propositi			W. 1.0/
<u>Chemical Nar</u> None	me		Weight %
None			
Date of Issue:	February 16, 1994	Revised:	December 13, 2000

Canon

MATERIAL SAFETY DATA SHEET

Page 9 of 9 F42-0412 TN0070-0605

SECTION 16	OTHER INFORMATION

Other Information:

None

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 88/379/EEC
- EU Regulation (EC)2037/2000, (EEC)2455/92

Abbreviations:

"EU" stands for European Union.

"OSHA PEL" stands for PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration.

"ACGIH TLV" stands for TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

"EU ILV" stands for Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

"DFG MAK" stands for MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.

"TWA" stands for Time Weighted Average.

"IARC" stands for International Agency for Research on Cancer.

"NTP" stands for National Toxicology Program (USA).

"OSHA HCS" stands for Occupational Safety and Health Act, Hazard Communication Standard.

"FHSA" stands for Federal Hazardous Substances Act.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Date of Issue:	February 16, 1994	
Revised Date:	December 13, 2000	