							Page 1 of 7
Canon		MA	TERIAL	SAFETY DA	TA SHEET	MSDS #: Product Code:	TN1548-010 0440B / F42-700
SECTION 1				UBSTANCE/P	REPARATION	AND OF TH	E
Product Name:	COMPANY/UNDERTAKING Canon imagePRESS C7000VP Black Starter						
		0	5 C7000 VI	Diack Starter			
Product Code:	<u>0440B / F42-7007</u>						
Manufacturer:	Canon Inc., 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph#03-3758-2111.						
Supplier:	Canon USA Inc., One Canon Park, Melville, NY 11747, USA						
Phone #:	1-800-OK-CANON 24Hr. Emergency CHEMTREC # 1-800-424-9300						
SECTION 2	COMPOSITION/INFORMATION ON INGREDIENTS						
< Ingredient(s) >							
Chemical Name /	CAS # /	Weight	EU Symbol/	USA	ACGIH TLV	EU ILV	DFG MAK
Generic Name	EC #	%	R-Phrase	OSHA PEL			1
Iron oxide	1317-61-9/ 215-277-5	70-80	None / None	Not established	Not established	Not established	Not established
Iron oxide	1309-37-1/ 215-168-2	5-10	None / None	Not established	5 mg/m ³ (TWA) (Respirable fraction)	Not established	1.5 mg/m ³ (Respirable fraction)
Polyester resin	Confidential	5-10	None / None	Not established	Not established	Not established	Not established
Phenol polymer	Confidential	5-10	None / None	Not established	Not established	Not established	Not established
Carbon black	1333-86-4/ 215-609-9	<1	None / None	3.5 mg/m ³ (TWA)	3.5 mg/m ³ (TWA)	Not established	Not established
< Carcinogen > Chemical Name				CAS#	Reference		
Carbon black (< 1%)	1333-86-4 IARC: Group 2B. NTP; OSHA; Annex I to 67/548/EEC: Not listed.						
SECTION 3	HAZARDS	IDENT	IFICATION	I			
EU Classification:							
Not classified a	s dangerous.						
Emergency Overv	iew·						

Emergency Overview:

Black fine powder, slight plastic odor. Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

Skin:

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure: Not determined Page 1 of 7

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also SECTION 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

USA OSHA PEL (TWA):	15 mg/m ³ (Total dust), 5 mg/m ³ (Respirable fraction)
ACGIH TLV (TWA):	10 mg/m ³ (Inhalable fraction), 3 mg/m ³ (Respirable fraction)
DFG (MAK):	4 mg/m^3 (Inhalable fraction), 1.5 mg/m^3 (Respirable fraction)
(Also refer to SECTION 2)

Engineering Controls:

Use adequate ventilation.

Personal Protection Equipment(s):

Respiratory Protection:	
	Not Required
Eye/Face Protection:	Required
	Not Required
Skin Protection:	Required
	Not Required

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Black fine powder		
Odor:	Slight plastic odor		
pH:	Not applicable		
Boiling Point/Range(°C):	Not applicable		
Melting Point/Range(°C):	85-120 (Softening point)		
Decomposition Temperature(°C):	> 200		
Flash Point(°C):	Not applicable		
Flammable (Explosive) Limits:	Not applicable		
Autoignition Temperature(°C):	Not available		
Flammability:	Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))		
Explosive Properties:	Can form explosive dust-air mixtures when finely dispersed in air.		
Oxidizing Properties:	Not available		
Vapor Pressure:	Not applicable		
Vapor Density:	Not applicable		
Density / Specific Gravity:	3.0-5.0		
Water Solubility:	Negligible		
Fat Solubility:	Partially soluble in toluene and xylene.		
Partition Coefficient (n-Octanol/Water): Not applicable			
Percent Volatile:	Negligible		
Evaporation Rate:	Not applicable		
Viscosity (mPa s):	Not applicable		

			Page 4 of 7
Canon	MATERIAL SAFETY DATA SHEET	MSDS #: Product Code:	TN1548-0102 0440B / F42-7007
		Tioduct Code.	
SECTION 10 STABILI	TY AND REACTIVITY		
Stability:	⊠ Stable □ Unstable		
Conditions to Avoid:	None		
Materials to Avoid:	Strong oxidizers		
Hazardous Decomposition P	roducts: CO, CO2		
Hazardous Polymerization:	☐ May Occur ⊠ Will Not Occur		
Conditions to Avoid:	None		
SECTION 11 TOXICO	LOGICAL INFORMATION		
Acute Toxicity: Inhalation: Not available			
Ingestion: Estimate: Rat, LD50 >	2000 mg/kg (See SECTION 16)		
Eye: Estimate: Rabbit, transi	ent slight conjunctival irritation only. (See SECTION	16)	
Skin: Estimate: Rabbit, non-i	rritant (See SECTION 16)		
Sensitization: Not available			
Mutagenicity: Estimate: Ames Test (S	S. typhimurium, E. coli): Negative (See SECTION 16)		
Reproductive Toxicity: Not available			
but sufficient animal ev chronic inhalation expo However, there is a two association between tor	arbon black as a Group 2B carcinogen, for which there ridence. The latter is based upon the development of lu- osure to powdered carbon black at levels that induce pa o-year inhalation study of a toner containing carbon bla- her exposure and tumor development in rats.	ing tumors in r article overload	ats receiving of the lung.
Others: Chronic effects:			
Muhle et al. reported pur respirable-sized particle is most relevant to pote	ulmonary response upon chronic inhalation exposure in es compared to commercial toner. No pulmonary chan ntial human exposure. A minimal to mild degree of fib d a mild to moderate degree of fibrosis was observed in	ge was found a prosis was note	t 1 mg/m ³ which d in 22% of the
mg/m^3 .	buted to "lung overloading", a generic response to exc		



SECTION 12 ECOLO	OGICAL INFORMATION				
Mobility:	Not available				
Persistence / Degradability	Not available				
Bioaccumulation:	Not available				
Ecotoxicity:	Estimate: Fish (Rainbow trout), 96h LL50 > 1000 mg/l (WAF) Estimate: Crustaceans (Daphnia magna), 48h EL50 > 1000 mg/l (WAF) Estimate: Algae (Scenedesmus subspicatus), EbL50(72h), ErL50(0-72h) > 1000 mg/l (WAF) (See SECTION 16)				
Other Adverse Effects:	Not available				
SECTION 13 DISPOS	SAL CONSIDERATIONS				
Method of Disposal: Disposal should be subje	ect to federal, state and local laws.				
SECTION 14 TRANS	PORT INFORMATION				
UN #: <u>None</u>					
UN Shipping Name: None					
UN Classification: None					
UN Packing Group: None					
Marine Pollutant: \Box Ye \boxtimes No					
Special Precautions: None					
SECTION 15 REGU	LATORY INFORMATION				
< EU Information >					
Information on the Labe					
Symbol & Indication:	Not required				
R-Phrase: Not required					
S-Phrase: Not required					
Dangerous Componen Not required	t(s):				
Special Precautions un Not required	der 1999/45/EC Annex V:				
•	ation to Protection of Man or the Environment: gulated				
(EC)2037/2000: Not re	gulated				
· · · · ·	gulated				
Others: None					

< USA Information >			
Information on the Label und	er OSHA:		
Signal Word: Not requir	ed		
Hazard warning:			
Not required			
Safety Advice:			
Not required			
Hazardous Component(s):			
Not required			
SARA Title III §313:			
Chemical Name		Weight %	
None			
California Proposition 65:			
Chemical Name		Weight %	
None			
< Canada Information >			
WHMIS Controlled Product:	Not a controlled product		
< Australia Information >			
Statement of Hazardous Natu	Not classified as hazardous according to criteria of NOHSC.		

SECTION 16 OTHER INFORMATION

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union. OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC. DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft. TWA: Time Weighted Average. STEL: Short Term Exposure Limit. IARC: International Agency for Research on Cancer. NTP: National Toxicology Program (USA). WAF: Water Accommodated Fraction LL: Lethal Loading rate EL: Effective Loading rate OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA). FHSA: Federal Hazardous Substances Act (USA). WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.