Safety Data Sheet

Issuing date: April 18, 2019 SDS #: JIn-274US Revision date: January 21, 2020 Version: 02

SECTION 1: Product and company identification

Product identifier

Product name Ink Tank BJI-P411BK

Product code(s) 4846B002

Use Ink for Ink Jet Printer

Details of the supplier of the safety data sheet

Supplier

Canon USA, Inc.

One Canon Park, Melville, NY 11747, USA Phone number : 1-800-OK-CANON

Emergency phone number: 24 Hr. Emergency CHEMTREC # 1-800-424-9300

Manufacturer

CANON FINETECH NISCA INC.

14-1, Chuo 1-chome, Misato-shi, Saitama 341-8527, Japan

SECTION 2: Hazards identification

Emergency Overview

Ink tank containing black liquid ink with slight odor.

2-Pyrrolidinone may damage fertility or the unborn child.

Ethyleneurea may cause damage to thyroid gland through prolonged or repeated exposure.

Classification under OSHA HCS

Reproductive toxicity, Category 1B

Specific target organ toxicity - repeated exposure (thyroid gland), Category 2

US Label Elements under OSHA HCS

Symbol



Signal word

Danger

Hazard statements

May damage fertility or the unborn child. May cause damage to thyroid gland through prolonged or repeated exposure.

Precautionary statements

Not required

Other Information

None

Other hazards which do not result in classification

None

SECTION 3: Composition/information on ingredients

Chemical name	CAS-No	Weight %
Glycerin	56-81-5	5-10
Ethyleneurea	120-93-4	5-10
2-Pyrrolidinone	616-45-5	5-10
Triethylene glycol	112-27-6	1-5
Substituted naphthalene sulfonic acid	CBI	1-5
Water	7732-18-5	60-80

SECTION 4: First aid measures

Description of first aid measures

Inhalation If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Skin contact Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Eye contact Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is

removed.

If irritation persists, obtain medical advice immediately.

Most important symptoms and effects, both acute and delayed

Inhalation No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness,

drowsiness, headache and nausea.

Ingestion May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea

and vomiting.

Skin contact Neither irritation nor sensitization is expected. (See SECTION 11)

Eye contact May cause minimal irritation. (See SECTION 11)

Chronic effects Not identified

Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

CO₂, water, foam or dry chemicals

Unsuitable extinguishing media

None

Special hazards arising from the substance or mixture

Special hazard

None

Hazardous combustion products

CO, CO₂, NOx and SOx

Advice for firefighters

Special protective equipment for fire-fighters

None

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

Avoid breathing vapor and mist.

Environmental precautions

Do not release to sewer, surface water or ground water.

Methods and material for containment and cleaning up

Wipe off with wet cloth or paper.

Other information

None

SECTION 7: Handling and storage

Precautions for safe handling

Use with adequate ventilation.

Avoid contact with skin, eyes and clothing.

Avoid breathing vapor and mist.

In case of contact, wash out the contaminated area immediately.

Conditions for safe storage, including any incompatibilities

Keep in a cool and dry place.

Protect from sunlight.

Keep out of the reach of children.

Specific end uses

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

SECTION 8: Exposure controls/personal protection

Exposure guidelines

Chemical name	OSHA PEL	ACGIH TLV
Glycerin	15 mg/m³ (mist, total dust)	Not established
	5 mg/m³ (mist, respirable fraction)	

Appropriate engineering controls
No special ventilation equipment is needed under intended use of this product.

Individual protection measures, such as personal protective equipment

Eye/face protectionNot requiredSkin protectionNot requiredRespiratory protectionNot required

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

AppearanceBlack liquidOdorSlight odorOdor thresholdNot available

H 7-9

Melting point/Freezing point(°C)Not availableInitial boiling point and boiling range(°C)Not availableFlash point(°C)None (Estimate)Evaporation rateNot available

Flammability (solid, gas)

Neither flammable nor combustible.

Upper/lower flammability or explosive limits

Upper flammability limit
Lower flammability limit
Upper explosive limit
Lower explosive limit
Not available
Vapor pressure
Vapor density
Relative density
Not available
Not available
Not available
Not available
Not available

Solubility(ies)Water: MisciblePartition coefficient: n-octanol/waterNot availableAuto-ignition temperature(°C)Not availableDecomposition temperature(°C)Not available

Viscosity (mPa·s) 1-5

Explosive propertiesNone (Estimate)Oxidizing propertiesNone (Estimate)

Other information

None

SECTION 10: Stability and reactivity

Reactivity

None

Chemical stability

Stable

Possibility of hazardous reactions

None

Conditions to avoid

None

Incompatible materials

Acids, bases, oxidizing materials and reducing agents.

Hazardous decomposition products

CO, CO₂, NOx and SOx

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity Not available

Skin corrosion/irritation Not irritant (rabbit) (Estimate based on data of similar ink or ingredient(s).)

OECD Guidelines No.404 (2002), (EC) 440/2008 Method B4

Serious eye damage/eye irritation Minimal irritant (rabbit) (Estimate based on data of similar ink or ingredient(s).)

OECD Guidelines No.405 (2002), (EC) 440/2008 Method B5

Sensitization Not sensitizing (LLNA, mouse) (Estimate based on data of similar ink or ingredient(s).)

OECD Guidelines No.429 (2010), (EC) 440/2008 Method B42

Germ cell mutagenicity Ames test: Negative

Carcinogenicity Not available

Reproductive toxicity 2-Pyrrolidinone is classified as a Category 1B (GHS) reproductive toxicant.

However, the amount of exposure to 2-Pyrrolidinone is negligible under intended use of this

product.

STOT - single exposure Not available

STOT - repeated exposure Ethyleneurea is classified as a STOT-RE Category 2 (thyroid gland) under GHS.

However, the amount of exposure to Ethyleneurea is negligible under intended use of this

product.

Aspiration hazard Not available

Other information Not available

SECTION 12: Ecological information

Toxicity

Ecotoxicity effects

Not available

Persistence and degradability

Not available

Bioaccumulative potential

Not available

Mobility in soil

Not available

Other adverse effects

Not available

SECTION 13: Disposal considerations

Waste treatment methods

Disposal should be subject to federal, state and local laws.

SECTION 14: Transport information

<u>UN number</u> None

UN proper shipping name None

<u>Transport hazard class</u> None

Packing group None

Environmental hazards No special environmental precautions required.

Special precautions for users None

Transport in bulk according to Annex II of

MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Sec. 4,5,6,7,8,12b This product contains substances which are subject to TSCA Section 5, Significant New

Use Rule (SNUR; 40 CFR 721.10107 and 721.10108). Do not use this product other than as inkjet printer ink.

This product is subject to TSCA Section 12(b) export notification requirements.

SARA Title III Sec. 313 None California Proposition 65 None

CEPA Sec. 81 None (Manufactured item)
HPA (WHMIS) None (Manufactured article)

Other information None

SECTION 16: Other information

Key literature references and sources for data

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Environmental Protection Agency, 40CFR Part 700-799
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- California EPA, Code of Regulations Title 27. Division 4. Chapter 1. Safe Drinking Water and Toxic Enforcement Act of 1986
- Environment Canada, Canadian Environmental Protection Act, 1999
- Health Canada, Hazardous Products Act, and Controlled Products Regulations
- Canada Workplace Hazardous Materials Information System

Key or legend to abbreviations and acronyms used in the safety data sheet

- OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)
- IARC: International Agency for Research on Cancer
- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- TSCA: Toxic Substances Control Act
- SARA Title III: SARA Title III of the Superfund Amendments and Reauthorization Act of 1986
- Proposition 65: Safe Drinking Water and Toxic Enforcement Act of 1986
- CEPA: Canadian Environmental Protection Act, 1999
- HPA: Hazardous Products Act
- WHMIS: Workplace Hazardous Materials Information System
- CBI: Confidential Business Information

Issuing date: April 18, 2019

Revision date: January 21, 2020

Revision note: SECTION 2, 3, 9, 11 and 16 have been revised.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.