



imageFORMULA

DR-SERIES

ScanFront

**High-Speed Document
Scanners Catalog**





imageFORMULA
DR-SERIES
ScanFront

EFFICIENT AND AFFORDABLE DOCUMENT IMAGING
Canon DR-Series and ScanFront Scanners—the right
choice for workflow and budget optimization.

INTRODUCTION	3
NETWORK SCANNERS	
ScanFront 220/220P	5
ScanFront 220e/220eP	6
PERSONAL SCANNERS	
P-150M	7
P-150	8
WORKGROUP SCANNERS	
DR-2020U	9
DR-2510M/2010M	10
DR-2510C/2010C	11
DR-2580C	12
DR-3010C	13
DEPARTMENTAL SCANNERS	
DR-4010C	14
DR-5010C	15
DR-6010C	16
PRODUCTION SCANNERS	
DR-6050C	17
DR-7090C	18
DR-9050C/7550C	19
DR-X10C	20
OPTIONAL ACCESSORIES/EXCHANGE PROGRAMS	
Carrying Cases	21
Canon CarePAK® Program	21
Canon CarePAK Extended Service Package	21
Detachable Flatbed Units	22
Additional Accessories	22
Connectors	22



HIGH-SPEED DOCUMENT SCANNERS

Capture, manage, and distribute information with greater speed, ease, and efficiency than ever before with high-performance document scanning solutions from Canon.

Canon's high-speed imageFORMULA DR-Series and ScanFront scanners are integral elements of enterprise content management solutions. As front-end scan capture hardware components, the scanners' reliability, performance, and feature-rich functionality are critical for ensuring the accuracy and overall effectiveness of any document management workflow.

The imageFORMULA scanners are built upon superior image quality and reliability drawn from Canon's high-precision optical and rotary microfilm technology expertise. They offer enhanced sensor technology, a reliable feeding system, and unparalleled scanning speeds. The DR-Series and ScanFront scanners are capable of handling high volumes of mixed paper sizes or other challenging scan operations and offer exceptional image quality, capturing fine lines and intricate image details with utmost precision and clarity—without sacrificing maximum scanning speeds.

High-Performance Scanning

High-Speed Scanning

With fast throughput, efficient paper handling, and intuitive image processing functions, Canon document scanners help manage documents in record speed.

Built-in ADF

A high-capacity Automatic Document Feeder allows for fast, unattended scanning of batches of documents in mixed sizes.

Simultaneous Double-Sided Scanning

Scan double-sided pages just as quickly as single-sided pages. Each scanner is equipped with dual sensor units to capture both sides of a page in one pass.

User-Friendly Operation

Increased operator handling comfort through ergonomic, compact, and lightweight designs. Plus, easy maintenance with user-replaceable feed rollers and quick access to routine scanning tasks through programmable pre-registered Scan-to-Job buttons.

Advanced Scanning Features

Intelligent devices designed for tasks at hand, loaded with the right mix of automatic and customizable functions to enhance the image capture process.

Unbeatable Price/Performance

Fast, high-performance duplex document scanners, feature rich, reliable, and durable with an industry-leading combination of price and performance.

Advanced Image Processing Technology

3-Dimensional Color Correction*

Thanks to an incorporated color conversion chip, the 3-Dimensional Color Correction achieves unprecedented color accuracy that's true to the original. The end result is superior color quality plus enhanced readability for OCR scanning applications.

Automatic Color Detection

This function automatically determines which documents of a mixed batch should be scanned in color, so it's no longer necessary to separate black-and-white and color documents prior to scanning.

Deskew

If a document is fed into the scanner at an angle, this function automatically straightens the scanned image.

Text Orientation Recognition

Perfect for scanning batches of documents that are facing different directions, this feature recognizes the text orientation of each fed document and rotates the scanned images accordingly.

Text Enhancement

For clearer, more legible images from documents with hard-to-scan elements such as light text or handwriting.

Color Dropout**

Red, green, or blue can be removed from document images for improved readability in OCR applications. Additionally, a range of specified colors can be dropped out on certain scanners.

Auto Page Size Detection

Save the time and trouble of sorting batches by paper size. This function automatically checks the size of each fed document and ensures accurately cropped images for each page.

Skip Blank Page

Useful for scanning batches that include single- and double-sided documents, this feature automatically removes unnecessary blank pages from the image file.

Advanced CMOS Contact Image Sensor***

Capture fine lines and intricate image details with Canon's advanced CMOS CIS technology. In addition to providing superior image output, CIS technology also helps reduce energy consumption and eliminates warm-up time.

Superior Paper Handling

Reliable Paper Feeding

Canon's revolutionary feeding mechanism with separation roller achieves highly reliable page separation, while preventing problems due to partial double-feeding or dust damage.

Ultrasonic Double-Feed Detection^

Ultrasonic sensors detect the gap between overlapping pages and prevent multiple pages from being fed together, reliably ensuring that each page of a document is scanned.

U-turn/Straight Path Feeding^^

For enhanced efficiency and flexible scanning of a range of document types, including plastic cards and thick documents, select scanner models feature a straight paper path in addition to the standard U-turn path.

Automatic Retry Feeding Mechanism^^^

Upon double-feed detection, this mechanism will reverse the documents and try to feed them again.

Staple Detection■

Staple Detection sensors detect any irregular document movement caused by staples and stop the feeding in order to avoid any damage to the document.

* Available on the DR-X10C/9050C/7550C/6050C/6010C/5010C/4010C models, plus DR-3010C/2510C/2510M/2010C/2010M/2020U/P-150/150M models, which feature a 3-D Color Correction algorithm.

** Custom Color Dropout on the DR-X10C/9050C/7550C/7090C/6050C/6010C/5010C/4010C models only.

*** All models, excluding DR-7090C, DR-2020U, and the flatbed options for DR-Series Scanners which feature CCD technology.

^ Available on the DR-X10C/9050C/7550C/6050C/6010C/5010C/4010C/3010C/2580C/2510C/2510M and ScanFront 220P/220eP models.

^^ Available on the DR-6010C/5010C/4010C/2580C models.

^^^ Available on the DR-X10C only.

■ Available on the DR-X10C/9050C/7550C/6050C models.



imageFORMULA

ScanFront 220

ScanFront 220P

SCAN TO SHARE THROUGH THE NETWORK

The Canon imageFORMULA ScanFront 220/220P network scanners are ideal for distributed, ad-hoc, and general-purpose scanning. These compact, secure, and easy-to-use scanners feature direct network connectivity for fast and easy installation, reducing the need for difficult-to-manage, power-hungry, dedicated PCs. The ScanFront 220/220P scanners offer a user-friendly interface with full-color 8.5-inch touch-screen convenience plus state-of-the-art imaging technology for superior scanning accuracy. They move capture closer to the point of origin within the business process, eliminating complexity, reducing costs, and improving productivity and workflow efficiency.

Specifications

Type:	Network Scanner	
Document Feeding:	Automatic or Manual Sheetfed	
Network Functions:	Scan-to-E-mail, Scan-to-Folder, Scan-to-FTP, Scan-to-USB Memory	
Network Protocols:	TCP/IP, SMTP, SMB, LDAP, NTP	
File Formats:	PDF, Searchable and/or Encrypted PDF, TIFF, JPEG	
Scanning Speeds*	Simplex	Duplex
B/W:	Up to 26 ppm	Up to 35 ipm
Grayscale:	Up to 23 ppm	Up to 23 ipm
Color:**	Up to 16 ppm	Up to 16 ipm
Scanning Element:	One-Line CMOS CIS	
Document Size		
Width:	2" - 8.5"	
Length:	2.1" - 14"	
ADF Capacity:	50 Sheets	
Interface:	2x USB 2.0, Ethernet, 2x PS/2	
Dimensions (H x W x D):	6.2" x 12.2" x 9.2"	
Weight:	7.5 lb.	
Suggested Daily Volume:***	1,500 Scans	

FEATURES

- 8.5" Touch-Screen LCD
- Advanced Text Enhancement II
- Auto Page Size Detection
- Bleed-Through Reduction
- Color Dropout/Enhance Color
- Deskew
- Error Diffusion
- Fingerprint Reader (220P Only)
- Skip Blank Page
- Text Orientation Recognition
- Ultrasonic Double-Feed Detection (220P Only)

OPTIONS

- Exchange Roller Kit
- Soft Carrying Case
- One-Year CarePAK (Exchange Service)
- Two-Year CarePAK (Exchange Service)

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents at 200 dpi unless specified.

** Examples based on typical settings, rated in pages/images per minute with letter-sized documents at 150 dpi unless specified.

*** Calculation based on scanning speed and assumed daily use.



ScanFront 220P

ScanFront 220



imageFORMULA

ScanFront 220e

ScanFront 220eP

SEAMLESS BUSINESS WORKFLOW INTEGRATION

The Canon imageFORMULA ScanFront 220e/220eP network scanners, powered by eCopy ShareScan, deliver state-of-the-art image capture and intuitive document sharing through seamless integration with existing networks, workflows, and applications.

These network scanners can help lower total cost of ownership through reduced requirements for hardware, workspace, energy, and IT administration. Easy-to-use devices, the ScanFront 220e/220eP scanners are well-suited for use in small- and medium-size businesses and large enterprises alike. They can seamlessly integrate with existing networks and applications and are ideal for ECM, ERP, CRM, HRIS, and many more workflows.

Specifications

Type:	Network Scanner	
Document Feeding:	Automatic or Manual Sheetfed	
Network Functions:	Scan-to-E-mail, Scan-to-Folder, Scan-to-FTP, Scan-to-Print, Scan-to-Fax, Scan-to-USB Memory, Scan-to-WebDAV,† Scan-to-Database†	
Network Protocols:	TCP/IP, SMTP, DHCP, SMB, LDAP	
File Formats:	PDF, Searchable and/or Encrypted PDF, TIFF, JPEG, PDF/A, eCopy	
Scanning Speeds*	Simplex	Duplex
B/W:	Up to 24 ppm	Up to 26 ipm
Grayscale:	Up to 16 ppm	Up to 16 ipm
Color:**	Up to 11 ppm	Up to 10 ipm
Scanning Element:	One-Line CMOS CIS	
Document Size		
Width:	2" - 8.5"	
Length:	2.1" - 14"	
ADF Capacity:	50 Sheets	
Interface:	2x USB 2.0, Ethernet, 2x PS/2	
Dimensions (H x W x D):	6.2" x 12.2" x 9.2"	
Weight:	7.5 lb.	
Suggested Daily Volume:***	1,500 Scans	

FEATURES

- 8.5" Touch-Screen LCD
- Automatic Page Size Detection
- Bleed-Through Reduction
- Color Dropout/Enhance Color
- Des skew
- Fingerprint Reader (220eP Only)
- Halftone
- Indexing†
- Skip Blank Page
- Text Orientation Recognition
- Ultrasonic Double-Feed Detection (220eP Only)
- Bundled eCopy ShareScan
- Bundled eCopy Quick Connect
- Bundled eCopy Desktop

OPTIONS

- Exchange Roller Kit
- One-Year CarePAK (Exchange Service)
- Soft Carrying Case
- eCopy Connector-MS SharePoint
- eCopy Connector-OpenText RightFax
- eCopy Connector-Interwoven Worksite
- eCopy Connector-EMC Documentum

† eCopy Quick Connect installation is required.

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents at 200 dpi unless specified.

** Examples based on typical settings, rated in pages/images per minute with letter-sized documents at 150 dpi unless specified.

*** Calculated based on scanning speed and assumed daily use.



ScanFront 220e

ScanFront 220eP



 **imageFORMULA**

P-150M

 **Scan-tini**

PERSONAL DOCUMENT SCANNER FOR MAC® OS

The imageFORMULA P-150M Scan-tini personal document scanner is the next-generation of scanning solutions for Mac OS environments. Easy-to-use scanning in a compact size, combined with broad compatibility and advanced imaging features ensure an innovative yet simple approach to mobile and portable capture, management, and storage of documents.

Specifications

Type:	Personal Scanners	
Document Feeding:	Automatic or Manual Sheetfed	
Scanning Speeds*	Simplex	Duplex
B/W:	Up to 15 ppm	Up to 30 ipm
Grayscale:	Up to 15 ppm	Up to 30 ipm
Color:	Up to 10 ppm	Up to 20 ipm
Scanning Element:	One-Line CMOS CIS	
Document Size		
Width:	2" x 8.5"	
Length:	2.7" x 14"	
ADF Capacity:	20 Sheets	
Interface:	Hi-Speed USB 2.0	
Dimensions (H x W x D):	1.6" x 11" x 3.7"	
Weight:	2.1 lb.	
Suggested Daily Volume:**	500 Scans	

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents at 200 dpi unless specified. Actual processing speeds may vary based on PC performance and application software.

** Calculated based on scanning speed and assumed daily use.

*** Twain driver for Mac OS X 10.3.9 – 10.6

FEATURES

• Advanced Text Enhancement II	• Skip Blank Page
• Automatic Color Detection	• Text Orientation Recognition
• Automatic Page Size Detection	• TWAIN Drivers***
• Bleed Through Prevention/Background Removal	• Bundled Canon CaptureOnTouch Lite
• Color Dropout/Enhance Color	• Bundled Canon CaptureOnTouch
• Deskew	• Bundled Newsoft PaperPort
• Moiré Reduction	• Bundled Presto! BizCard
• Scan-to-Job Function	• Bundled Evernote

OPTIONS

- A/C Adapter
- Feed Roller
- Separation Pad
- Soft Carrying Case
- One-Year CarePAK (Exchange Service)





imageFORMULA
P-150
 Scan-tini

ULTIMATE MOBILITY

The imageFORMULA P-150 personal document scanner's compact size, simple use, and advanced feature-set liberate document capture by taking it beyond the walls of the office to the convenience of any user location. The P-150 scanner combines practicality, productivity, and value in a sleek, mobile design.

Specifications

Type:	Personal Scanners	
Document Feeding:	Automatic or Manual Sheetfed	
Scanning Speeds*	Simplex	Duplex
B/W:	Up to 15 ppm	Up to 30 ipm
Grayscale:	Up to 15 ppm	Up to 30 ipm
Color:	Up to 10 ppm	Up to 20 ipm
Scanning Element:	One-Line CMOS CIS	
Document Size		
Width:	2" x 8.5"	
Length:	2.7" x 14"	
ADF Capacity:	20 Sheets	
Interface:	Hi-Speed USB 2.0	
Dimensions (H x W x D):	1.6" x 11" x 3.7"	
Weight:	2.1 lb.	
Suggested Daily Volume:**	500 Scans	

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents at 200 dpi unless specified. Actual processing speeds may vary based on PC performance and application software.

** Calculated based on scanning speed and assumed daily use.

FEATURES

- Advanced Text Enhancement II
- Automatic Color Detection
- Automatic Page Size Detection
- Bleed Through Prevention/Background Removal
- Color Dropout/Enhance Color
- Deskew
- Moiré Reduction
- Scan-to-Job Function
- Skip Blank Page
- Text Orientation Recognition
- ISIS®/TWAIN Drivers
- Bundled Canon CaptureOnTouch Lite
- Bundled Canon CaptureOnTouch
- Bundled Presto! BizCard
- Bundled Nuance PaperPort Standard

OPTIONS

- A/C Adapter
- Feed Roller
- Separation Pad
- Soft Carrying Case
- One-Year CarePAK (Exchange Service)





imageFORMULA DR-2020U

CLASS-LEADING FLATBED SCANNER

The imageFORMULA DR-2020U scanner enhances office productivity with reliable, versatile, three-way scanning – ADF, flatbed, and dedicated business card scanning – plus rapid, one-pass duplex scanning. This scanner’s simple, user-friendly design and bundled software package make it indispensable to any office environment.

Specifications

Type:	Universal Workgroup Scanners	
Document Feeding:	Automatic or Manual Sheetfed	
Scanning Speeds*	Simplex	Duplex
B/W:	Up to 20 ppm	Up to 40 ipm
Grayscale:	Up to 20 ppm	Up to 40 ipm
Color:	Up to 20 ppm	Up to 40 ipm
Scanning Element:	CCD (2)	
Document Size		
Width:	5.5" x 8.5"	
Length:	3.9" x 14"	
Flatbed:	Max. 8.5" x 11.7"	
Card Scanning:	Width: 1.9" x 2.2"	Length: 3.3" x 3.6"
ADF Capacity:	50 Sheets	
Interface:	Hi-Speed USB 2.0	
Dimensions (H x W x D):	7.1" x 17.3" x 15.8"	
Weight:	17.2 lb.	
Suggested Daily Volume:**	1,000 Scans	

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents at 200 dpi unless specified. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily use.

FEATURES

- Advanced Text Enhancement (Two Types)
- Automatic Page Size Detection
- Border Removal
- Color Dropout/Enhance Color
- Deskew
- Punch Hole Removal
- Scan-to-Job Function
- Skip Blank Page
- Text Orientation Recognition
- ISIS/TWAIN Drivers
- Bundled Canon CaptureOnTouch
- Bundled Canon CapturePerfect
- Bundled Adobe® Acrobat® Standard
- Bundled Nuance OmniPage SE
- Bundled Nuance PaperPort Standard
- Bundled Presto! BizCard

OPTIONS

- Feed Roller
- Separation Pad
- One-Year CarePAK (Exchange Service)





imageFORMULA

DR-2510M

DR-2010M

COMPACT COLOR DESKTOP SCANNER FOR MAC OS

The imageFORMULA DR-2510M and DR-2010M scanners are simple solutions for document capture needs in Mac computer environments. With broad compatibility, high image quality, and fast scanning speeds – all in a small footprint – the DR-2510M/2010M scanners reinvent the electronic content capture process.

Specifications

Type:	Workgroup Scanners			
Document Feeding:	Automatic or Manual Sheetfed			
Scanning Speeds*	DR-2510M		DR-2010M	
	Simplex	Duplex	Simplex	Duplex
B/W:	Up to 25 ppm	Up to 50 ipm	Up to 20 ppm	Up to 40 ipm
Grayscale:	Up to 25 ppm	Up to 50 ipm	Up to 20 ppm	Up to 40 ipm
Color:	Up to 25 ppm	Up to 50 ipm	Up to 20 ppm	Up to 40 ipm
Scanning Element:	One-Line CMOS CIS			
Document Size				
Width:	2" x 8.5"			
Length:	2.1" x 14"			
Long Doc. Mode:	Up to 39.4"			
ADF Capacity:	50 Sheets			
Interface:	Hi-Speed USB 2.0			
Dimensions (H x W x D):	6.3" x 11.7" x 6.3"			
Weight:	5.3 lb.			
Suggested Daily Volume:**	1,500 Scans			

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents at 200 dpi unless specified. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily use.

*** Twain driver for Mac OS X 10.3.9 - 10.6

FEATURES

- Advanced Text Enhancement II
- Auto Color Detection
- Auto Page Size Detection
- Auto USB Power Switching
- Bleed-Through Prevention/Background Removal
- Color Dropout (RGB)/Enhance Color (RED)
- Deskew
- Moiré Reduction
- Scan-to-Job Function
- Skip Blank Page
- Text Orientation Recognition
- TWAIN Drivers***
- Ultrasonic Double Feed Detection (DR-2510M only)
- Bundled Canon CaptureOnTouch
- Bundled Newssoft PageManager
- Bundled Presto! BizCard Reader

OPTIONS

- Exchange Roller Kit
- One-Year CarePAK (Exchange Service)
- Soft Carrying Case



DR-2510M

DR-2010M



imageFORMULA

DR-2510C

DR-2010C

COMPACT AND VERSATILE DOCUMENT SCANNING

The Canon imageFORMULA DR-2510C and DR-2010C color workgroup scanners deliver easy, high-quality scanning in a versatile and space-saving design. Compact and flexible, the DR-2510C and DR-2010C scanners can automatically and quickly scan multiple paper sizes and stocks, even plastic cards. Ideal for all office scanning operations, these scanners provide reliable feeding, advanced image processing functions, customizable Scan-to-Job buttons, and much more for any distributed imaging application.

Specifications

Type:	Workgroup Scanners			
Document Feeding:	Automatic or Manual Sheetfed			
Scanning Speeds*	DR-2510C		DR-2010C	
	Simplex	Duplex	Simplex	Duplex
B/W:	Up to 25 ppm	Up to 50 ipm	Up to 20 ppm	Up to 40 ipm
Grayscale:	Up to 25 ppm	Up to 50 ipm	Up to 20 ppm	Up to 40 ipm
Color:	Up to 25 ppm	Up to 50 ipm	Up to 20 ppm	Up to 40 ipm
Scanning Element:	One-line CMOS CIS			
Document Size				
Width:	2" x 8.5"			
Length:	2.1" x 14"			
Long Doc. Mode:	Up to 39.4"			
ADF Capacity:	50 Sheets			
Interface:	Hi-Speed USB 2.0			
Dimensions (H x W x D):	6.3" x 11.7" x 6.3"			
Weight:	5.3 lb.			
Suggested Daily Volume:**	1,500 Scans			

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents at 200 dpi unless specified. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily use.

FEATURES

- Advanced Text Enhancement (Two Types)
- Auto Color Detection
- Auto Page Size Detection
- Auto USB Power Switching
- Bleed-Through Prevention/Background Removal
- Color Dropout (RGB)/Enhance Color (RED)
- Deskew
- Moiré Reduction
- Scan-to-Job Function
- Skip Blank Page
- Text Orientation Recognition
- Ultrasonic Double-Feed Detection (DR-2510C Only)
- ISIS/TWAIN Drivers
- Bundled Canon CaptureOnTouch
- Bundled Canon CapturePerfect
- Bundled Adobe Acrobat Standard
- Bundled Nuance OmniPage SE
- Bundled Presto! BizCard Reader
- Bundled Nuance PaperPort Standard
- Bundled Kofax® VirtualReScan (DR-2510C only)

OPTIONS

- Exchange Roller Kit
- Flatbed Scanner Unit 101
- Soft Carrying Case
- One-Year CarePAK (Exchange Service)
- Two-Year CarePAK (Exchange Service)



DR-2510C

DR-2010C



imageFORMULA DR-2580C

COMPACT, PORTABLE POWER

The Canon imageFORMULA DR-2580C color workgroup scanner is surprisingly compact and lightweight, so it can be used on a desktop or taken on the road. This versatile scanner is loaded with advanced scanning technology and easily handles a wide range of document types, including plastic cards. The DR-2580C scanner is not only one of the smallest, but also one of the most easy-to-use scanners in its class. And adding the optional user-installable flatbed unit allows you to scan books, passports, or fragile documents with simplicity.

Specifications

Type:	Workgroup Scanner	
Document Feeding:	Automatic or Manual Sheetfed	
Scanning Speeds*	Simplex	Duplex
B/W:	Up to 25 ppm	Up to 50 ipm
Grayscale:	Up to 25 ppm	Up to 50 ipm
Color:**	Up to 17 ppm	Up to 32 ipm
Scanning Element:	One-line CMOS CIS	
Document Size		
Width:	2.1" x 8.5"	
Length:	2.8" x 14"	
Long Doc. Mode:	Up to 39.4"	
ADF Capacity:	50 Sheets	
Interface:	Hi-Speed USB 2.0	
Dimensions (H x W x D):	3.2" x 11.9" x 6.7"	
Weight:	4.2 lb.	
Suggested Daily Volume:***	1,500 Scans	

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents at 200 dpi unless specified. Actual processing speeds may vary based on PC performance and application software.

** Examples based on typical settings, rated in pages/images per minute with letter-sized documents at 150 dpi unless specified. Actual processing speeds may vary based on PC performance and application software.

*** Calculation based on scanning speed and assumed daily use.

FEATURES

- Advanced Text Enhancement
- Auto Page Size Detection
- Border Removal
- Color Dropout/Enhance Color
- Deskew
- Dual Paper Path
- Folio Mode
- Scan-to-Job Function
- Skip Blank Page
- Text Orientation Recognition
- Three-Dimensional Color Correction
- Ultrasonic Double Feed Detection
- ISIS/TWAIN Drivers
- Bundled Canon CapturePerfect
- Bundled Adobe Acrobat Standard
- Bundled Nuance OmniPage SE
- Bundled Presto! BizCard Reader
- Bundled Nuance PaperPort Standard
- Bundled Kofax VirtualReScan

OPTIONS

- Barcode Module III
- Exchange Roller Kit
- Full-Size Flatbed Unit
- Half-Size Flatbed Unit
- Soft Carrying Case
- One-Year CarePAK (Exchange Service)
- Two-Year CarePAK (Exchange Service)





SUPERIOR SPEED, RELIABILITY, AND EFFICIENCY

The imageFORMULA DR-3010C is Canon's fastest and most reliable compact workgroup scanner, combining the best features from the DR-Series scanners, delivering increased speed, high reliability, and maximum efficiency and productivity. Bundled with the latest document imaging software packages, the DR-3010C becomes more than just a scanner. It's the package needed to infuse a busy, paper-intensive office with increased productivity and more efficient workflow.

Specifications

Type:	Workgroup Scanner	
Document Feeding:	Automatic or Manual Sheetfed	
Scanning Speeds*	Simplex	Duplex
B/W:	Up to 30 ppm	Up to 60 ipm
Grayscale:	Up to 30 ppm	Up to 60 ipm
Color:	Up to 30 ppm	Up to 60 ipm
Scanning Element:	One-line CMOS CIS	
Document Size		
Width:	2" x 8.5"	
Length:	2.1" x 14"	
Long Doc. Mode:	Up to 39.4"	
ADF Capacity:	50 Sheets	
Interface:	Hi-Speed USB 2.0	
Dimensions (H x W x D):	7.8" x 12.2" x 11.5"	
Weight:	6.4 lb.	
Suggested Daily Volume:**	3,000 Scans	

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents at 200 dpi unless specified. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily use.

FEATURES

- | | |
|---|-------------------------------------|
| • Advanced Text Enhancement (Two Types) | • Skip Blank Page |
| • Auto Color Detection | • Ultrasonic Double Feed Detection |
| • Auto Page Size Detection | • User Registration |
| • Auto USB Power Switching | • ISIS/TWAIN Drivers |
| • Batch Separation | • Bundled Canon CapturePerfect |
| • Bleed-Through Prevention/Background Removal | • Bundled Adobe Acrobat Standard |
| • Color Dropout (RGB)/Enhance Color (RED) | • Bundled Nuance OmniPage SE |
| • Deskew | • Bundled Presto! BizCard Reader |
| • Folio Mode | • Bundled Nuance PaperPort Standard |
| • Moiré Reduction | • Bundled Kofax VirtualReScan |
| • Scan-to-Job Function | |

OPTIONS

- | | |
|----------------------------|---------------------------------------|
| • Barcode Module III | • Soft Carrying Case |
| • Exchange Roller Kit | • One-Year CarePAK (Exchange Service) |
| • Flatbed Scanner Unit 101 | • Two-Year CarePAK (Exchange Service) |





imageFORMULA DR-4010C

HIGH PERFORMANCE DEPARTMENTAL SCANNER

The Canon imageFORMULA DR-4010C color departmental scanner features state-of-the-art technology that delivers exceptional image quality and speed. With features such as Advanced Text Enhancement, Automatic Color Detection, and an advanced three-line CMOS sensor, fine lines and intricate image details are captured with utmost precision and clarity.

This fast, reliable desktop color scanner packs top-of-the-line features into a compact, user-friendly unit. Advanced image processing features, reliable document handling, and a compact design are delivered without sacrificing image quality or speed.

Specifications

Type:	Departmental Scanner	
Document Feeding:	Automatic or Manual Sheetfed	
Scanning Speeds*	Simplex	Duplex
B/W:	Up to 42 ppm	Up to 84 ipm
Grayscale:	Up to 42 ppm	Up to 84 ipm
Color:	Up to 42 ppm	Up to 84 ipm
Scanning Element:	Three-Line CMOS CIS	
Document Size		
Width:	2.1" x 8.6"	
Length:	2.8" x 14"	
Long Doc. Mode:	Up to 39.4"	
ADF Capacity:	100 Sheets	
Interface:	USB 2.0, SCSI-III	
Dimensions (H x W x D):	7.3" x 12.5" x 10.9"	
Weight:	14.1 lb.	
Suggested Daily Volume:**	5,000 Scans	

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents at 200 dpi unless specified. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily use.

FEATURES

- | | |
|---|------------------------------------|
| • Advanced Text Enhancement (Three Types) | • Moiré Reduction |
| • Auto Color Detection | • MultiStream |
| • Auto Page Size Detection | • Rapid Recovery System |
| • Batch Separation | • Skip Blank Page |
| • Bleed-through Prevention/Background Removal | • Ultrasonic Double-Feed Detection |
| • Custom Color Dropout/Enhance Color | • ISIS/TWAIN Drivers |
| • Deskew | • Bundled Canon CapturePerfect |
| • Folio Mode | • Bundled Adobe Acrobat Standard |
| | • Bundled Kofax VirtualReScan |

OPTIONS

- | | |
|----------------------------|---------------------------------------|
| • Barcode Module III | • One-Year CarePAK (Exchange Service) |
| • Exchange Roller Kit | • Two-Year CarePAK (Exchange Service) |
| • Flatbed Scanner Unit 101 | |





imageFORMULA

DR-5010C

FAST, FLEXIBLE DEPARTMENTAL SCANNING

Today's document imaging requirements are more varied than ever. With this understanding, Canon designed the imageFORMULA DR-5010C departmental scanner to be a versatile image processing machine. A robust color scanner, the DR-5010C scanner is small enough to sit on a desktop, yet it's ready to capture hard-to-handle source materials for immediate work efficiency. It's also ultra-fast, scanning color at the same rapid rate it processes black and white. And this user-friendly machine is loaded with diverse automatic and customizable functions that will change any image capture process.

Specifications

Type:	Departmental Scanner	
Document Feeding:	Automatic or Manual Sheetfed	
Scanning Speeds*	Simplex	Duplex
B/W:	Up to 50 ppm	Up to 100 ipm
Grayscale:	Up to 50 ppm	Up to 100 ipm
Color:	Up to 50 ppm	Up to 100 ipm
Scanning Element:	Three-Line CMOS CIS	
Document Size		
Width:	2.1" x 11.8"	
Length:	2.8" x 17"	
Long Doc. Mode:	Up to 39.4"	
ADF Capacity:	100 Sheets	
Interface:	Hi-Speed USB 2.0, SCSI-III	
Dimensions (H x W x D):	7.5" x 15.6" x 12.3"	
Weight:	23 lb.	
Suggested Daily Volume:**	6,000 Scans	

FEATURES

- | | |
|---|------------------------------------|
| • Advanced Text Enhancement (Three Types) | • Moiré Reduction |
| • Auto Color Detection | • MultiStream |
| • Auto Page Size Detection | • Skip Blank Page |
| • Batch Separation | • Ultrasonic Double-Feed Detection |
| • Bleed-through Prevention/Background Removal | • ISIS/TWAIN Drivers |
| • Custom Color Dropout/Enhance Color | • Bundled Canon CapturePerfect |
| • Deskew | • Bundled Adobe Acrobat Standard |
| • Landscape Orientation Scanning | • Bundled Kofax VirtualReScan |

OPTIONS

- | | |
|-----------------------|--|
| • Back Imprinter | • Front Imprinter |
| • Barcode Module III | • Nine-Month CarePAK (On-site Service) |
| • Exchange Roller Kit | • One-Year CarePAK (On-site Service) |

* Examples based on typical settings, rated in pages/images per minute with letter-sized landscape documents at 200 dpi unless specified. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily use.





imageFORMULA DR-6010C

HIGH SPEED DEPARTMENTAL SCANNING

The imageFORMULA DR-6010C color departmental scanner delivers high-speed, reliable document handling and high-quality images in a small package. Flexibility, rich features, and ease of use help maximize return on investment at all levels of the business system.

The DR-6010C was developed to offer another option for decentralized capture scanning needs. In combination with its sister product, the imageFORMULA DR-4010C, these scanners offer competitive document imaging platforms designed to increase efficiencies and workflows in decentralized scanning environments.

Specifications

Type:	Departmental Scanner	
Document Feeding:	Automatic or Manual Sheetfed	
Scanning Speeds*	Simplex	Duplex
B/W:	Up to 60 ppm	Up to 120 ipm
Grayscale:	Up to 60 ppm	Up to 120 ipm
Color:	Up to 60 ppm	Up to 120 ipm
Scanning Element:	Three-Line CMOS CIS	
Document Size		
Width:	2.1" x 8.6"	
Length:	2.8" x 14"	
Long Doc. Mode:	Up to 39.4"	
ADF Capacity:	100 Sheets	
Interface:	Hi-Speed USB 2.0, SCSI-III	
Dimensions (H x W x D):	7.3" x 12.5" x 10.9"	
Weight:	14.3 lb.	
Suggested Daily Volume:**	7,500 Scans	

* Examples based on typical settings, rated in pages/images per minute with letter-sized portrait documents at 200 dpi unless specified. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily use.

FEATURES

- Advanced Text Enhancement (Three Types)
- Auto Color Detection
- Auto Page Size Detection
- Batch Separation
- Bleed-through Prevention/Background Removal
- Custom Color Dropout/Enhance Color
- Deskew
- Folio Mode
- Moiré Reduction
- MultiStream
- Rapid Recovery System
- Skip Blank Page
- Ultrasonic Double-Feed Detection
- ISIS/TWAIN Drivers
- Bundled Canon CapturePerfect
- Bundled Adobe Acrobat Standard
- Bundled Kofax VirtualReScan

OPTIONS

- Barcode Module III
- Exchange Roller Kit
- Flatbed Scanner Unit 101
- One-Year CarePAK (Exchange Service)
- Two-Year CarePAK (Exchange Service)





imageFORMULA

DR-7090C

ULTIMATE SCANNING FLEXIBILITY AND IMAGE QUALITY

The Canon imageFORMULA DR-7090C universal production scanner delivers incredible flexibility, image quality, and reliability, all at high scanning speeds, by leveraging the technologies from its award-winning imageFORMULA and imageRUNNER product lines.

This combination flatbed/sheetfed color production scanner provides leading value that enables it to reduce costs and increase scanning efficiencies in the production environment.

Specifications

Type:	Universal Production Scanner	
Document Feeding:	Automatic Sheetfed, Manual Flatbed	
Scanning Speeds*	Simplex	Duplex
B/W:	Up to 70 ppm	Up to 88 ipm
Grayscale:	Up to 70 ppm	Up to 88 ipm
Color:	Up to 70 ppm	Up to 88 ipm
Scanning Element		
Front:	CCD	
Back:	Three-line CMOS CIS	
Document Size		
Width:	5.5" x 12"	
Length:	5" x 17"	
Long Doc. Mode:	Up to 24.8"	
ADF Capacity:	100 Sheets	
Interface:	Hi-Speed USB 2.0, SCSI-III	
Dimensions (H x W x D):	12.5" x 24.3" x 23.7"	
Weight:	90.4 lb.	
Suggested Daily Volume:**	8,000 Scans	

FEATURES

- Advanced Text Enhancement (Two Types)
- Bleed-through Prevention/Background Removal
- Custom Color Dropout/Enhance Color
- Count Only Mode
- Deskew
- Error Diffusion
- MultiStream
- Punch Hole Removal
- Scan-to-Job Buttons
- Skip Blank Page
- Text Orientation Recognition
- ISIS/TWAIN Drivers
- Bundled Canon CapturePerfect
- Bundled Kofax VirtualReScan

OPTIONS

- Exchange Roller Kit
- Nine-Month CarePAK (On-site Service)
- One-Year CarePAK (On-site Service)

* Examples based on typical settings, rated in pages/images per minute with letter-sized landscape documents at 200 dpi unless specified. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily use.





imageFORMULA DR-6050C

HIGH-SPEED, HIGH-QUALITY SCANNING FOR ULTIMATE PRODUCTION EFFICIENCY

The Canon imageFORMULA DR-6050C production scanner delivers true high-speed scanning that provides enterprises with reliable, high image quality and flexible scanning solutions to enhance any document management system.

Physical handling, off-site storage and retrieval, and labor costs can be drastically reduced with efficient document management systems. For mission-critical production scanning environments, the DR-6050C scanner's winning combination of leading value, increased scanning speed, reliability, and efficiencies can help companies reduce their overhead costs associated with document management and retention.

Specifications

Type:	Production Scanner	
Document Feeding:	Automatic or Manual Sheetfed	
Scanning Speeds*	Simplex	Duplex
B/W:	Up to 70 ppm	Up to 140 ipm
Grayscale:	Up to 70 ppm	Up to 140 ipm
Color:	Up to 70 ppm	Up to 140 ipm
Scanning Element:	Three-Line CMOS CIS	
Document Size		
Width:	2" x 12"	
Length:	2.8" x 17"	
Long Doc. Mode:	Up to 118.1"	
ADF Capacity:	300 Sheets	
Interface:	Hi-Speed USB 2.0, SCSI-III	
Dimensions (H x W x D):	12.2" x 18.9" x 20.9"	
Weight:	50 lb.	
Suggested Daily Volume:**	12,000 Scans	

* Examples based on typical settings, rated in pages/images per minute with letter-sized landscape documents at 200 dpi unless specified. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily use.

FEATURES

- Advanced Text Enhancement (Two Types)
- Paper Feed Tray – Two Positions (Two Types)
- Auto Color Detection
- Auto Page Size Detection
- Bleed-through Prevention/Background Removal
- Count Only Mode/Verify Scan
- Custom Color Dropout/Enhance Color
- Deskew
- Folio Mode
- Rapid Recovery System
- Staple Detection
- Ultrasonic Double-Feed Detection
- ISIS/TWAIN Drivers
- Bundled Canon CapturePerfect
- Bundled Kofax VirtualReScan

OPTIONS

- Barcode Module III
- Batch Separation
- Exchange Roller Kit
- Flatbed Scanner Unit 101
- Imprinter
- Patchcode Decoder
- Nine-Month CarePAK (On-site Service)
- One-Year CarePAK (On-site Service)





imageFORMULA

DR-9050C

DR-7550C

HIGH-SPEED, HIGH-QUALITY SCANNING FOR ULTIMATE PRODUCTION EFFICIENCY

The Canon imageFORMULA DR-9050C and DR-7550C production scanners deliver true high-speed scanning that provide enterprises with reliable, high image quality and flexible scanning solutions to enhance any document management system.

Physical handling, off-site storage and retrieval, and labor costs can be drastically reduced with efficient document management systems. For mission-critical production scanning environments, the DR-9050C and DR-7550C scanners' winning combination of leading value, increased scanning speed, reliability, and efficiencies can help companies reduce their overhead costs associated with document management and retention.

Specifications

Type:	Production Scanner			
Document Feeding:	Automatic or Manual Sheetfed			
Scanning Speeds*	DR-9050C		DR-7550C	
	Simplex	Duplex	Simplex	Duplex
B/W:	Up to 112 ppm	Up to 225 ipm	Up to 90 ppm	Up to 180 ipm
Grayscale:	Up to 112 ppm	Up to 225 ipm	Up to 90 ppm	Up to 180 ipm
Color:	Up to 112 ppm	Up to 225 ipm	Up to 90 ppm	Up to 180 ipm
Scanning Element:	Three-Line CMOS CIS			
Document Size				
Width:	2" x 12"			
Length:	2.8" x 17"			
Long Doc. Mode:	Up to 118.1"			
ADF Capacity:	500 Sheets			
Interface:	Hi-Speed USB 2.0, SCSI-III			
Dimensions (H x W x D):	12.2" x 18.9" x 20.9"			
Weight:	50 lb.			
Suggested Daily Volume:**	DR-9050C: 18,000 Scans DR-7550C: 15,000 Scans			

* Examples based on typical settings, rated in pages/images per minute with letter-sized landscape documents at 200 dpi unless specified. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily use.

FEATURES

- Advanced Text Enhancement
- Paper Feed Tray – Three Positions (Two Types)
- Auto Color Detection
- Auto Page Size Detection
- Bleed-through Prevention/Background Removal
- Count Only Mode/Verify Scan
- Custom Color Dropout/Enhance Color
- Deskew
- Folio Mode
- Rapid Recovery System
- Staple Detection
- Ultrasonic Double-Feed Detection
- ISIS/TWAIN Drivers
- Bundled Canon CapturePerfect
- Bundled Kofax VirtualReScan

OPTIONS

- Barcode Module III
- Batch Separation
- Exchange Roller Kit
- Flatbed Scanner Unit 101
- Imprinter
- Patchcode Decoder
- Nine-Month CarePAK (On-site Service)
- One-Year CarePAK (On-site Service)





imageFORMULA DR-X10C

TAKING PRODUCTION SCANNING TO A NEW LEVEL

The Canon imageFORMULA DR-X10C color production scanner uses state-of-the-art technology to deliver high-speed, high-quality image scanning, reliable document handling capabilities and superior durability.

The DR-X10C scanner offers enhanced sensor technology and a reliable feeding system to ensure that high volumes of mixed paper sizes or other challenging scan operations are handled with minimal operator intervention at maximum scanning speed. Plus, the robust, compact design, energy-saving performance, and advanced functionality tackle the high demands of production-level environments.

Specifications

Type:	Production Scanner	
Document Feeding:	Automatic or Manual Sheetfed	
Scanning Speeds*	Simplex	Duplex
B/W:	Up to 128 ppm	Up to 256 ipm
Grayscale:	Up to 128 ppm	Up to 256 ipm
Color:	Up to 128 ppm	Up to 256 ipm
Scanning Element:	Three-Line CMOS CIS	
Document Size		
Width:	2" x 12"	
Length:	2.8" x 17"	
Long Doc. Mode:	Up to 39.4"	
ADF Capacity:	500 Sheets	
Interface:	USB 2.0, SCSI-III	
Dimensions (H x W x D):	14.8" x 20.8" x 22.2"	
Weight:	85.8 lb.	
Suggested Daily Volume:**	60,000 Scans	

* Examples based on typical settings, rated in pages/images per minute with letter-sized landscape documents at 200 dpi unless specified. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily use.

FEATURES

- Advanced Text Enhancement (Two Types)
- Auto Color Detection
- Auto Page Size Detection
- Auto USB Power Switching
- Custom Color Dropout/Enhance Color
- Deskew
- MultiStream
- Paper Feed Tray – Three Positions
- Rapid Recovery
- Retry Feeding
- Selectable Background Color
- Skip Blank Page
- Staple Detection
- Three-Step Dust Prevention System
- Three Ultrasonic Double-Feed Detection Sensors
- ISIS/TWAIN Drivers
- Bundled Canon CapturePerfect

OPTIONS

- Batch Separation
- Exchange Roller Kit
- Pre-Imprinter
- Post-Imprinter
- Patch Code Decoder
- Barcode Module III
- Kofax CGA Board
- Nine-Month CarePAK (On-site Service)
- One-Year CarePAK (On-site Service)



OPTIONAL ACCESSORIES/EXCHANGE PROGRAM

Carrying Cases

P-150/150M Soft Carrying Case

Item Number: 4179B003
 Dimensions (H x W x D): 3.0" x 11.8" x 4.1"
 Weight: 2 lb. (Approx.)

DR-2510C/2510M/2010C/2010M Soft Carrying Case

Item Number: 1191V396
 Dimensions (H x W x D): 12" x 6" x 7"
 Weight: 2 lb. (Approx.)

DR-2580C Soft Carrying Case

Item Number: 0676V383
 Dimensions (H x W x D): 2.7" x 14.5" x 7"
 Weight: 4 lb. (Approx.)

DR-3010C/ScanFront 220/220P/220e/220eP Soft Carrying Case

Item Number: 1363V016
 Dimensions (H x W x D): 8" x 12" x 15"
 Weight: 2 lb. (Approx.)

Canon CarePAK Program

One-Year CarePAK (Exchange Program)

P-150:	4179B010
P-150M	4179B012
DR-2020U:	4048B003
DR-2010C:	2865B005
DR-2010M:	2865B007
DR-2510C:	2865B006
DR-2510M:	2865B008
DR-2580C:	0106B014
DR-3010C:	3395B002
DR-4010C:	1921B002
DR-6010C:	4082B002
ScanFront 220:	2445B006
ScanFront 220P:	2445B007
ScanFront 220e:	4090B001
ScanFront 220eP:	4090B002

Two-Year CarePAK (Exchange Program)

DR-2010C:	2865B002
DR-2510C:	2865B001
DR-2580C:	0106B005
DR-3010C:	3395B001
DR-4010C:	1921B003
DR-6010C:	4082B003
ScanFront 220:	2445B002
ScanFront 220P:	2445B003



Canon CarePAK On-site Service

For DR-5010C	Nine-Month:	0434B006
	One-Year:	0434B004
For DR-6050C	Nine-Month:	4009B009
	One-Year:	4009B010
For DR-7090C	Nine-Month:	3504B002
	One-Year:	3504B003
For DR-7550C	Nine-Month:	4009B007
	One-Year:	4009B008
For DR-9050C	Nine-Month:	4009B005
	One-Year:	4009B006
For DR-X10C	Nine-Month:	2418B007
	One-Year:	2418B008

OPTIONAL ACCESSORIES/EXCHANGE PROGRAM

Detachable Flatbed Units

Full-Size Flatbed Unit For DR-2580C

Item Number: 0106B001
 Dimensions (H x W x D): 3.2" x 12.4" x 21.5"
 Weight: 8.4 lb. (Approx.)

Half-Size Flatbed Unit For DR-2580C

Item Number: 0106B003
 Dimensions (H x W x D): 3.2" x 12.4" x 15.6"
 Weight: 6.6 lb. (Approx.)

Flatbed Scanner Unit 101 For DR-9550C/7550C/6050C/6010C/4010C/3010C/2510C/2010C

Item Number: 4101B002
 Dimensions (H x W x D): 3.1" x 11.4" x 20.2"
 Weight: 7.7 lb. (Approx.)


Connectors

eCopy Connectors for ScanFront 220e/220eP

eCopy Connector–MS SharePoint	1505V267
eCopy Connector–OpenText RightFax	1505V282
eCopy Connector–Interwoven Worksite	1580V840
eCopy Connector–EMC Documentum Content Server	1580V848

Additional Accessories

Feed Roller Unit for P-150/150M:	4179B002
Separation Pad for P-150/150M:	4179B001
Feed Roller Unit for DR-2020U:	4048B001
Separation Pad for DR-2020U:	4048B002
AC Adaptor for P-150/150M:	4179B004
Exchange Roller Kit for DR-2510C/2510M/2010C/2010M:	2445B001
Exchange Roller Kit for DR-2580C:	0106B002
Exchange Roller Kit for DR-3010C:	3335B001
Exchange Roller Kit for DR-6010C/4010C:	4082B001
Exchange Roller Kit for DR-5010C:	0434B002
Exchange Roller Kit for DR-7090C:	3504B001
Exchange Roller Kit for DR-9050C/7550C/6050C:	4009B001
Exchange Roller Kit for DR-X10C:	2418B001
Exchange Roller Kit for ScanFront 220/220P/220e/220eP:	2445B001
Pre-Imprinter for DR-X10C:	2418B003
Post-Imprinter for DR-X10C:	2418B004
Imprinter for DR-9050C/7550C/6050C:	4009B003
Front-Imprinter for DR-5010C:	0837B001
Back-Imprinter for DR-5010C:	0837B002
Patch Code Decoder for DR-X10C:	2418B005
Patch Code Decoder for DR-9050C/7550C/6050C:	4009B002
Kofax CGA Board for DR-X10C:	2418B006
Barcode Module III for	
DR-X10C/9050C/7550C/6050C/6010C/5010C/4010C/3010C/2580C:	1922B001
Cleaning Sheets for DR-X10C:	2418B002





Canon
*image*ANYWARE

1-800-OK-CANON
www.usa.canon.com

Canon U.S.A., Inc.
One Canon Plaza
Lake Success, NY 11042

IMAGEFORMULA and CapturePerfect are registered trademarks of Canon Electronics Inc. CANON and IMAGERUNNER are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. CAREPAK is a registered trademark of Canon U.S.A., Inc. IMAGEANYWARE is a trademark of Canon. All other referenced product names and marks are trademarks of their respective owners and are hereby acknowledged. Specifications and availability subject to change without notice.
©2010 Canon U.S.A., Inc. All rights reserved.