


Canon



Canon has the imaging solutions for your business.

PRODUCT OVERVIEW GUIDE



Canon Imaging Solutions

A GUIDE TO HELP YOU OPTIMIZE YOUR WORK ENVIRONMENT

Canon image*ANYWARE* creates a borderless environment of people, devices, images, and information that lets you live and work the way you want, anytime, anywhere.



Corporate Solutions

2

Networked color and black-and-white multifunction devices

Workgroup Solutions

12

Laser beam printers, black-and-white networked multifunction and facsimile devices

Large-Format Printing Solutions

22

Large-format color output

Image Filing Solutions

30

High-performance color and black-and-white document scanners

Integrated Solutions

44

Software and hardware solutions that work with Canon devices

Product Index

57

Optimize Your Corporate Solutions

RELIABLE, QUICK OUTPUT FOR CORPORATE ENVIRONMENTS

- Color or B/W Networked Copiers and Printers
- For Efficient Document Workflow
- Built for Corporate Departments

Color Multifunction Devices

Color imageRUNNER C4080 Series	3
Color imageRUNNER C3480/C3080 Series	4
Color imageRUNNER C2550	5

B/W Multifunction Devices

imageRUNNER 3245/3235 Series	6
imageRUNNER 3230/3225	7
imageRUNNER 3530	8
imageRUNNER 400V	9
imageRUNNER 3300E/3300EN	10

Print Solutions

imagePASS-H1 v2.0	11
ColorPASS-GX200	11
imagePASS-J1	11



The following statements apply to all multifunction devices and color devices in this section:



Note: Federal Law prohibits copying certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc. and Canon Canada Inc. intend to cooperate with Law Enforcement Agencies in connection with claims of unauthorized copying.

Note: There may be several printer description language and network connectivity options available. Contact your Authorized Canon Dealer to determine the compatibility of systems and applications.

Note: Some products shown with optional accessories/equipment.

Color imageRUNNER C4080 Series



Color imageRUNNER C4080



The Color imageRUNNER C4080 Series devices are powerful digital multifunction systems that offer fast, full-color and black-and-white output. Based on four-drum technology and Canon's imageCHIP system architecture for high quality and productivity, the Color imageRUNNER C4080 Series devices bring brilliant color and fast data processing and engine speeds to office users. With robust functionality, advanced print engine technology, superior paper handling, and professional finishing options, these systems are the ideal solutions for your office.

With standard Color Universal Send and a choice of three print controllers, these devices are complete solutions that can be tailored to your office needs, whether you require corporate office applications, demanding color projects, or high-end graphical output.

SPECIFICATIONS

Copy/Print Speed (LTR):	Monochrome: Up to 40 ppm Color: Up to 36 ppm
Maximum Paper Size:	12" x 18"
Multiple Copies:	1 – 999
Memory:	Standard 1GB RAM and 80GB Hard Disk
Engine Resolution:	1200 x 1200 dpi
Paper Capacity:	Standard: 1,200 Sheets Maximum: 5,000 Sheets
Warm-up Time:	4 Minutes and 30 Seconds After Power On
Power Requirements:	120V, 60Hz, 15A

FEATURES

- Available in a "Base" or "i" model configuration to best suit your office needs
- Extensive document handling and paper supply and finishing options
- User-friendly operation for any office environment
- Choice of three print controllers for corporate or demanding color environments
- Complete suite of document distribution and management features
- Device management features, including controlling color usage with department IDs and Access Management System
- Improved operational efficiency with Workflow Composer option
- Security and accessibility features
- Powered by MEAP architecture for customized application development
- Maximize productivity with optional EFI® MicroPress® Print Controller
- Optional wireless connectivity with the Wireless Network Interface Adapter NB-W1

Function	Color imageRUNNER C4080	Color imageRUNNER C4080i
Copy	Standard	
Mail Box	Standard	
Print	Optional:* UFR II, PCL, PostScript Emulation,** Adobe® PostScript® 3™	Standard: UFR II, PCL Optional: PostScript Emulation**
Scan	Standard: Color Network ScanGear	
Color Universal Send	Standard: Color Universal Send	
	Optional: Universal Send PDF Advanced Feature Set	Standard: Universal Send PDF Advanced Feature Set
	Optional: Universal Send PDF Security Feature Set	Standard: Universal Send PDF Security Feature Set
Super G3 Fax	Optional: Single-Line or Multi-Line	
Web Access	Optional	
MEAP	Optional	

* Choose one of three print controller options: UFR II/PCL Printer Kit-N2, imagePASS-H1 v2.0, or ColorPASS-GX200.

** PS Printer Kit-N2 option requires the UFR II/PCL Printer Kit-N2; also requires 512MB RAM.

Color imageRUNNER C3480/C3080 Series



SPECIFICATIONS

Copy/Print Speed (LTR): C3480: Monochrome: Up to 34 ppm
Color: Up to 30 ppm
C3080: Monochrome: Up to 30 ppm
Color: Up to 28 ppm

Maximum Paper Size: 12" x 18"

Multiple Copies: 1 – 999

Memory: Standard 1GB RAM and 80GB Hard Disk

Engine Resolution: 1200 x 1200 dpi

Paper Capacity: Standard: 1,150 Sheets
Maximum: 4,950 Sheets

Warm-up Time: 38 Seconds After Power On

Power Requirements: 120V, 60Hz, 15A

FEATURES

- Available in a "Base" or "i" model configuration to best suit your office needs
- Extensive document handling, paper supply, and finishing options
- Various finishing options available, including an internal finisher to maintain the compact design
- User-friendly operation for any office environment
- Choice of print options for corporate or demanding color environments
- Complete suite of document distribution and management features
- Device management features, including controlling color usage with Department IDs and Access Management System
- Improved operational efficiency with Workflow Composer option
- Security and accessibility features
- Powered by MEAP architecture for customized application development
- Advanced Canon imageCHIP System Architecture for exceptional quality and performance
- Optional wireless connectivity with the Wireless Network Interface Adapter LB-W1



Color imageRUNNER C3480



The Color imageRUNNER C3480/C3080 Series devices are full-color digital multi-functional solutions that allow users to leverage the full capabilities of Canon's color imageCHIP system architecture, providing exceptional quality and performance. The Color imageRUNNER C3480/C3080 Series models operate at up to 34/30 ppm (letter), respectively, for black-and-white output and up to 30/28 ppm (letter), respectively, for color output.

The Color imageRUNNER C3480/C3080 Series devices pack a great deal of productivity-enhancing technology into a convenient compact design. They offer digital copying and Mail Box features, standard Color Universal Send and printing, and a choice of robust finishing options, all of which help meet the needs of evolving customer workflow environments.

Function	Color imageRUNNER C3480/C3080	Color imageRUNNER C3480i/C3080i
Copy	Standard	
Mail Box	Standard	
Print	Standard: Color UFR II Optional: * PCL, PostScript Emulation,** Adobe PostScript 3	Standard: UFR II, PCL Optional: PostScript Emulation***
Scan	Standard: Color Network ScanGear	
Color Universal Send	Standard: Color Universal Send	
	Optional: Universal Send PDF Advanced Feature Set	Standard: Universal Send PDF Advanced Feature Set
	Optional: Universal Send PDF Security Feature Set	Standard: Universal Send PDF Security Feature Set
Super G3 Fax	Optional: Single-Line or Multi-Line	
Web Access	Optional	
MEAP	Standard	

* Choose one of two print controller options: PCL Printer Kit-Q3 or imagePASS-J1.

** PS Printer option requires the PCL Printer Kit-Q3; also requires 512MB RAM.

*** Requires 512MB RAM.

Color imageRUNNER C2550



The Color imageRUNNER C2550 model is a powerful yet compact full-color digital multifunctional solution that offers unique space-saving internal finishing options while providing exceptional quality and performance. The Color imageRUNNER C2550 model delivers output at speeds of up to 25 ppm (letter) in monochrome and 23 ppm (letter) in brilliant color.

The Color imageRUNNER C2550 model packs a great deal of productivity-enhancing technology into a convenient compact design. With robust functionality, advanced print engine technology, superior paper handling, compact footprint, and internal finishing options, it's the ideal solution for business performance. The device also enables efficient document distribution with Canon's Color Universal Send technology as standard, providing simultaneous dissemination of information to multiple locations, across the hall or around the globe.

Function	Color imageRUNNER C2550
Copy	Standard
Mail Box	Standard
Print	Standard: Color UFR II Optional: PCL, PostScript Emulation*
Scan	Standard: Color Network ScanGear
Color Universal Send	Standard: Color Universal Send
	Optional: Universal Send PDF Advanced Feature Set
	Optional: Universal Send PDF Security Feature Set
Super G3 Fax	Optional: Single-Line or Multi-Line
Web Access	Optional
MEAP	Standard

* PS Printer option requires the PCL Printer Kit-Q3; also requires 512MB RAM.



SPECIFICATIONS

Copy/Print Speed (LTR):	Monochrome: Up to 25 ppm Color: Up to 23 ppm
Maximum Paper Size:	12" x 18"
Multiple Copies:	1 – 999
Memory:	Standard 1GB RAM and 80GB Hard Disk
Engine Resolution:	600 x 600 dpi 1200 x 1200 dpi (optional) **
Paper Capacity:	Standard: 1,150 Sheets Maximum: 4,950 Sheets
Warm-up Time:	38 Seconds After Power On
Power Requirements:	120V, 60Hz, 15A

FEATURES

- Robust functionality, superior document handling, and overall compact footprint
- Space-saving options available, including an internal finisher to maintain the compact design
- User-friendly operation for any office environment
- Choice of print options for corporate or workgroup environments
- Complete suite of document distribution and management features
- Device management features, including controlling color usage with Department IDs and Access Management System
- Improved operational efficiency with Workflow Composer option
- Security and accessibility features
- Powered by MEAP architecture for customized application development
- Advanced Canon imageCHIP System Architecture for exceptional quality and performance
- Optional wireless connectivity with the Wireless Network Interface Adapter LB-W1

** Requires 1200-dpi Expansion Board-A1.

imageRUNNER 3245/3235 Series



SPECIFICATIONS

Copy/Print Speed (LTR):	Monochrome: Up to 45/35 ppm
Memory:	Standard (3245/3235): 512MB RAM + 256MB RAM and 60GB Hard Disk Standard (3245i/3235i): 1GB RAM + 256MB RAM and 60GB Hard Disk Maximum: 1GB RAM + 768MB RAM and 60GB Hard Disk
Resolution:	600 x 600 dpi 1200 x 600 dpi for Copy (Interpolated) 1200 x 1200 dpi for Print
Paper Capacity:	Standard: 1,150 Sheets Maximum: 4,950 Sheets
First-copy-out Time:	3.9 Sec. (from Platen Glass) 5.9 Sec. (from Feeder)
Warm-up Time:	10 Sec. or Less (from Sleep Mode) 35 Sec. or Less (from Main Power Off)
Fixing System:	RAPID Fusing System

FEATURES

- Color Universal Send distributes documents electronically, in full color, with the flexibility to add search and security options[†]
- Compact, convenient design with the ability to add flexible document handling and finishing options, such as an optional internal finisher for stapling and hole-punching
- Optional USB memory connectivity allows for printing documents from, or scanning documents in color to, a USB memory media device
- Optional USB keyboard for fast and easy entering of send-to destinations, file names, and more
- Standard UFR II technology for fast print processing as well as support for PCL and PostScript emulation^{††}
- Optional Workflow Composer feature for new levels of operational efficiency
- Supports imageWARE Suite for document capture, management, and creation
- Canon MEAP architecture for customized application development

[†] Standard on imageRUNNER 3245i/3235i models, optional on imageRUNNER 3245/3235 models.

^{††} UFR II standard on imageRUNNER for all models. PCL/PS standard on imageRUNNER 3245i/3235i models, optional on imageRUNNER 3245/3235 models.



The Canon imageRUNNER 3245/3235 Series models will capture the imagination of businesses that want to run their offices more seamlessly and captivate users with intuitive features that increase productivity. Companies and work-groups can truly achieve their business goals and perform like never before through tighter integration with existing infrastructures and enhanced usability.

Producing crisp output at speeds of up to 45/35 pages per minute (LTR), the imageRUNNER 3245/3235 Series models support advanced digital copying, color network scanning, Color Universal Send[†], network printing, up to three-line faxing (optional), and document storage in a single solution. Plus, managing documents can become much simpler with the ability to print from, or scan in color to, a USB memory media device.

Two different device versions are available. The imageRUNNER 3245i/3235i models come bundled with many standard features for out-of-the-box business productivity, such as PCL 5e/6 support, PostScript 3 emulation, and advanced sending capabilities. The imageRUNNER 3245/3235 models are highly configurable and offer a selection of options to best fit your unique environment.

Function	imageRUNNER 3245/3235	imageRUNNER 3245i/3235i
Copy	Standard	
Mail Box	Standard	
Print	Standard: UFR II Optional: PCL 5e/6, PostScript 3 Emulation	Standard: UFR II PCL 5e/6, PostScript 3 Emulation
Scan	Standard: Color Network ScanGear	
Color Universal Send	Optional: Color Universal Send [*] Optional: Advanced Feature Set ^{**} Optional: Security Feature Set ^{***}	Standard: Color Universal Send Standard: Advanced Feature Set ^{**} Standard: Security Feature Set ^{***}
Super G3 Fax	Optional (1, 2, or 3 Lines)	
Web Access	Optional	
USB Memory Support	Optional	
MEAP[*]	Optional	

^{*} Color Universal Send Trial Kit Standard.

^{**} Includes High Compression, Searchable, and Trace & Smooth modes.

^{***} Includes Digital Device Signature and Encrypted PDF.

imageRUNNER 3230/3225



imageRUNNER 3230



Take digital imaging to the next level with the Canon imageRUNNER 3230/3225 models. Operating at speeds of up to 30/25 pages per minute (LTR), this new generation of compact imageRUNNER devices deliver seamless integration and sophisticated features to help businesses run better.

The imageRUNNER 3230/3225 models offer standard digital copying, network printing capabilities, and black-and-white and full-color network scanning capabilities with the ability to add Color Universal Send for advanced electronic document distribution. An optional internal finisher will provide stapling and hole-punching capabilities, while still keeping a compact footprint. Plus, managing documents can become much simpler with the ability to print from, or scan in color to, a USB memory media device.

When you're looking to streamline your information workflow, look no further than the imageRUNNER 3230/3225 models—an excellent choice for small offices and workgroups seeking advanced multifunctionality in a compact design.



Connect an external keyboard for faster, easier entry of send-to destinations, file names, and more.



SPECIFICATIONS

Copy Speed (LTR):	Monochrome: Up to 30/25 ppm
Memory:	Standard: 512MB RAM + 256MB RAM and 60GB Hard Disk Maximum: 1GB RAM + 768MB RAM and 60GB Hard Disk
Resolution:	600 x 600 dpi 1200 x 600 dpi for Copy (Interpolated) 1200 x 1200 dpi for Print
Paper Capacity:	Standard: 1,150 Sheets Maximum: 4,950 Sheets
First-copy-out Time:	4.2/4.9 Sec. (from Platen Glass) 5.9 Sec. (from Feeder)
Warm-up Time:	10 Sec. or Less (from Sleep Mode) 35 Sec. or Less (from Main Power Off)
Fixing System:	Rapid Fusing System

FEATURES

- Compact, convenient design with the ability to add flexible document handling and finishing options
- Standard UFR II technology for fast print processing as well as optional support for PCL and PostScript emulation
- Optional Color Universal Send distributes documents electronically, in full color, with the flexibility to add search and security options
- Optional USB memory connectivity allows for printing documents from, or scanning documents in color to, a USB memory media device
- Optional USB keyboard for fast and easy entering of send-to destinations, file names, and more
- Optional Workflow Composer feature for new levels of operational efficiency
- Supports imageWARE Suite for document capture, management, and creation
- Canon MEAP architecture for customized application development

imageRUNNER 3530



SPECIFICATIONS

Copy/Print Speed (LTR):	Monochrome: Up to 35 ppm
Memory:	Standard: 256MB RAM Optional: 20GB Hard Disk
Resolution:	600 x 600 dpi 1200 x 600 dpi for Copy (Interpolated) 2400 x 600 dpi for Print (Interpolated)
Paper Capacity:	Standard: 1,150 Sheets Maximum: 2,250 Sheets
First-copy-out Time:	3.9 Sec. (from Platen Glass) 5.9 Sec. (from Feeder)
Warm-up Time:	10 Seconds or Less (from Sleep Mode) 15 Seconds or Less (from Main Power Off) 30 Seconds or Less (from Main Power Off when configured with Printer Kit)
Fixing System:	RAPID Fusing System

FEATURES

- Up to 35 copies/prints per minute (LTR)
- Compact footprint including an available internal finisher that provides stapling, optional hole-punching, and an optional second tray for sorting all within the original footprint
- Optional Duplexing Automatic Document Feeder and Standard Automatic Trayless Duplexing
- Flexible design so the device can be configured to suit the needs of any small- to mid-size environment
- Optional support for Canon's UFR II technology for PC document processing, and available support for popular PCL 5e/6 page description languages
- Document distribution capabilities via optional Super G3 Fax, network scanning, or eCopy Suite
- Cost-effective so you can achieve more without exhausting your budget
- Canon software utilities include Remote UI and imageWARE Suite



Take command of your office productivity with the compact imageRUNNER 3530 device. With the ability to deliver output at up to 35 ppm (letter), the Canon imageRUNNER 3530 device is the ideal solution for small businesses and workgroups or busier departments within larger corporations.

The imageRUNNER 3530 device offers a modular, flexible design that allows you to build a system to meet your copying, printing, scanning, faxing, and document storage needs as your business dictates—all in an extremely compact, cost-effective system on which your business can depend.

Feature	Standard Configuration	Available with Optional Hard Disk
Memory Capacity	256MB RAM	256MB RAM/20GB Hard Disk
Copy	Standard	
Mail Box	Optional*	Standard
Network Print	Optional*	Standard (UFR II or UFR II/PCL 5e/6)
Network Scan	Optional*	Standard
Fax	Optional*▲	Optional▲
eCopy Suite	Optional*	Optional

* Requires additional 20GB Hard Disk (ships with the UFR II Printer Kit-E3 and UFR II/PCL Printer Kit-E2).

▲ Requires the Super G3 Fax Board-Q1 with optional 20GB Hard Disk to be installed.

imageRUNNER 400V



To meet the mid-volume copying needs of corporate departments, Canon offers the imageRUNNER 400V digital copying system, delivering exceptional productivity, ease-of-use, and reliability to all users.

Supporting stand-alone digital copying, the imageRUNNER 400V device delivers output at up to 40 pages per minute (letter), along with a host of productivity-enhancing features. The device offers a standard internal 32MB Image Server, standard paper capacity of 1,050 sheets, automatic trayless duplexing, and a document finishing option. High-yield supplies and components plus a host of energy-saving features help keep operating costs to a minimum. These, along with a number of convenience and productivity-enhancing features, make the imageRUNNER 400V model an economical copier for busy corporate departments with mid-volume requirements.

Boost your productivity with the advanced digital copying technology of the Canon imageRUNNER 400V device.

SPECIFICATIONS

Copy Speed (LTR):	Monochrome: Up to 40 ppm
Maximum Paper Size:	11" x 17"
Memory:	32MB
Resolution:	600 x 600 dpi
Paper Capacity:	Standard: 1,050 Sheets Maximum: 2,050 Sheets
First-copy-out Time:	6 Seconds or Less (from DADF)
Warm-up Time:	92 Seconds or Less
Power Requirements:	120V, 60Hz
Manufacturing Status:	imageRUNNER Factory-Produced New Model*

FEATURES

- Up to 40 copies/prints per minute (LTR)
- Large, easy-to-use touch-sensitive display provides step-by-step guidance through all the advanced features
- Optional 50-sheet Automatic Document Feeder and Automatic Trayless Duplexing
- Optional finisher provides support for stapling in the top corner of a document set
- Standard paper capacity of 1,050 sheets, upgradable to 2,050 sheets
- Offers a wealth of features that save time, reduce costs, and enhance image quality to help your business gain a competitive advantage
- Scan-Once-Print-Many, Overlay, Image Repeat, Frame Erase, Job Interrupt, and more

* imageRUNNER Factory-Produced New Model: The imageRUNNER Factory-Produced New Model has been disassembled to a predetermined standard by the original equipment manufacturer, and manufactured with a new serial number. This model contains new, reconditioned and/or recovered parts and fully meets the manufacturer's new product performance and reliability specifications. (This product contains reconditioned parts and materials.)

imageRUNNER 3300E/3300EN



imageRUNNER 3300EN



SPECIFICATIONS

Copy/Print Speed (LTR):	Monochrome: Up to 33 ppm
Maximum Paper Size:	11" x 17"
Memory:	128MB RAM and 5.1GB Hard Disk
Resolution:	600 x 600 dpi 1200 x 600 dpi for Copy (Interpolated) 2400 x 600 dpi for Print (Interpolated)
Paper Capacity:	Standard: 1,050 Sheets Maximum: 2,050 Sheets
First-copy-out Time:	5.8 Seconds (from Platen Glass) 6.6 Seconds (from ADF)
Warm-up Time:	10 Seconds or Less (Sleep Mode) 29 Seconds or Less (Main Power Off)
Power Requirements:	120V AC, 60Hz, 15A
Manufacturing Status:	Factory Certified Model*

FEATURES

- Up to 33-ppm black-and-white output speed
- Standard 50-sheet Duplexing Automatic Document Feeder offering copying/scanning speeds up to 33 ipm
- Five-way paper feeding system providing a maximum capacity of 2,050 sheets
- Professional-looking output in a compact footprint with the standard Internal Finisher
- Productive printing with standard PCL 5e/6 and PostScript 3 emulation support**
- Document distribution capabilities with standard Network ScanGear**
- RAPID Fusing Technology offers short warm-up periods and provides quick on-demand operation with low energy consumption

* Factory Certified Model — This Factory Certified Model has been thoroughly inspected and cleaned. It has had a prescribed number of parts replaced so as to ensure operation and quality to Canon standards. This model has been assigned a new model name and serial number, may incorporate new features and/or functions, and has had its meter reset to zero. This model contains new, refurbished, and/or recovered parts and fully meets the original equipment manufacturer's quality and operational standards for this Factory Certified machine.

** imageRUNNER 3300EN only

Delivering exceptional productivity, ease-of-use, and reliability, Canon's imageRUNNER 3300E/3300EN digital imaging systems are multifunction solutions that busy corporate departments can depend on. In addition to the affordable price, these devices host a number of features that can help save both time and money.

Designed for small- to mid-size corporate environments, the imageRUNNER 3300E model meets all of your copying needs. Even at such an affordable price, the imageRUNNER 3300E model offers many desirable features such as a standard internal finisher with stapling capabilities, maximum paper capacity of 2,050 sheets, and a standard 50-sheet DADF all within a compact footprint. There is also a configuration of this model that includes Super G3 Fax.

At a speed of up to 33 pages per minute (letter), the Canon imageRUNNER 3300EN device is a multifunction solution that includes all of the same features as the imageRUNNER 3300E device, and adds standard network printing and scanning with Canon's Network ScanGear.

These features, along with a multitude of convenience and productivity attributes, make the imageRUNNER 3300E/3300EN devices economical multifunction solutions for busy corporate departments.

Print Solutions



imagePASS-H1 v2.0

Designed for the color-intensive, multiuser departmental environment requiring support of true Adobe PostScript 3 and PCL 5c, the imagePASS-H1 provides great out-of-the-box color while offering a variety of workflow tools to increase productivity. Standard features include Spot-On and Auto-Trapping. Optional features, such as Impose, Hot Folders, Virtual Printers, and Secure Erase deliver the superior performance, color, and control that make short-run digital color printing easy.

ColorPASS-GX200

This is a high-performance color server designed for users requiring both quality and intensive processing power. Coupled with blazing-fast true Adobe PostScript 3 processing and advanced standard and optional color/production tools, the Canon ColorPASS-GX200 delivers a solution that may be used by an operator or a client. The ColorPASS-GX200 includes standard features such as Spot-On Color, Auto-Trapping, and support for a variety of variable data languages, along with JDF job ticketing support via a connector. Optional features include Graphic Arts Package, Impose, Compose, and much more.

imagePASS-J1

The imagePASS-J1 is a flexible and productive solution that's complete with advanced tools for color management, powerful Web-based management, and remote desktop functionality. When combined with optional applications such as Hot Folders, Virtual Printers, and Impose, users will have sophisticated printing and distribution control of their documents.

imagePASS®

ColorPASS

FEATURES

imageRUNNER Devices Supported:

- *imagePASS-H1*: Color imageRUNNER C5185/C4580/C4080
- *ColorPASS-GX200*: Color imageRUNNER C5185/C4580/C4080
- *imagePASS-J1*: Color imageRUNNER C3480/C3080

HARDWARE SPECIFICATION CHART

Controller	CPU	Memory	Hard Drive
imagePASS-H1	Intel Celeron M 1.5GHz	256MB x 1 (Std.), 256MB x 1 (Opt.), (Max. 512MB)	80GB
ColorPASS-GX200	Intel Core2 Duo 2.13GHz	1GB x 1 (Std.), (Max. 1GB)	160GB
imagePASS-J1	Intel Celeron M 1.2GHz	256MB x 1 (Std.), 256MB x 1 (Opt.), (Max. 512MB)	80GB

EFFICIENT DIGITAL SOLUTIONS FOR SMALL WORKGROUPS AND BUSINESSES

- Laser Beam Printers
- B/W Networked Multifunction Devices
- B/W Facsimile

Laser Beam Printers

Color imageRUNNER LBP5975/ LBP5970/LBP5360	13
imageRUNNER LBP3460	13

Color Multifunction Devices


Color imageRUNNER C1022/C1022i 14

B/W Multifunction Devices

imageRUNNER 2030i/2025i/2022/ 2022i/2018/2018i	15
---	----

imageRUNNER 1025/1025N/1025iF 16

Multifunction Facsimile Devices

LASER CLASS 830i/810 17LASER CLASS 710 18LASER CLASS 510 19LASER CLASS 310 20LASER CLASS 2050P 21

The following statements apply to all multifunction devices and color devices in this section:



Note: Federal Law prohibits copying certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc. and Canon Canada Inc. intend to cooperate with Law Enforcement Agencies in connection with claims of unauthorized copying.

Note: There may be several printer description language and network connectivity options available. Contact your Authorized Canon Dealer to determine the compatibility of systems and applications.

Note: Some products shown with optional accessories/equipment.

Color imageRUNNER LBP5975/LBP5970/LBP5360 imageRUNNER LBP3460



Color
imageRUNNER®

imageRUNNER®

Powered by the same system architecture designed for the imageRUNNER line, the new Canon imageRUNNER LBP Series sets unprecedented standards for desktop laser beam printers. The Canon imageRUNNER LBP Series delivers the desktop productivity and advanced technology users demand in three exceptionally compact models.

The Color imageRUNNER LBP5975/LBP5970 devices are full-color, single-pass desktop laser beam printers best suited for workgroups that need to print higher-volume documents up to ledger size. They can output documents at up to 31 pages per minute (letter) in monochrome and up to 30 pages per minute (letter) in color. The Color imageRUNNER LBP5360 device is an economical full-color, single-pass desktop laser beam printer best suited for workgroups that need to print lower-volume color and black-and-white documents. It can output documents at up to 22 pages per minute (letter) in both color and monochrome. The imageRUNNER LBP3460 device is a monochrome desktop laser beam printer best suited for workgroups that need to print higher volume black-and-white documents. It can output documents at up to 35 pages per minute (letter) in monochrome.

All models in the Canon imageRUNNER LBP Series feature auto-duplexing capabilities to produce double-sided documents with nonstop productivity. In addition, all models in the Canon imageRUNNER LBP Series include standard network printing, with port interfaces for 10/100Base-TX Ethernet (RJ-45), USB 2.0, and available wireless LAN connectivity (LBP5975/LBP5970 only).

FEATURES

- Standard automatic duplex printing helps drive costs down and reduce paper consumption
- All models offer blazing fast print processing through UFR II print technology
- Optional PostScript 3 emulation available on Color imageRUNNER LBP5975/LBP5970 models
- RAPID Fusing System in each model provides exceptional image quality with zero warm-up time and reduces first print-out time, while requiring less heat and energy consumption.
- Consistent imageRUNNER device management and user interface: Print Drivers, Remote UI, imageWARE Enterprise Management Console
- Complete front access to all consumables on each model allows for easy end-user maintenance
- Utilize in-line stapling with compact Staple Finisher standard on the Color imageRUNNER LBP5975 device

Specifications	Color imageRUNNER LBP5975	Color imageRUNNER LBP5970	Color imageRUNNER LBP5360	imageRUNNER LBP3460
Print Speed (Letter)	Color: Up to 30 ppm B/W: Up to 31 ppm	Color: Up to 30 ppm B/W: Up to 31 ppm	Color: Up to 22 ppm B/W: Up to 22 ppm	B/W: Up to 35 ppm
Maximum Print Resolution	1200 dpi	1200 dpi	600 dpi	600 dpi
Print	Standard: UFR II, PCL Optional: PS 3	Standard: UFR II, PCL Optional: PS 3	Standard: UFR II, PCL	Standard: UFR II, PCL
Warm-up Time	0 Sec. (from Standby)	0 Sec. (from Standby)	0 Sec. (from Standby)	0 Sec. (from Standby)
Memory	Standard: 256MB Maximum: 768MB	Standard: 256MB Maximum: 768MB	Standard: 128MB Maximum: 512MB	Standard: 64MB Maximum: 384MB
Paper Capacity (Sheets)	Standard: 320 Maximum: 1,970	Standard: 320 Maximum: 1,970	Standard: 350 Maximum: 850	Standard: 350 Maximum: 850
Maximum Paper Size	Ledger	Ledger	Legal	Legal
Finishing	Standard: Compact Stapling	NA	NA	NA

Color imageRUNNER C1022/C1022i



SPECIFICATIONS

Print Speed (LTR):	Monochrome/Color: Up to 22 ppm
Printing Resolution:	2400 dpi equivalent x 600 dpi
Memory:	C1022: 256MB RAM C1022i: 768MB RAM
Paper Capacity:	Standard: 350 Sheets Maximum: 850 Sheets
Warm-up Time:	Less Than 60 Seconds after powering on
First-copy-out Time:	12.5 Seconds
Fixing System:	Color Rapid Fusing System
Power Requirements:	120V, 60Hz, 15A

FEATURES

- Robust imageCHIP Lite controller designed for fast multifunction performance
- Standard 50-sheet duplexing automatic document feeder featuring accurate color scanning at up to 20 impressions per minute (letter)
- Standard duplex printing capabilities with UFR II LT technology
- Standard Color document distribution capabilities
- Available Super G3 Fax capabilities*
- Intuitive and easy-to-read control panel featuring a 3.5" TFT LCD and scroll wheel for simple navigation
- Standard USB memory media and flash memory support
- Support for Canon's device management utilities, including Remote UI
- User-friendly operation featuring easy-to-replace all-in-one toner and drum cartridges

* Super G3 Fax standard on Color imageRUNNER C1022i



Color imageRUNNER C1022



Finally, your business can achieve greater productivity and competitiveness with a single compact multifunction solution designed specifically for the way you work.

The Canon Color imageRUNNER C1022 Series models deliver exceptional output at speeds of up to 22 pages per minute (letter) in monochrome and brilliant color yet are small enough to be placed on a desktop or in a small space. Additionally, the easy-to-use productivity-boosting features and capabilities such as standard network printing, duplex color scanning, and available color document distribution functions help make these devices true partners in the success of your business. And, beyond the capabilities of most other all-in-one or stand-alone peripherals, the Color imageRUNNER C1022 Series includes support for portable memory media and advanced electronic document formats for paperless workflows as well as one of the most vibrant display panels available today.

The Canon Color imageRUNNER C1022 Series is offered in two models based upon the needs of your environment. Whichever model you choose, the Color imageRUNNER C1022 Series devices deliver exceptional productivity and quality within proximity.

Feature	Color imageRUNNER C1022	Color imageRUNNER C1022i
Copy	Standard	
Print	Standard: UFR II LT Optional: PCL	Standard: UFR II LT, PCL
Scan	Standard: Color Network ScanGear	
Send	Optional	Standard
Fax	Optional	Standard
Scan-to-USB	Standard	
Direct Print**	Standard	
User Operation Panel	Color 3.5" TFT LCD with Scroll Wheel	

** File formats include TIFF and JPEG.

imageRUNNER 2030i/2025i/2022/2022i/2018/2018i



The Canon imageRUNNER 2030i/2025i/2022i/2018i and the imageRUNNER 2022/2018 multifunction devices can help low-volume environments run smarter.

The Canon imageRUNNER 2022/2018 models deliver digital copying, network printing, network TWAIN color scanning, and optional faxing to meet the needs of small businesses and workgroups requiring basic, yet expandable functionality. For more sophisticated users, the imageRUNNER 2030i/2025i/2022i/2018i models build upon the capabilities of the base models and provide additional network capabilities, including fully integrated color document distribution.

A 50-sheet Duplexing Automatic Document Feeder, PCL network printing, and Automatic Duplexing are all available options for the imageRUNNER 2022/2018 models and standard features of imageRUNNER 2030i/2025i/2022i/2018i models.

So whether you have a growing company or a corporate workgroup, the Canon imageRUNNER 2030i/2025i/2022/2022i/2018/2018i models will give you the tools you need to create and distribute the information that fuels your business.

Feature	imageRUNNER 2030i/2025i/2022i/2018i	imageRUNNER 2022/2018
Copy	Standard	Standard
Print	Standard (UFR II LT/PCL)	Standard (UFR II LT) Optional (PCL)
Fax	Optional	Optional
Color Scan	Standard	Standard
Color Send	Standard	N/A
Document Feeder	Standard	Optional
Duplexing	Standard	Optional
Memory Capacity	Standard: 256MB Maximum: 256MB	Standard: 128MB Maximum: 256MB

* UFR II LT only. Standard on imageRUNNER 2030i/2025i/2022i/2018i devices; optional on imageRUNNER 2022/2018 devices.

** At room temperature of 20° C/ 68° F.

*** Standard on the imageRUNNER 2030i/2025i/2022i/2018i devices; optional on the imageRUNNER 2022/2018 devices.

SPECIFICATIONS

Print Speed (LTR):	Monochrome: 30/25/22/18 ppm
Printing Resolution:	600 x 600 dpi 1200 x 600 dpi for Copy (Interpolated) 1200 x 1200 dpi for Print*
Memory Capacity:	2022/2018: 128MB RAM Std. 256MB RAM Max. 2030i/2025i/ 2022i/2018i: 256MB RAM Std./Max.
Paper Capacity:	2030i/2025i/ 2022/2022i: Standard: 580 Sheets Maximum: 1,080 Sheets 2018/2018i: Standard: 330 Sheets Maximum: 1,080 Sheets
Warm-up Time:	From Sleep Mode: 1 Second or Less** From Main Power Off (2030i/2025i/ 2022i/2018i):** 26 Seconds or Less From Main Power Off (2022/2018):** 13 Seconds or Less
Fixing System:	RAPID Fusing System

FEATURES

- Up to 30/25/22/18 copies/prints per minute (LTR)
- Compact footprint including an internal finisher that provides stapling and an optional second tray for sorting all within the original footprint
- Duplexing Automatic Document Feeder*** and Automatic Trayless Duplexing***
- Standard network printing capabilities via UFR II LT and PCL 5e/6 on the imageRUNNER 2030i/2025i/2022i/2018i devices
- Standard network printing capabilities via UFR II LT and optional support for PCL 5e/6 on the imageRUNNER 2022/2018 devices
- Optional Super G3 Fax capabilities
- Standard TWAIN scan through Color Network ScanGear
- Standard black-and-white and color send capabilities on the imageRUNNER 2030i/2025i/2022i/2018i devices
- Support for Canon's device management utilities, including Remote UI

imageRUNNER 1025/1025N/1025iF



SPECIFICATIONS

Print Speed (LTR):	Monochrome: Up to 25 ppm
Maximum Paper Size:	LGL
Resolution:	600 x 600 dpi (Scan) Enhanced 1200 x 600 dpi (Copy) Enhanced 1200 x 600 dpi (Print)
Memory:	1025N/1025: 128MB RAM 1025iF: 256MB RAM
Paper Capacity:	Standard: 600 Sheets Maximum: 1,100 Sheets
Warm-up Time:	1025/1025N: 1 Second (from Sleep Mode) Less Than 16 Seconds 1025iF: 1.5 Seconds (from Sleep Mode) Less Than 19 Seconds
Fixing System:	RAPID Fusing System

FEATURES

- Up to 25 copies/prints per minute (LTR)
- Compact, desktop design ideal for locations with limited space
- Standard Duplexing Automatic Document Feeder (imageRUNNER 1025iF/1025N only) and Automatic Trayless Duplexing
- Standard printing capabilities via UFR II LT and optional support for PCL 5e/6
- Standard full-color scanning capabilities via the USB 2.0 Port
- Standard Super G3 Fax capabilities (imageRUNNER 1025iF only)
- Standard black-and-white and color document distribution capabilities (imageRUNNER 1025iF only)
- Support for Canon's device management utilities, including Remote UI

The imageRUNNER 1025 Series devices are the ideal choice for busy work-groups and hardworking small businesses that require dependable performance every time, all the time. Operating at up to 25 ppm (letter), these compact desktop solutions will put affordable, multifunction capabilities within easy reach.

The imageRUNNER 1025iF device is the advanced model in the Series, and it provides all the necessary tools for the most demanding environments. The device features full color-enabled document distribution features, powerful Super G3 faxing, and a 50-sheet Duplexing Automatic Document Feeder as standard. The imageRUNNER 1025N model supports digital copying, network printing, and color scanning features, along with the added convenience of a 50-sheet Duplexing Automatic Document Feeder. The platen-based imageRUNNER 1025 model delivers digital copying, high-quality laser printing, and color scanning capabilities.

So whether you're upgrading from older, slower technology or consolidating several pieces of equipment to save space and lower costs, the imageRUNNER 1025 Series devices are the right choice for you.

Feature	imageRUNNER 1025iF	imageRUNNER 1025N	imageRUNNER 1025
Document Feeder	Standard		N/A (Platen Cover Only)
Print	Standard (UFR II LT); Optional PCL 5e/6		Standard (UFR II LT);* Optional PCL 5e/6*
Connectivity	Standard (USB 2.0 and 10/100Base-TX)		Standard (USB 2.0) Optional (10/100Base-TX)**
Color Send	Standard	N/A	
Fax	Standard	N/A	
Memory Capacity	256MB RAM	128MB RAM	

* Network Printing requires the optional Network Interface Adapter IN-E11 on the imageRUNNER 1025 model.

** Available through the USB 2.0 Interface.

LASER CLASS 830i/810



LASER CLASS®

LASER CLASS 810

LASER CLASS 830i

Go beyond fax with the LASER CLASS 830i and LASER CLASS 810 multi-function fax models.

The LASER CLASS 800 Series supports a rich fax feature-set, with high-speed Super G3 capabilities, versatile dialing capabilities, fast scanning speeds, and even automatic scanning of two-sided originals. To streamline communications, the Job Forwarding and Archiving capabilities help to automate the storage of incoming and outgoing data.

Beyond fax, these devices also offer numerous functions that help achieve seamless workflows and enhanced productivity. Duplicate one- or two-sided originals at speeds of up to 23 pages per minute (letter) with the convenient copying feature. Consolidate existing single-function fax and printer devices into one with the LASER CLASS 800 Series network printing capabilities.*

For the ultimate in document distribution, the LASER CLASS 830i supports Color Send capabilities that allow you to easily send documents from the device to e-mail, I-fax, or file server destinations in a choice of file formats.

Let the LASER CLASS 800 Series change the way you communicate.



SPECIFICATIONS

Automatic Document

Feeder:

Up to 50 Sheets (LTR)**
Up to 20 Sheets (11" x 17"/830i Only)**

Scan Speed:

830i: Up to 45 ipm
810: Up to 37 ipm

Maximum Document Size:

830i: 11" x 18"
810: 8-1/2" x 11"

Print Speed (LTR)/

Resolution:

Up to 23 ppm/1200 x 600 dpi (Enhanced)

Transmission Speed:

Approximately 3 Seconds/Page (ECM-JBIG, Transmitting from Memory)***

Cartridge (Included):

Print PDLs

FX11
830i: Std. UFR II LT/PCL 5e/PCL 6
810: Opt. UFR II LT

Color Send (830i only)

Sending Methods:

File Formats:†

E-mail, I-fax, File Server
B/W: TIFF, PDF
Color: JPEG, PDF (Compact)

Paper Capacity

Standard:

600 Sheets: 1 x 500-sheet Adjustable Cassette;
100-sheet MP Tray

Maximum:

1,100 Sheets with Optional 500-sheet Cassette (Letter)

Speed Dialing:

One-touch Speed Dialing: 80 Destinations
Coded Speed Dialing: 420 Destinations (830i)
120 Destinations (810)
Group Dialing: 499 Destinations (830i)
199 Destinations (810i)

Handset:

Memory:

Optional
830i: Approx. 1,500 Pages***
810: Approx. 512 Pages
(1,500 with Optional Printer Kit)***

Document Handling:

Dimensions (H x W x D)

Main Unit:

With Cassette:

Weight:

17-3/4" x 20-1/2" x 19" (452mm x 520mm x 481mm)
22-7/8" x 20-1/2" x 19" (580mm x 520mm x 481mm)
830i: Approx. 56.2 lb (25.5kg)
810: Approx. 54.2 lb (24.6kg)

Memory Backup:

Up to 3 Hours

* Optional on the LASER CLASS 810 model.

** 21 lb. Bond.

*** Based on ITU-T Standard Chart No. 1 (JBIG, Standard Mode).

† For e-mail and file server.

LASER CLASS 710



LASER CLASS®

SPECIFICATIONS

Automatic Document Feeder:	70 Sheets*
Print Speed (LTR)/Resolution:	Up to 19 ppm/1200 x 1200 dpi
Transmission Speed:	3 Seconds Per Page**
Cartridge (Included):	FX7
Standard/Maximum Memory:	Up to 510/1,500 Pages***
Document Handling:	Dual Access
Dual Line Fax:	Optional
Internet Fax:	Optional
Network Print:	Optional
Desktop Print:	Optional
Network Scan:	Optional†
Standard Paper Capacity:	250/250/100 (LTR/LGL)
Maximum Paper Capacity:	1,100
Scan Resolution:	400 dpi
Scan Width:	10"
Dimensions Excluding Handset (H x W x D):	18-1/8" x 19-3/4" x 19-3/4" (459mm x 499mm x 499mm)
Halftone:	256 Shades of Gray
Software/Utilities:	imageWARE Suite, Remote UI

* 20 lb., less than 120µm, 15 – 27.5°C, 20 – 80% RH.

** Approximate 3-second-per-page fax transmission time based on ITU-T No. 1 Chart (JBIG, Standard Mode) at 33.6 Kbps modem speed when transmitting to another V.34 machine. The Public Switched Telephone Network (PSTN) currently supports 28.8 Kbps modem speeds or lower, depending on telephone line conditions.

*** Based on ITU-T No. 1 Chart (Standard Mode).

† Scan-to-e-mail.

Busy office environments need tools that can keep pace with all types of business communications. Canon's LASER CLASS 710 device answers the call.

The LASER CLASS 710 device offers standard faxing, transmitting documents as fast as three seconds per page.** Its modular design lets you add printing and scanning capabilities as needed so your centralized communications device can work with your small office today or your large office tomorrow.

Plus, with support for TX Archiving and Transfer features, LASER CLASS 710 users can archive all incoming and outgoing data, allowing them to automate and simplify the process of records retention, aid in the security and confidentiality of customer records and information, and help satisfy security regulations and guidelines.

The LASER CLASS 710 device—a versatile communications hub for your every business need.

LASER CLASS 510



LASER CLASS®

For companies with mid-volume faxing and low-volume copying/printing requirements, the LASER CLASS 510 device provides a powerful and affordable desktop solution. This device is a platen-based MFP solution that offers the ability to fax and copy from the automatic document feeder or the platen glass. When configured with an optional network adapter, the Canon LASER CLASS 510 device can accommodate the expanding needs of small offices as a shared network printer.

Its Super G3 technology provides industry-leading facsimile speed, and the 8MB of memory stores up to 500 pages[†] of documents. The LASER CLASS 510 device also has many convenience features to help streamline office jobs, like Print-in-Order output for ready-to-use documents, Full Dual Access for scanning and faxing simultaneously, and a 250-page paper capacity for handling your most demanding requirements.



The AXIS 1650 Print Server transforms the LASER CLASS 510 device into a shared network printer.



SPECIFICATIONS

Automatic Document Feeder:	50 Sheets (LTR); 30 Sheets (LGL)*
Print Speed/Resolution:	Up to 15 ppm/1200 x 600 dpi
Transmission Speed:	Approximately 3 Seconds/Page,** JBIG
Cartridge (Included):	FX8
Printing:	Windows® Print and Fax Driver Included; Optional Network Connectivity (AXIS 1650 Print Server)
Paper Capacity:	250-sheet Cassette (LTR/LGL) and 10-sheet Alternative Manual Feeder***
Speed Dialing:	200 Locations
Handset:	Standard
Memory:	Up to 500 Pages [†] (8MB)
Document-handling:	Dual Access
Enhanced Imaging:	UHQ (Ultra High Quality)
Dimensions Excluding Tray (H x W x D):	17-7/8" x 24-5/8" x 18" (453mm x 626mm x 457mm)
Weight:	35.9 lb. (16.3kg)
Memory Backup:	Yes
Limited Warranty:	90 Days

* Based on 20 lb. paper.

** Approximate 3-second-per-page fax transmission time based on ITU-T No. 1 Chart (JBIG, Standard Mode) at 33.6 Kbps modem speed when transmitting to another V.34 machine. The Public Switched Telephone Network (PSTN) currently supports 28.8 Kbps modem speeds or lower, depending on telephone line conditions.

*** Alternative 10-sheet Manual Feeder supports the same size, weight, and type as cassette.

[†] Based on ITU-T No. 1 Chart (Standard Mode).

LASER CLASS 310



SPECIFICATIONS

Automatic Document

Feeder:

50 Sheets (LTR)
20 Sheets (LGL)*

Print Speed/Resolution: Up to 19 ppm/1200 x 600 dpi
Enhanced

Transmission Speed: Approximately 3 Seconds/
Page,** JBIG Compression

Cartridge (Included): FX8

Printing: Windows Print and Fax
Driver Included

Paper Capacity: 501 Sheets
[One 500-sheet Cassette (LTR)]
[One-sheet Multipurpose
Tray (LTR/LGL)]

Speed Dialing: 200 Locations

Handset: Standard

Memory: Up to 510 Pages*** (8MB)

Document-handling: Dual Access for Simultaneous
Scanning and Faxing
UHQ (Ultra High Quality)

Imaging: UHQ (Ultra High Quality)

**Dimensions Excluding
Tray (H x W x D):** 15-1/2" x 17-3/8" x 18-3/8"
(392mm x 441mm x 466mm)

Weight: 26.7 lb. (12.1kg)†

Memory Backup: Yes

Limited Warranty: 90 Days

* Based on 20 lb. paper.

** Approximate 3-second-per-page fax transmission time based on ITU-T No.1 Chart (MMR, Standard Mode) at 33.6 kbps modem speed when transmitting to another V.34 machine. The Public Switched Telephone Network (PSTN) currently supports 28.8 kbps modem speeds or lower, depending on telephone line conditions.

*** Based on ITU-T No.1 Chart (Standard Mode).

† Including Handset and Cartridge.



LASER CLASS®

The LASER CLASS 310 device, ideal for small businesses or workgroups, is a high-quality multifunction solution for productive and affordable laser printing, faxing, and copying at speeds of up to 19 ppm (letter). In addition, when connected to the AXIS 1650 Print Server, multiuser workgroups have the ability to utilize the device as a shared network printer to save time, space, and money. The device includes 50-sheet automatic document feeding capabilities to quickly scan up to legal-sized pages and a 500-sheet paper cassette that's sufficient to handle your business requirements.

With a host of productivity-enhancing features, the LASER CLASS 310 device offers a large memory capacity of up to 510 pages.*** Canon's exclusive UHQ (Ultra High Quality) technology and 300 x 300 dpi optical scanning resolution will ensure superior image capture and reproduction of every page. It also includes Super G3 Fax technology that will transmit documents at quick speeds to increase your faxing productivity.

LASER CLASS 2050P



LASER CLASS®

The LASER CLASS 2050P device is the perfect fit for small offices or workgroups that need a powerful, hard-working, compact multifunction device. You'll benefit from the fast three-second-per-page*** Super G3 technology transmission speed and up to six-page-per-minute print speed. With a generous 4MB of memory that allows you to store up to 256 pages† of outgoing and incoming faxes and a standard 350-sheet paper capacity, you're ready for any job.

With a range of handy features such as full dual access that enables you to scan and fax at the same time, face-down collated output for instant use of documents, and an easy-to-use control panel, the LASER CLASS 2050P device gives you a powerful solution perfect for your small office or workgroup. Plus, there's also a full-yield FX3 front-loading cartridge and handset included.



SPECIFICATIONS

Automatic Document

Feeder:	40 Sheets (LTR);* 20 Sheets (LGL)**
Print Speed/Resolution:	Up to 6 ppm/600 dpi
Transmission Speed:	Approximately 3 Seconds/Page***
Cartridge (Included):	FX3
Printing:	Windows Print Driver Included
Paper Capacity:	350 Sheets [One 250-sheet Cassette (LTR); One 100-sheet MultiPurpose Tray (LTR/LGL)]

Speed Dialing:

124 Locations

Handset:

Standard

Memory:

Up to 256 Pages† (4MB)

Document-handling:

Dual Access for Simultaneous Scanning and Faxing, Quick On-Line TX

UHQ (Ultra High Quality)

12" x 18-1/8" x 19-1/8"

(303.5mm x 460mm x 483mm)

28.7 lb. (13kg)††

Yes

90 Days

Imaging: UHQ (Ultra High Quality)

Dimensions Excluding Tray (H x W x D): 12" x 18-1/8" x 19-1/8"

Weight: 28.7 lb. (13kg)††

Memory Backup: Yes

Limited Warranty: 90 Days

* Based on 20 lb. paper; less than 120 µm, 15 – 27.5°C, 20 – 80% RH.

** Based on 20 lb. paper.

*** Approximate 3-second-per-page fax transmission time based on ITU-T No. 1 Chart (MMR, Standard Mode) at 33.6 Kbps modem speed when transmitting to another V.34 machine. The Public Switched Telephone Network (PSTN) currently supports 28.8 Kbps modem speeds or lower, depending on telephone line conditions.

† Based on ITU-T No. 1 Chart (Standard Mode).

†† Excluding handset and tray.

Optimize Your Large-Format Solutions

CREATE. PROCESS. PRINT.

- Large-format Color Output

Large-Format Printers

imagePROGRAF iPF820/iPF810 and PRO Models	23
imagePROGRAF iPF720/iPF710	24
imagePROGRAF iPF610/iPF605/iPF500	25
imagePROGRAF iPF9100/iPF8100	26
imagePROGRAF iPF6200/iPF6100/iPF5100	27
imagePROGRAF iPF9000S/iPF8000S/6000S	28
imagePROGRAF iPF710 Printer with Colortrac Scanning System	29



The following statements apply to all color devices in this section:



Note: Federal Law prohibits copying certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc. and Canon Canada Inc. intend to cooperate with Law Enforcement Agencies in connection with claims of unauthorized copying.

Note: There may be several printer description language and network connectivity options available. Contact your Authorized Canon Dealer to determine the compatibility of systems and applications.

Note: Some products shown with optional accessories/equipment.

imagePROGRAF iPF820/iPF810 and PRO Models



iPF820/iPF810

The imagePROGRAF iPF820/iPF810 printers are 44" wide powerhouse printing systems designed to enhance productivity for medium- to large-size workgroups with high-speed throughput up to 688 square feet per hour. With incredible line accuracy, an 80GB hard drive, excellent media handling, and on-board support for HP-GL/2 and HP RTL files, the iPF820/iPF810 printers are complete and easy-to-use printing solutions for any professional with a need for producing intricately detailed full-color renderings, CAD drawings, GIS maps, and other large-format output.

A built-in 80GB hard drive makes handling multiple complex jobs simple, especially in shared printer environments. Relieve workload from your computer, store and retrieve print jobs with the touch of a button, and utilize a Remote User Interface and password-protected mailboxes to keep your workgroup productive. The printers' Economy Print Mode helps lower the cost per print while its sub-ink tank system enables on-the-fly ink replacement for continuous printing. Add a stacker and large-format scanner and realize maximum productivity in any environment.

Equipped with dual media rolls, the iPF820 printer eliminates the cause of many bottle-necks in busy printing environments. Automatically switch between different media types or use two rolls of the same paper for continuous printing of large consecutive runs.

iPF820/iPF810 PRO MODELS

A complete production printing solution, these printers include the CAD|STATION PS+ full-color RIP with true Adobe PostScript processing, advanced job management features, and accounting software. Engineered to meet the needs of medium- to large-size workgroups, these imagePROGRAF printers are ideal solutions for production and print-for-pay environments, as well as for AEC, CAD, GIS, and other technical documents applications.

SPECIFICATIONS

Type:	44" Large-Format Printers
Print Method:	Bubble Jet On-Demand
Resolution:	2400 x 1200 dpi (Maximum) 1200 x 1200 dpi (Standard)
Print Head Size:	1.07"
Nozzles Per Color:	2,560 Nozzles (5,120 Matte Black)
Droplet Size:	4 Picoliter
Interface:	USB 2.0 10Base-T/100Base-TX
Ink Tank Capacity:	330ml and 700ml
Hard Drive:	80GB
Number of Rolls:	Two (iPF820) One (iPF810)

imagePROGRAF iPF720/iPF710



SPECIFICATIONS

Type:	36" Large-Format Printer
Print Method:	Bubble Jet On-Demand
Resolution:	2400 x 1200 dpi (Maximum) 1200 x 1200 dpi (Standard)
Print Head Size:	1.07"
Nozzles Per Color:	2,560 Nozzles (5,120 Matte Black)
Droplet Size:	4 Picoliter
Interface:	USB 2.0 10Base-T/100Base-TX
Ink Tank Capacity:	130ml Each
Hard Drive:	80GB (iPF720 only)

Note: For software O/S requirements, please see specifications listed at www.usa.canon.com/imageprograf.



Canon now offers two 36" solutions for the technical documents and general use markets. The imagePROGRAF iPF720 and iPF710 models are 5-color printers that feature Cyan, Magenta, Yellow, and Black dye inks along with two channels of pigment Matte Black. These printers are designed with both the technical and general office user in mind and are an ideal solution for the AEC, CAD, GIS, archive, reproduction, and office markets. With new technological advances, the ability to quickly and accurately print maps, design layouts, posters, and more has never been easier. Now with the new imagePROGRAF iPF720 printer, a built-in 80GB hard drive allows for increased productivity, even in the most demanding environments.

Canon's unique 5-color dye/pigment Reactive Ink technology uses four highly color-fast dye inks and two channels of Matte Black ink to optimize print image quality on all types of media. The variety of media plus innovative and easy-to-use software programs provide the versatility and flexibility needed for these printers to be used in a wide variety of industries and applications.

imagePROGRAF iPF610/iPF605/iPF500



iPF610



iPF605



iPF500



SPECIFICATIONS

Type:	24"/24"/17" Large-Format Printers
Print Method:	Bubble Jet On-Demand
Resolution:	2400 x 1200 dpi (Maximum) 1200 x 1200 dpi (Standard)
Print Head Size:	1.07"
Nozzles Per Color:	2,560 Nozzles (5,120 Matte Black)
Droplet Size:	4 Picoliter
Interface:	USB 2.0 10Base-T/100Base-TX
Ink Tank Capacity:	130ml Each

Note: For software O/S requirements, please see specifications listed at www.usa.canon.com/imageprograf.

The 5-color 24" imagePROGRAF iPF610/iPF605 printers and 17" imagePROGRAF iPF500 printer feature four dye inks (C, M, Y, K) for bold color output, as well as two dedicated channels of pigment Matte Black ink. These printers are designed with both the technical and general office user in mind and are an ideal solution for office markets. Whether it's the desktop imagePROGRAF iPF500 printer, the 24" iPF605 printer, or the iPF610 printer with cassette for outputting 17" x 22" sheets, the ability to quickly and accurately print design layouts and posters has never been easier.

Canon's unique ink system consists of four dye color inks and two channels of Matte black pigment ink. Maximum black density and speed is achieved by doubling the Matte Black while the dye black ink provides exceptional image quality for color photos on glossy paper. With the inclusion of innovative and easy-to-use software programs and a vast selection of media, imagePROGRAF printers provide the versatility and flexibility needed to meet the needs of a wide variety of industries and applications.

imagePROGRAF iPF9100/iPF8100



iPF9100



SPECIFICATIONS

Type:	60" and 44" Graphic Arts Printers (Pigment)
Print Method:	Bubble Jet On-Demand
Resolution:	2400 x 1200 dpi (Maximum) 1200 x 1200 dpi (Standard)
Nozzles Per Color:	2,560 Nozzles
Droplet Size:	4 Picoliter
Interface:	USB 2.0 10Base-T/100Base-TX
Ink Tank Type:	LUCIA Pigment-based Ink
Ink Tank Capacity:	330ml and 700ml
Hard Drive:	80GB

Note: For software O/S requirements, please see specifications listed at www.usa.canon.com/imageprograf.

The 12-color 60" imagePROGRAF iPF9100 and 44" imagePROGRAF iPF8100 pigment ink large-format printers are designed to produce fine art and photographic prints or proofs at unparalleled speeds, with outstanding archival image quality. These printers provide one of the industry's largest color gamuts, with Canon's 12-color ink set featuring LUCIA® pigment inks. Engineered for speed and advanced image quality, the iPF9100/iPF8100 printers use Canon's L-COA controller, built-in calibration, and a dual print-head system to lay down ink quickly and accurately.

The iPF9100/iPF8100 printers' LUCIA ink sets feature Red, Blue, Green, Gray, Photo Gray, Cyan, Photo Cyan, Magenta, Photo Magenta, Yellow, Black, and Matte Black pigment inks. The use of gray tones allow the printers to render smooth gradations for crisp monotone output. The iPF9100/iPF8100 printers come with an 80GB hard drive for onboard storage. They also have a dual print-head design that has a total of 30,720 ink nozzles (2,560 nozzles per color) for rapid print speeds, a maximum resolution of 2400 x 1200 dpi, and a four-picoliter droplet size.

Canon branded media is available for the new iPF9100/iPF8100 printers to provide users with a wide selection of print options. The array of media and the inclusion of innovative and easy-to-use software provides the versatility and flexibility needed for these printers to be used in many different industries and applications.

imagePROGRAF iPF6200/iPF6100/iPF5100



iPF6100



iPF5100



iPF6200



SPECIFICATIONS

Type:	24"/24"/17" Graphic Arts Printers (Pigment)
Print Method:	Bubble Jet On-Demand
Resolution:	2400 x 1200 dpi (Maximum) 1200 x 1200 dpi (Standard)
Nozzles Per Color:	2,560 Nozzles
Droplet Size:	4 Picoliter/Each Color
Interface:	USB 2.0 10Base-T/100Base-TX
Ink Tank Type:	LUCIA Pigment-based Ink
Ink Tank Capacity:	130ml Each
Hard Drive:	80GB (iPF6200 only)

Note: For software O/S requirements, please see specifications listed at www.usa.canon.com/imageprograf.



The imagePROGRAF iPF6200/iPF6100/iPF5100 printers are ideal for photography, proofing, and professional graphics applications. The printers are equipped with a 12-color LUCIA pigment ink set, using formulations with exceptional ink drop control for precise dot patterns and reduced dot graininess. These formulations additionally reduce bronzing and provide quality ink adhesion for superior scratch resistance.

These printers provide one of the industry's largest color gamuts. Canon's 12-color ink set features LUCIA pigment inks of Red, Blue, Green, Cyan, Photo Cyan, Magenta, Photo Magenta, Yellow, Black, Matte Black, Gray, and Photo Gray.

The iPF6200 printer comes equipped with an 80GB hard drive for file storage and EFI Colorproof eXpress software RIP. This true Adobe PostScript software has a simple setup wizard and intuitive user interface and is designed to enable all levels of users to produce accurate color proofs quickly, easily, and effectively.

imagePROGRAF iPF9000S/iPF8000S/iPF6000S



iPF6000S



iPF9000S

SPECIFICATIONS

Type:	60"/44"/24" Graphic Arts Printers (Pigment)
Print Method:	Bubble Jet On-Demand
Resolution:	2400 x 1200 dpi (Maximum) 1200 x 1200 dpi (Standard)
Droplet Size:	4 Picoliter
Interface:	USB 2.0 10Base-T/100Base-TX
Ink Tank Type:	LUCIA Pigment-based Ink
Ink Tank Capacity:	iPF9000S and iPF8000S: 330ml and 700ml iPF6000S: 130ml
Hard Drive:	80GB

Note: For software O/S requirements, please see specifications listed at www.usa.canon.com/imageprograf.



Canon's 60" imagePROGRAF iPF9000S, 44" iPF8000S, and 24" iPF6000S printers are powerful systems specifically built to meet the demands of the highly competitive production printing marketplace. They are ideal for professional service providers who need to produce more output in less time.

With high-speed throughput, an 80GB hard drive, borderless printing,* and additional features that maximize productivity, these printers increase overall production capacity and reduce job turnaround time. The innovative 8-color LUCIA ink configuration helps increase print efficiency and creates vibrant colors and tones that are ideal for production graphics applications.

With a built-in calibration feature and the L-COA processor for advanced quality control, these production-grade printers are built to deliver consistently superior results without sacrificing speed. They're up to 40% faster than any other imagePROGRAF Graphic Arts printer, making them ideal for anyone who needs to increase the capacity, productivity, and versatility of their large-format printing services.

* Up to 42" wide.

imagePROGRAF iPF710 Printer with Colortrac Scanning System*



* This solution is also available with other imagePROGRAF models. Please visit www.usa.canon.com for additional models.



Canon presents a powerful scanning workflow solution with the imagePROGRAF printer with Colortrac Scanning System. These integrated products are ideal for users wishing to archive, e-mail, or copy large-format prints. The products fit into a variety of markets including CAD, AEC, and GIS, and can be used for countless applications such as maps, blueprints, photographs, drawings, court documents, newspaper, etc. These Scan/Copy/Print solutions can copy color or black-and-white documents up to 40" wide at high speeds with accuracy, at an exceptional value.

The imagePROGRAF iPF710 printer with Colortrac Scanning System includes the Scanner, Computer, Monitor, Mouse, Stand, Software, and imagePROGRAF iPF710 printer.* These components provide everything necessary to save scanned images in various file formats, distribute them electronically, and copy large drawings quickly and accurately. The two user-intuitive scanning software packages, SmartLF and CopySmart, include everything needed to create and edit large-format prints. SmartLF is basic copy software with a simple, user-friendly interface that allows one to scan-to-file, scan-to-copy, and scan-to-e-mail directly from the PC. CopySmart transforms the system into a large-format digital copy system with image editing options and a graphical user-interface with a "big button" philosophy.

This system has solid-state optical document sensors with auto-size detection. Scan virtually any document, including flimsy tissues, creased maps, and thick cards. Flexible document format up to 44" wide and 40" image width make this solution ideal for most documents in the AEC, CAD, GIS, archive, and reproduction markets.

SCANNER SPECIFICATIONS

Type:	Colortrac Scanner
Scan Method:	Contact Image Sensor
Resolution:	3600 dpi (Maximum) 600 dpi (Optical)
Scan Modes:	16.7 Million Color 256-level Grayscale Black and White
Max. Image Width:	40"
Max. Media Width:	44"
Max. Media Thickness:	0.08"

Note: For software O/S requirements, please see specifications listed at www.usa.canon.com/imageprograf.


Optimize Your Image Filing Solutions

SCAN DOCUMENTS QUICKLY AND EFFICIENTLY

- B/W and Color Document Scanners
- High-performance Scanners for a Wide Range of Applications

Scanners

imageFORMULA ScanFront 220P	31
imageFORMULA ScanFront 220	32
imageFORMULA DR-X10C	33
imageFORMULA DR-9080C/7580	34
imageFORMULA DR-7090C	35
imageFORMULA DR-5010C	36
imageFORMULA DR-4010C	37
imageFORMULA DR-3080CII	38
imageFORMULA DR-3010C	39
imageFORMULA DR-2580C	40
imageFORMULA DR-2510C/2010C	41
imageFORMULA DR-2050C/2050SP	42
imageFORMULA DR-1210C	43



The following statements apply to all scanners in this section:



Note: Federal Law prohibits copying certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc. and Canon Canada Inc. intend to cooperate with Law Enforcement Agencies in connection with claims of unauthorized copying.


Note: Some products shown with optional accessories/equipment.

imageFORMULA ScanFront 220P



NETWORK SCANNERS

The Canon imageFORMULA ScanFront 220P scanners are ideal for distributed, ad hoc, and general purpose scanning. These compact, secure, and easy-to-use scanners feature direct network connectivity for fast and easy installation, reducing the need for difficult-to-manage, power-hungry, dedicated PCs. The ScanFront 220P scanners offer a user-friendly interface with full-color, 8.5-inch touch-screen convenience plus state-of-the-art imaging technology for superior scanning accuracy. The ScanFront 220P moves capture closer to the point of origin within the business process, eliminating complexity, reducing costs, and improving productivity and workflow efficiency.



ScanFront GUI

SPECIFICATIONS

Type:	Compact Network Scanner	
Document Feeding:	Automatic or Manual Sheetfed	
Network Functions:	Scan-to-E-mail, Scan-to-Folder Scan-to-FTP, Scan-to-USB Memory	
Network Protocols:	TCP/IP, SMTP, DHCP, SMB, LDAP	
File Formats:	PDF, Searchable and/or Encrypted PDF TIFF, MTIFF, JPEG	
Scanning Speeds*		
Black and White:	Simplex	Duplex
Grayscale:	Up to 26 ppm	Up to 35 ipm
Color:	Up to 23 ppm	Up to 23 ipm
Scanning Element:	Up to 16 ppm	Up to 16 ipm
Document Size	CMOS CIS	
Width:	2.0" - 8.5"	
Length:	2.12" - 14.0"	
ADF Capacity:	50 Sheets	
Interface:	USB 2.0, LAN, PS/2	
Dimensions (H x W x D):	12.2" x 9.21" x 6.22"	
Weight:	7.5 lb.	
Suggested Daily Volume:**	1,500 Scans	

FEATURES

- 8.5" Touch-Screen LCD
- Automatic Page Size Detection
- Deskew
- Color Dropout/Enhance
- Skip Blank Page
- Text Orientation Recognition
- Bleed-Through Reduction
- Error Diffusion
- Advanced Text Enhancement
- Fingerprint Reader
- Ultrasonic Double-Feed Detection

OPTIONS

- Exchange Roller Kit
- One-Year CarePAK
- Two-Year CarePAK

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents, portrait-feeding direction, up to 200 dpi.

** Calculation based on scanning speed and assumed daily time of use.

imageFORMULA ScanFront 220



SPECIFICATIONS

Type:	Compact Network Scanner	
Document Feeding:	Automatic or Manual Sheetfed	
Network Functions:	Scan-to-E-mail, Scan-to-Folder Scan-to-FTP, Scan-to-USB Memory	
Network Protocols:	TCP/IP, SMTP, DHCP, SMB, LDAP	
File Formats:	PDF, Searchable and/or Encrypted PDF, TIFF, MTIFF, JPEG	
Scanning Speeds*	Simplex	Duplex
Black and White:	Up to 26 ppm	Up to 35 ipm
Grayscale:	Up to 23 ppm	Up to 23 ipm
Color:	Up to 16 ppm	Up to 16 ipm
Scanning Element:	CMOS CIS	
Document Size		
Width:	2.0" - 8.5"	
Length:	2.12" - 14.0"	
ADF Capacity:	50 Sheets	
Interface:	USB 2.0, LAN, PS/2	
Dimensions (H x W x D):	12.2" x 9.21" x 6.22"	
Weight:	7.5 lb.	
Suggested Daily Volume:**	1,500 Scans	

FEATURES

- 8.5" Touch-Screen LCD
- Automatic Page Size Detection
- Deskew
- Color Dropout/Enhance
- Skip Blank Page
- Text Orientation Recognition
- Bleed-Through Reduction
- Error Diffusion
- Advanced Text Enhancement

OPTIONS

- Exchange Roller Kit
- One-Year CarePAK
- Two-Year CarePAK

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents, portrait-feeding direction, up to 200 dpi.

** Calculation based on scanning speed and assumed daily time of use.



NETWORK SCANNERS

Like the ScanFront 220P, the Canon imageFORMULA ScanFront 220 network scanner is ideal for all types of business and general purpose scanning. This model is compact, secure, and easy to use, with direct network connectivity and fast installation. The ScanFront 220 scanner provides a full-color, 8.5" touch-screen and state-of-the-art imaging technology for superior scanning accuracy. User friendly and cost-effective, this network scanner is a true business partner.



ScanFront GUI

imageFORMULA DR-X10C



DR-SCANNERS

The Canon imageFORMULA DR-X10C color production scanner uses state-of-the-art technology for high-speed, high-quality image scanning, reliable document handling capabilities, and superior durability.

The DR-X10C scanner offers enhanced sensor technology and a reliable feeding system to ensure that high volumes of mixed paper sizes or other challenging scan operations are handled with minimal operator intervention at maximum scanning speed. Plus, the robust compact design, energy-saving performance, and advanced functionality tackle the high demands of production-level environments.



DR-X10C Control Panel

SPECIFICATIONS

Type:	Mid-Volume Production Scanner	
Document Feeding:	Automatic or Manual Sheetfed	
Scanning Speeds*	Simplex	Duplex
Black and White:	Up to 128 ppm	Up to 256 ipm
Grayscale:	Up to 128 ppm	Up to 256 ipm
Color:	Up to 128 ppm	Up to 256 ipm
Scanning Element:	3-line CMOS CIS	
Document Size		
Width:	2.0" x 12.0"	
Length:	2.8" x 17"	
Long Doc. Mode:	Up to 39.4"	
ADF Capacity:	500 Sheets	
Interface:	USB 2.0, SCSI-III	
Dimensions (H x W x D):	14.8" x 20.8" x 22.2"	
Weight:	85.8 lb.	
Suggested Daily Volume:**	60,000 Scans	

FEATURES

- Three Ultrasonic Double-Feed Detection Sensors
- Three-Step Dust Prevention System
- Staple Detection
- Automatic Page Size Detection
- Advanced Text Enhancement (two types)
- Automatic Color Detection
- Deskew
- Custom Color Dropout/Enhance
- Skip Blank Page
- Selectable Background Color
- Auto USB Power Switching
- Batch Separation
- MultiStream
- Retry Feeding
- Rapid Recovery
- Three-Position Paper Feeding Tray
- ISIS/TWAIN Drivers
- Bundled Canon CapturePerfect

OPTIONS

- Exchange Roller Kit
- Pre-Imprinter
- Post-Imprinter
- Patch Code Decoder
- Barcode Module III
- Kofax CGA Board
- Nine-Month Extended Service Package
- One-Year Extended Service Package

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents, landscape-feeding direction, at 200 dpi. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily time of use.

imageFORMULA DR-9080C/7580



SPECIFICATIONS

Type:	Low-Volume Production Scanners			
Document Feeding:	Automatic or Manual Sheetfed			
Scanning Speeds*	DR-9080C		DR-7580	
	Simplex	Duplex	Simplex	Duplex
Black and White:	Up to 110 ppm	Up to 220 ipm	Up to 90 ppm	Up to 180 ipm
Grayscale:	Up to 110 ppm	Up to 220 ipm	Up to 90 ppm	Up to 180 ipm
Color:	Up to 65 ppm	Up to 110 ipm†		
Scanning Element:	3-line CMOS CIS			
Document Size				
Width:	2.2" x 12.0"			
Length:	2.8" x 17"			
Long Doc. Mode:	Up to 39.4"			
ADF Capacity:	500 Sheets			
Interface:	USB 2.0, SCSI-III			
Dimensions				
(H x W x D):	12.2" x 18.1" x 20.7"			
Weight:	55 lb.			
Suggested Daily				
Volume:**	10,000 Scans			

FEATURES

- Ultrasonic Double-Feed Detection
- Staple Detection
- Automatic Page Size Detection
- Advanced Text Enhancement
- Color Dropout/Enhance
- Skip Blank Page
- Count Only Mode
- Verify Mode
- Error Diffusion
- MultiStream
- Color Smoothing (DR-9080C only)
- ISIS/TWAIN Drivers
- Bundled Canon CapturePerfect

OPTIONS

- Post Imprinter
- Endorser ED-600
- Mechanical Counter
- Barcode Module III
- Exchange Roller Kit
- Nine-Month Extended Service Package
- One-Year Extended Service Package

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents, landscape-feeding direction, at 200 dpi. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily time of use.

† With JPEG compression.

DR-SCANNERS

The imageFORMULA DR-9080C and DR-7580 production scanners offer outstanding image quality, easy handling, and versatility, all at a price to suit virtually any company's budget.

Because production-level scanning requires durability, the DR-9080C and DR-7580 scanners are robust yet compact and ready to handle almost any large job. Canon's advanced technology helps ensure that batches of mixed paper sizes are handled at maximum image quality and scanning speed—just what a production-volume scanner is expected to do.

imageFORMULA DR-7090C



DR-SCANNERS

The Canon imageFORMULA DR-7090C universal production scanner delivers incredible flexibility, image quality, and reliability, all at high scanning speeds by leveraging the technologies from its award-winning imageFORMULA and imageRUNNER product lines.

The DR-7090C scanner's combination of flatbed and sheet-fed scanning is capable of withstanding the rigors of continuous use in the low-volume production scanning environment and enables it to handle even the most complex scan tasks. Scanning various types and sizes of hard-copy documents is no longer a cause for concern with this universal scanner. The well-engineered imageFORMULA DR-7090C scanner can help businesses reduce overhead costs and improve scanning efficiencies.



DR-7090C Control Panel

SPECIFICATIONS

Type:	Universal Production Scanner	
Document Feeding:	Automatic Sheetfed, Manual Flatbed	
Scanning Speeds*	Simplex	Duplex
Black and White:	Up to 70 ppm	Up to 88 ipm
Grayscale:	Up to 70 ppm	Up to 88 ipm
Color:	Up to 70 ppm	Up to 88 ipm
Scanning Element:	3-line CCD (Front)/3-line CMOS CIS (Back)	
Document Size		
Width:	5.5" x 12.0"	
Length:	5.0" x 17.0"	
Long Doc. Mode:	Up to 24.8"	
ADF Capacity:	100 Sheets	
Interface:	USB 2.0, SCSI-III	
Dimensions (H x W x D):	12.5" x 24.3" x 23.7"	
Weight:	90.2 lb.	
Suggested Daily Volume:**	8,000 Scans	

FEATURES

- Advanced Text Enhancement (Two Types)
- Deskew
- Color Dropout/Enhance
- Text Orientation Recognition
- Skip Blank Page
- Punch Hole Removal
- MultiStream
- Scan-to-Job Buttons
- Error Diffusion
- ISIS/TWAIN Drivers
- Bundled Canon CapturePerfect

OPTIONS

- Exchange Roller Kit
- Nine-Month Extended Service Package
- One-Year Extended Service Package

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents, landscape-feeding direction, at 200 dpi. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily time of use.

imageFORMULA DR-5010C



SPECIFICATIONS

Type:	Low-Volume Production Scanner	
Document Feeding:	Automatic or Manual Sheetfed	
Scanning Speeds*	Simplex	Duplex
Black and White:	Up to 64 ppm	Up to 128 ipm
Grayscale:	Up to 64 ppm	Up to 128 ipm
Color:	Up to 64 ppm	Up to 128 ipm
Scanning Element:	3-line CMOS CIS	
Document Size		
Width:	2.1" x 11.8"	
Length:	2.8" x 17"	
Long Doc. Mode:	Up to 39.4"	
ADF Capacity:	100 Sheets	
Interface:	USB 2.0, SCSI-III	
Dimensions (H x W x D):	7.5" x 15.6" x 12.3"	
Weight:	23 lb.	
Suggested Daily Volume:**	6,000 Scans	

FEATURES

- Ultrasonic Double-Feed Detection
- Automatic Color Detection
- Automatic Page Size Detection
- Advanced Text Enhancement (three types)
- Skip Blank Page
- Deskew
- Custom Color Dropout/Enhance
- MultiStream
- Batch Separation
- Moiré Reduction
- ISIS/TWAIN Drivers
- Bundled Canon CapturePerfect
- Bundled Adobe Acrobat Standard

OPTIONS

- Front Imprinter
- Back Imprinter
- Barcode Module III
- Exchange Roller Kit
- Nine-Month Extended Service Package
- One-Year Extended Service Package



DR-SCANNERS

Today's document imaging requirements are more varied than ever. With this understanding, Canon designed the imageFORMULA DR-5010C color production scanner to be a versatile image processing machine. A robust color scanner, the DR-5010C is small enough to sit on your desktop yet it's ready to capture hard-to-handle source materials for immediate work efficiency. It's also ultra-fast, scanning color at the same rapid rate it processes black and white. And this user-friendly machine is loaded with diverse automatic and customizable functions that will change the way you think about the image capture process.

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents, landscape-feeding direction, at 200 dpi. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily time of use.

imageFORMULA DR-4010C



DR-SCANNERS

The imageFORMULA DR-4010C color departmental scanner features state-of-the-art technology that delivers exceptional image quality and speed. With features such as Advanced Text Enhancement, Automatic Color Detection, and an advanced three-line CMOS sensor, fine lines and intricate image details are captured with utmost precision and clarity.

This fast, reliable desktop color scanner packs top-of-the-line features into a compact, user-friendly unit. Advanced image processing features, reliable document handling, and a compact design are delivered without sacrificing image quality or speed.

SPECIFICATIONS

Type:	Reliable Departmental Scanner	
Document Feeding:	Automatic or Manual Sheetfed	
Scanning Speeds*	Simplex	Duplex
Black and White:	Up to 42 ppm	Up to 84 ipm
Grayscale:	Up to 42 ppm	Up to 84 ipm
Color:	Up to 42 ppm	Up to 84 ipm
Scanning Element:	3-line CMOS CIS	
Document Size		
Width:	2.1" x 8.6"	
Length:	2.8" x 14.0"	
Long Doc. Mode:	Up to 39.4"	
ADF Capacity:	100 Sheets	
Interface:	USB 2.0, SCSI-III	
Dimensions (H x W x D):	7.3" x 12.5" x 10.9"	
Weight:	14.1 lb.	
Suggested Daily Volume:**	5,000 Scans	

FEATURES

- Ultrasonic Double-Feed Detection
- Automatic Color Detection
- Automatic Page Size Detection
- Advanced Text Enhancement (three types)
- Skip Blank Page
- Deskew
- Custom Color Dropout/Enhance
- MultiStream
- Batch Separation
- Moiré Reduction
- Pre-Scan Function
- ISIS/TWAIN Drivers
- Bundled Canon CapturePerfect
- Bundled Adobe Acrobat Standard

OPTIONS

- Exchange Roller Kit
- Barcode Module III
- One-Year CarePAK
- Two-Year CarePAK

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents, portrait-feeding direction, at 200 dpi. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily time of use.

imageFORMULA DR-3080CII



SPECIFICATIONS

Type:	Reliable Departmental Scanner	
Document Feeding:	Automatic or Manual Sheetfed	
Scanning Speeds*	Simplex	Duplex
Black and White:	Up to 32 ppm	Up to 64 ipm
Grayscale:	Up to 32 ppm	Up to 64 ipm
Color:	Up to 10 ppm	Up to 20 ipm
Scanning Element:	CMOS CIS	
Document Size[†]		
Width:	2.2" x 10.1"	
Length:	2.8" x 14.3"	
Long Doc. Mode:	Up to 39.4"	
ADF Capacity:	100 Sheets	
Interface:	USB 2.0, SCSI-III	
Dimensions (H x W x D):	7.5" x 13.5" x 11.0"	
Weight:	17.8 lb.	
Suggested Daily Volume:**	4,500 Scans	

FEATURES

- Automatic Page Size Detection
- Deskew
- Skip Blank Page
- Advanced Text Enhancement
- Batch Separation
- Searchable PDF
- ISIS/TWAIN Drivers
- Bundled Canon CapturePerfect
- Bundled Adobe Acrobat Standard

OPTIONS

- Exchange Roller Kit
- Endorser ED-500
- Soft Carrying Case
- Hard Carrying Case
- Nine-Month Extended Service Package
- One-Year Extended Service Package

* Examples based on typical settings, rated in images per minute with letter-sized documents, portrait-feeding direction, at 200 dpi. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily time of use.

[†] Up to 11" x 17" with Folio Mode.

DR-SCANNERS

Canon brings a high standard of price/performance to the departmental level with the imageFORMULA DR-3080CII color scanner. Never before has there been so much advanced functionality, image processing, and reliability included in one compact package.

The DR-3080CII scanner is durable and reliable, designed for effortless operation yet powerful enough for a busy office environment. This robust device was engineered to deliver high-quality imaging in a variety of modes and a choice of output formats—all in the blink of an eye. The DR-3080CII scanner easily keeps up with daily document volumes and increases productivity, without breaking the budget.

imageFORMULA DR-3010C



DR-SCANNERS

The imageFORMULA DR-3010C color workgroup scanner is Canon's fastest and most reliable compact workgroup scanner, combining the best features from the DR-Series Scanners to deliver increased speed, high reliability, and maximum efficiency and productivity.

Bundled with the latest document imaging software packages, the DR-3010C device becomes more than just a scanner—it's the system needed to infuse a busy, paper-intensive office with increased productivity and more efficient workflow.



DR-3010C Versatile Paper Eject Tray

SPECIFICATIONS

Type:	Compact Workgroup Scanner	
Document Feeding:	Automatic or Manual Sheetfed	
Scanning Speeds:*	Simplex	Duplex
Black and White:	Up to 30 ppm	Up to 60 ipm
Grayscale:	Up to 30 ppm	Up to 60 ipm
Color:	Up to 30 ppm	Up to 60 ipm
Scanning Element:	Advanced CMOS CIS	
Document Size		
Width:	2.0" x 8.5"	
Length:	2.1" x 14.0"	
Long Doc. Mode:	Up to 39.4"	
ADF Capacity:	50 Sheets	
Interface:	USB 2.0	
Dimensions:	7.8" x 12.2" x 11.5"	
Weight:	6.4 lb.	
Suggested Daily Volume:**	3,000 Scans	

FEATURES

- Ultrasonic Double-Feed Detection
- Auto Color Detection
- Moiré Reduction
- Prevent Bleed-Through/Remove Background
- Rapid Recovery
- Skip Blank Page
- Auto Paper Size Detection
- Deskew
- Batch Separation
- Text Orientation Recognition
- Brightness/Contrast Settings
- Folio
- ISIS/TWAIN Drivers
- Bundled Canon CapturePerfect
- Bundled Adobe Acrobat Standard

OPTIONS

- Exchange Roller Kit
- Barcode Module III
- Soft Carrying Case
- Two-Year CarePAK

* Examples based on typical settings, rated in images per minute with letter-sized documents, portrait-feeding direction, at 200 dpi. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily time of use.

imageFORMULA DR-2580C



DR-SCANNERS

The imageFORMULA DR-2580C color workgroup scanner is surprisingly compact and lightweight, so you can put it on your desktop or take it on the road. This versatile scanner is loaded with advanced scanning technology and easily handles a wide range of document types, including plastic cards. The DR-2580C scanner is not only one of the smallest, but also one of the most easy-to-use scanners in its class. Add the optional, user-installable flatbed scanner and scan books, passports, or fragile documents with simplicity.



DR-2580C with optional Flatbed Unit

SPECIFICATIONS

Type:	Compact Workgroup Scanner	
Document Feeding:	Automatic or Manual Sheetfed	
Scanning Speeds*	Simplex	Duplex
Black and White:	Up to 25 ppm	Up to 50 ipm
Grayscale:	Up to 25 ppm	Up to 50 ipm
Color:	Up to 13 ppm	Up to 18 ipm
Scanning Element:	CMOS CIS	
Document Size†		
Width:	2.0" x 8.5"	
Length:	2.8" x 14.0"	
Long Doc. Mode:	Up to 39.4"	
ADF Capacity:	50 Sheets	
Interface:	USB 2.0	
Dimensions (H x W x D):	3.2" x 12.0" x 6.6"	
Weight:	4.2 lb.	
Suggested Daily Volume:**	1,500 Scans	

FEATURES

- Automatic Page Size Detection
- Advanced Text Enhancement
- Deskew
- Text Orientation Recognition
- Color Dropout/Enhance
- Skip Blank Page
- Scan-to-Job Function
- Border Removal
- Batch Separation
- ISIS/TWAIN Drivers
- Bundled Canon CapturePerfect
- Bundled Adobe Acrobat Standard
- Bundled ScanSoft PaperPort
- Bundled Presto! BizCard Reader
- Bundled Nuance OmniPage

OPTIONS

- Exchange Roller Kit
- Flatbed Unit
- Half Size Flatbed Unit
- Barcode Module III
- Soft Carrying Case
- Two-Year CarePAK

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents, portrait-feeding direction, at 200 dpi unless specified. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily time of use.

† Up to 11" x 17" with Folio Mode.

imageFORMULA DR-2510C/2010C



DR-2510C



DR-2010C



DR-SCANNERS

The Canon imageFORMULA DR-2510C and DR-2010C color workgroup scanners deliver easy, high-quality scanning in a versatile and space-saving design. Compact and flexible, the DR-2510C and DR-2010C can automatically and quickly scan multiple paper sizes and paper stocks, even plastic cards. Ideal for all office scanning operations, these devices provide reliable feeding, advanced image processing functions, customizable Scan-To-Job buttons, and much more for any distributed imaging application.



DR-2510C/2010C Three-Way Paper Eject Tray

SPECIFICATIONS

Type:	Compact Workgroup Scanners			
Document Feeding:	Automatic or Manual Sheetfed			
Scanning Speeds*	DR-2510C		DR-2010C	
	Simplex	Duplex	Simplex	Duplex
Black and White:	Up to 25 ppm	Up to 50 ipm	Up to 20 ppm	Up to 40 ipm
Grayscale:	Up to 25 ppm	Up to 50 ipm	Up to 20 ppm	Up to 40 ipm
Color:	Up to 25 ppm	Up to 50 ipm	Up to 20 ppm	Up to 40 ipm
Scanning Element:	Advanced CMOS CIS			
Document Size				
Width:	1.97" x 8.5"			
Length:	2.12" x 14.0"			
Long Doc. Mode:	Up to 39.4"			
ADF Capacity:	50 Sheets			
Interface:	USB 2.0			
Dimensions				
(H x W x D):	11.7" x 6.3" x 6.3"			
Weight:	5.3 lb.			
Suggested Daily Volume:**	1,500 Scans			

FEATURES

- Automatic Page Size Detection
- Automatic Color Detection
- Advanced Text Enhancement (two types)
- Color Dropout/Enhance
- Deskew
- Text Orientation Recognition
- Skip Blank Page
- Scan-to-Job Function
- Moiré Reduction
- Bleed-Through Prevention/Background Removal
- ISIS/TWAIN Drivers
- Bundled Canon CapturePerfect
- Bundled Adobe Acrobat Standard
- Bundled ScanSoft PaperPort
- Bundled Presto! BizCard Reader
- Bundled Nuance OmniPage

OPTIONS

- Exchange Roller Kit
- Soft Carrying Case
- Two-Year CarePAK

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents, portrait-feeding direction, at 200 dpi. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily time of use.

imageFORMULA DR-2050C/2050SP



DR-2050SP

DR-2050C

SPECIFICATIONS

Type:	Compact Workgroup Scanners	
Document Feeding:	Automatic or Manual Sheetfed	
Scanning Speeds*	Simplex	Duplex
Black and White:	Up to 20 ppm	Up to 40 ipm
Grayscale:	Up to 20 ppm	Up to 40 ipm
Color:	Up to 7 ppm	Up to 14 ipm
Scanning Element:	CMOS CIS	
Document Size		
Width:	2.1" x 8.5"	
Length:	2.8" x 14.0"	
ADF Capacity:	50 Sheets	
Interface:	USB 2.0	
Dimensions (H x W x D):	7.8" x 11.7" x 3.9"	
Weight:	5 lb.	
Suggested Daily Volume:**	700 Scans	

FEATURES

- Automatic Page Size Detection
- Color Dropout/Enhance
- Advanced Text Enhancement (two types)
- Skip Blank Page
- Deskew
- Pre-Scan
- Border Removal
- ISIS/TWAIN Drivers
- Bundled Canon CapturePerfect
- Bundled Adobe Acrobat Standard
- Bundled ScanSoft PaperPort
- Bundled Presto! BizCard Reader
- Bundled Nuance OmniPage

OPTIONS

- Exchange Roller Kit
- Soft Carrying Case
- Two-Year CarePAK



DR-SCANNERS

Canon's imageFORMULA DR-2050C and DR-2050SP color workgroup scanners are about the size of a file folder and less than four inches deep. But don't let their small footprint fool you. They're fast, with grayscale and black-and-white duplex speeds of up to 40 pages per minute. They even have color capability for important color documents. The DR-2050SP scanner builds on the award-winning Canon DR-2050C scanner by offering Presentation Mode for direct connection to any standard projector, without the use of a PC.

SPECIFICATIONS DURING PRESENTATION MODE (DR-2050SP only)

Scanning Modes:	Simplex/Duplex/Color (24-bit)
Optical Resolution:	150 dpi (Fixed)
Scanning Speeds*	
(LTR Portrait @ 150 dpi):	6 ppm (Simplex and Duplex)
Output Signal:	SXGA (1280 x 1024), XGA (1024 x 768) SVGA (800 x 600); Automatic
Interface:	Analog RGB output, USB memory slot, USB 2.0 (for scanning mode only), infrared communication, remote control infrared
Included Accessories:	Remote control, batteries, VGA cable

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents, portrait-feeding direction, at 200 dpi. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily time of use.

Note: Projector sold separately.

imageFORMULA DR-1210C



DR-SCANNERS

The imageFORMULA DR-1210C universal color workgroup scanner offers flatbed and ADF capabilities, a user-friendly control panel, and industry-leading durability. Surprisingly affordable, this workgroup scanner offers fast and versatile scanning, even to the smallest SOHO office. For added value, this scanner is bundled with powerful software applications for a wide range of business needs. The DR-1210C scanner incorporates the reliability and advanced image processing capabilities inherent in the DR-Scanner line.

The ideal productivity boost for small offices and workgroups, the DR-1210C scanner quickly and reliably accommodates stacks of forms, invoices, or contracts. It also offers the capability of scanning books or bound documents as well as hard-to-handle documents too fragile to pass through the feeder. With outstanding price/performance, the user-friendly DR-1210C scanner provides high-end functionality at an entry-level price.



SPECIFICATIONS

Type:	Universal Workgroup Scanner
Document Feeding:	Automatic Sheetfed, Manual Flatbed
Scanning Speeds*	Simplex
Black and White:	Up to 12 ppm
Grayscale:	Up to 12 ppm
Color:	Up to 12 ppm
Scanning Element:	3-line CCD
Document Size	
Width:	5.8" x 8.5"
Length:	3.9" x 14"
Flatbed:	Max. 8.5" x 17"
ADF Capacity:	35 Sheets
Interface:	USB 2.0
Dimensions (H x W x D):	6.5" x 18.5" x 15.0"
Weight:	13.4 lb.
Suggested Daily Volume:**	400 Scans

FEATURES

- Automatic Page Size Detection
- Advanced Text Enhancement
- Color Dropout/Enhance
- Deskew
- Text Orientation Recognition
- Pre-Scan
- Border Removal
- ISIS/TWAIN Drivers
- Bundled Canon CapturePerfect
- Bundled Adobe Acrobat Standard
- Bundled Presto! BizCard Reader
- Bundled Nuance OmniPage

OPTIONS

- Exchange Roller Kit
- Separation Pad
- Two-Year CarePAK

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents, portrait-feeding direction, at 300 dpi. Actual processing speeds may vary based on PC performance and application software.

** Calculation based on scanning speed and assumed daily time of use.

Optimize Your Integrated Solutions

SOFTWARE AND THIRD- PARTY SOLUTIONS

- Canon and Third-party Software
- Third-party Hardware that Works with Canon Hardware

Canon Software

imageWARE Product Suite	45
Professional Services from Canon	51

Our Partners

Billback	
Captaris	
Cerner	52
Citrix Systems, Inc.	
Codehost: BrightQ Pro	
Control Systems	

eCopy	
EFI: Digital StoreFront™	
Electronic Systems Protection	53
Equitrac	
Meadows Publishing Solutions	

nQueue	
Objectif Lune	
Pageflex	
Panasonic Solution Technologies Co., Ltd.:	54
PaperToOffice Pro	
Pharos Systems International	

Printable Technologies	
Ribstone Systems Inc.	55
SAP	
Sepialine	

Vertical Markets


Financial Services	56
Healthcare	
Legal	



imageWARE Product Suite

imageWARE


Canon's imageWARE software solutions adapt to support any workflow requirement and simplify complex tasks while improving enterprise productivity. Canon's imageWARE Software Suite gives customers the power to better manage information regardless of form, content, or location, while maximizing their bottom line. A fully integrated suite, Canon imageWARE offers businesses a smarter way to work.



DOCUMENT MANAGEMENT

imageWARE Document Manager: A Flexible Document Management System

- imageWARE Document Manager Personal Edition: Canon's desktop solution to enable effective management of critical business documents at a personal workplace, fully utilizing the imageRUNNER device's powerful scanning capability (ships standard with select imageRUNNER devices).
- imageWARE Document Manager Workgroup Edition: A scalable document management system designed to archive, share, edit, retrieve, and distribute a broad variety of documents, from scanned documents to electronic files right at your desktop.
- imageWARE Document Manager Enterprise Edition: A larger-scale document management system with some of the most popular content management functions (such as Version Control, Audit Trail, Document Expiration) and workflow functions (e-mail notification).



imageWARE Document Manager Client

imageWARE Product Suite

DOCUMENT MANAGEMENT (continued)

The Freedom of Digitized Documents

- **Creation:** Total access to the file within Windows environment for electronic document import; ISIS/TWAIN scanner support for hard-copy documents
- **Distribution:** Sending a file via printer, fax, and e-mail is just a drag and drop away.
- **Integration:** Fully integrated with imageRUNNER scanning capability; direct connection to Microsoft Office applications
- **Share:** Check-in and Check-out functions to control the document sharing (only available for Workgroup and Enterprise versions)
- **Security:** Availability of three security levels, six different access rights and five system privileges to secure the integrity of the database and the documents (only available for Workgroup and Enterprise versions)
- **Retrieval:** Three powerful searching methods—Attribute Search, Index Search, and Concept Search (Concept Search is only available for Enterprise version)
- **Content Management:** Control the critical contents of the documents using Version Control and Document Expiration, and satisfy the government/internal audit regulations with Audit Trail reporting tools (only available for Enterprise version)
- **Workflow:** A role-based e-mail notification—send an e-mail notification to any designated recipient when content changes (only available for Enterprise version)
- **Professional Services:** Because systems features are just the beginning, Canon's highly skilled personnel can design and implement imageWARE solutions for your specialized environment. Uniquely qualified to implement all components of a solution's offering, Canon can deliver professional, turnkey results.

imageWARE Web Document Server

As an option on the imageWARE Document Manager Workgroup Edition or the Enterprise Edition, the imageWARE Web Document Server delivers the imageWARE Document Manager database content through a Web-based client. This enables traveling personnel and remote users to access the information they need anywhere, anytime.

- Link stored content with enterprise applications for on-demand retrieval and viewing via a standard Web browser
- Create an online workspace that's accessible anywhere and anytime it's needed
- Enable distributed scanning and indexing at branch offices

imageWARE Document Manager Client for MEAP

This streamlines the workflow and increases the value of existing investments by enabling seamless integration of imageRUNNER devices and imageWARE Document Manager. It provides extended functions of imageWARE Document Manager to allow users to send, index, and store scanned documents directly to, and in, a specified destination on the imageWARE Document Manager server from compatible MEAP enabled imageRUNNER devices. imageWARE Document Manager Client for MEAP resides on an imageRUNNER device and all jobs are performed through the control panel on that device. Therefore, it gives users a flexible and easy-to-use tool to import data and images directly from MEAP enabled imageRUNNER devices to the imageWARE Document Manager Server.

Benefits


- Easy-to-use tool to import data and images from MEAP imageRUNNER device to imageWARE Document Manager
- Provides a seamlessly integrated Canon solution for integrating paper documents into digital workflow
- Streamlines the hard-copy conversion workflow to increase efficiency and productivity
- Provides push-scan functionality to give more flexibility at the user level
- Supports ad hoc document capture and management capabilities
- Allows high-quality color scanning through compatible Color imageRUNNER devices

imageWARE Scan Manager

An image-capture front-end application, imageWARE Scan Manager can be used with document and content management applications to perform batch scanning and production-level indexing.

Features

- Robust medium- to high-volume scanning using a wide variety of Canon and third-party ISIS- and TWAIN-compliant input devices
- Automated, interactive document/data capture with zone OCR, barcode, and forms recognition
- Stores directly into imageWARE Document Manager
- Route automatically based on bar codes, forms, and cover sheets
- Integrates with Canofile® for Windows



imageWARE Scan Manager

imageWARE Product Suite


OFFICE PRODUCTIVITY

imageWARE Publishing Manager

A user-friendly desktop publishing and printing solution that helps enable professional-quality results without specialized layout and design skills. imageWARE Publishing Manager integrates with imageWARE Document Manager document and content management system for powerful storage and distribution of print-ready documents. General office environments will benefit from this solution for their daily merging, editing, imposing, and printing needs.

Features

- Create professional-quality documents with tabs, sheet inserts, and subset stapling
- Document creation wizard for simple step-by-step document construction
- Personalize documents with watermarks, annotations, variable data, and alphanumeric page numbering
- Visual preview of all finishing settings
- Electronic document publishing in PDF
- Edit text or image on any page of imported documents directly, without requiring any additional software



imageWARE Publishing Manager

Benefits

- Increase business productivity by converting manual document creation and finishing tasks to digital functions
- Maximize investments in Canon digital document systems
- Shorten the time between document creation and output
- Improve the professional quality of general business publications
- Reduce inventory expenses and costs associated with offset printing for low-volume production

DOCUMENT MAKE-READY

imageWARE Prepress Manager


imageWARE Prepress Manager software helps enable print room operators to better control and manage prepress, printing, and finishing workflow. imageWARE Prepress Manager provides print shop operators with an intuitive interface complete with detailed page layout viewing options. With support for detailed document imposition, registration marks, spine editing, and binding options, imageWARE Prepress Manager makes job creation simple. imageWARE Prepress Manager is also ideal for supporting variable data applications, allowing users to easily define variable content on the page and link these areas to ODBC-compliant database fields. With support for configurable hot folders, JDF, and its own Print Job Manager, imageWARE Prepress Manager can be easily configured to automate print shop workflow for delivery of production output to both Canon and other branded devices.

Features

- JDF Printing with job management function by imageWARE Print Job Manager (optional)
- Advanced Document Imposition (Perfect Bound, Repeat, Cut and Stack, Saddle-Stitched, Quarto)
- Spine Creation for Perfect Binding, Cropmarks and Image Creep Adjustment for off-line paper cutting
- Page Text Editing by Text Editor
- Image Editor with masking, deskewing, black frame and hole-punch removal, alignment correction, auto region selection, etc.
- Scanning support for Push-Scan and Pull-Scan with Hot Folder image processing

Benefits

- Optimize document workflow and print productivity
- Reduce print job processing time
- Handle paper documents and electronic files in one workflow
- Enhance document flexibility and compatibility
- Save costs by reducing manual labor involved in document production
- Save documents with print settings for easy publishing on demand



imageWARE Prepress Manager

imageWARE Product Suite

DEVICE MANAGEMENT

imageWARE Enterprise Management Console


A highly scalable Web-based solution for discovering devices that's also capable of installing and managing multiple Canon brand and third-party devices.

imageWARE Enterprise Management Console offers advanced automated task management, such as retrieving/distributing device settings, rebooting devices, retrieving/distributing Address Books, discovering new devices, and sending e-mail alerts regarding device errors.


imageWARE Enterprise Management Console is a foundation for future innovation due to its distinctive framework, and it's designed for easy implementation and simplified expandability.

Key Features


- **Centralized Device Management:** Detects and stores information about networked printers such as device location, IP Address, device name, etc. It can be set up to discover devices across multiple subnets at regular intervals through automated tasks using the SNMP protocol and Multicast device discovery.
- **Device Settings Delivery/Retrieval:** imageWARE Enterprise Management Console allows for the retrieval and delivery of device settings such as IP Address, device location, system manager, and DNS Server. It also provides the ability to reboot a single device or a group of devices.
- **Additional Functionality Using Plug-ins:** New functionality will constantly be added to the core of imageWARE Enterprise Management Console in the form of plug-ins. Plug-ins currently available include:
 - **Address Book Management Plug-in:** This offers centralized management of corporate address books. Using this plug-in, an IT administrator can retrieve an Address Book from an imageRUNNER device and deliver it to multiple imageRUNNER devices. Creating and modifying Address Books for deployment is also supported.
 - **Printer Driver Installation Plug-in:** This allows an IT administrator to remotely install/uninstall and update printers' drivers on user workstations.
 - **Meter Capture Plug-in:** This allows the retrieval of device counter information.
 - **Resource Management Plug-in:** This allows font and color profile management on imageRUNNER devices.
- **Accounting Management Plug-in:** This offers the ability to track, analyze, and recover costs associated with all network output devices, including printers, fax machines, and copiers. With this application, not only can IT administrators understand document output costs, they can also realize their return on investments.
- **Access Management Plug-in:** This allows an IT administrator to configure users' access rights on a feature-by-feature basis on your imageRUNNER device.
- **View Real-Time Device Status:** Allows an IT administrator to view real-time device status from a single portal. E-mail alerts can also be set up for various device errors.
- **Task Based:** imageWARE Enterprise Management Console allows a task to be created and scheduled to run at specified intervals for easier management (e.g., retrieve meters on the first of every month at 3:00 p.m.).
- **Ease-of-use:** imageWARE Enterprise Management Console v2 features dramatic changes in the usability. The GUI has been changed for easy navigation.
- **Scalable:** Multiple imageWARE Enterprise Management Console servers can be installed in different geographical locations to reduce network bandwidth requirements. An IT administrator can retrieve the device list from another imageWARE Enterprise Management Console server using XML Web Services and manage the list without accessing the other server.
- **Notifying Users:** Allows the sending of notices to other IT administrators about device status. You can exchange messages with individuals or every connected user to inform them about changes to the printing environment or device configuration.
- **Error Logs:** imageWARE Enterprise Management Console stores error history on the monitored devices.
- **Advanced Filters:** Built-in "Express" filters allow an IT administrator to quickly find device-specific information. Custom filters can also be created (e.g., all devices that have "Send and Staple" functionality).
- **Logical Grouping:** imageWARE Enterprise Management Console allows for simple and logical groupings for efficient device management (e.g., New York or Location2, Floor2).




Centralized Device Management



E-mail notification for Device Errors



Automated Meter Retrieval



Advanced Filters


imageWARE Product Suite

USAGE TRACKING/COST-RECOVERY


imageWARE Accounting Manager

The premier solution for organizations that want to truly track and manage their printing, copying, and faxing activity, imageWARE Accounting Manager is a job accounting and analysis tool that empowers organizations with the ability to collect, analyze, and manage usage of their printing and copying devices on the network. Requiring no additional hardware, the functionality of imageWARE Accounting Manager includes:


- **Perfect billing code management:** imageWARE Accounting Manager provides the perfect billing code management for law offices, design companies, and virtually any other company that needs to charge for its resources from imageWARE Accounting Manager Billing Code Plug-in. With it, IT administrators can track resources by assigning billing codes whenever copying/scanning/faxing from an imageRUNNER device. By installing the Billing Code Plug-in into a MEAP enabled imageRUNNER device, user authentication and billing codes are input from the device's touch-panel, assigning these codes to any kind of job performed by the imageRUNNER device. imageWARE Accounting Manager client module is used on the user workstation to track printing and restrict usage.
- **Greater output control:** With the document-level file name restriction functionality, printed documents can be restricted by specific file name and then logged. Moreover, administrators have greater control over program access rights and document output activity in terms of per print/copy as well as black and white versus color.



imageWARE Accounting Manager Portal



Multitiered Billing Code




Greater Output Control


imageWARE Accounting Manager for MEAP

It's easy to see the powerful impact that color makes to document output. Now with imageWARE Accounting Manager for MEAP in your office, you can assess how color is being used and then decide when and how to best use it in the future. As a result, you can help reduce your total cost and still maintain the visual presence of your business communication.

- **Effortless analysis:** With imageWARE Accounting Manager for MEAP, you have the inside knowledge with what's being done on your office devices. Detailed analysis of printing, copying, faxing, and scanning activities is achieved with the MEAP application that integrates directly with the Canon device.
- **No IT overhead cost:** imageWARE Accounting Manager for MEAP is a "server-less" solution for tracking document output. There are no separate IT resources required for imageWARE Accounting Manager for MEAP. Once installed on a MEAP enabled device, it immediately begins tracking all document output.
- **Reporting Tool:** Using the Reporting Tool, users can easily summarize report data from multiple devices into a single Microsoft Excel sheet.



imageWARE Accounting Manager for MEAP



imageWARE Accounting Manager for MEAP
Summary Page

imageWARE Product Suite

SECURITY

imageWARE Secure Audit Manager

Help deter internal employees from leaking closely held and confidential information. imageWARE Secure Audit Manager is an information security software solution. It provides capture, archive, and audit capabilities of imageRUNNER device activities. Capture image data, text data, and user information for printing, copying, faxing, scanning, and sending jobs processed by imageRUNNER devices.

Reduce Information Security Breaches

imageWARE Secure Audit Manager provides security by capturing imageRUNNER device job content and attribute information for search and audit. This further helps reduce the potential number of information security breaches that companies face every day.

Deter Valuable Information Leakage

imageWARE Secure Audit Manager operates behind the scenes, inaccessible to all employees. Ill-intentioned employees, when made aware of the imageWARE Secure Audit Manager solution and its capabilities, will be discouraged from leaking important information. The benefit is a decreased cost in damages.

Facilitate Compliance

Complete audit trail of content and attribute information over imageRUNNER device activities promotes compliance with industry standards, corporate regulations, and regulatory requirements.

Monitor and Alert

Notify designated administrator(s) when a specific keyword is printed, scanned, faxed, copied, or sent. With this feature, the administrator(s) can be made aware of crucial information leaks as they occur.

Complete Content Audit Trail

imageWARE Secure Audit Manager captures job attribute information such as who sent it, when it was sent, and the document image. It also extracts embedded images and text data from the document. This provides a complete and detailed audit trail of all imageRUNNER device jobs.

Multiple Search Capabilities

imageWARE Secure Audit Manager has three search capabilities including attribute search, full text search, and image search. This means that all information types are captured and searchable by imageWARE Secure Audit Manager. Users can execute searches using one or any combination of the three search capabilities.






Image Search



Attribute Information



Management Application

imageWARE Secure Audit Manager provides protection of the following information types:

Finance

- Customer Information
- Account Information
- Social Security Numbers
- Credit Card Numbers

Healthcare

- Medical Records
- Patient Personal Information

Government

- Confidential Government Documents
- Citizen Information

Education


- Student Transcripts
- Student Personal Information
- Student Records

Manufacturing

- Prototype Information
- Intellectual Capital
- Pricing Information

Legal

- Confidential Documents
- Client Information



Professional Services from Canon



Canon office solutions are known throughout the world for their technology, flexibility, and prowess to address today's business requirements. To extend this even further, Canon offers a variety of Professional Services to deliver greater customer value. Let us work with you to design and deliver a solution that tightly integrates Canon technologies into your existing business applications and processes, unleashing new opportunities for information management and retrieval.

IMPLEMENTATION SERVICES

Canon's Implementation Services are delivered by Canon personnel with expertise in brand hardware and software as well as those of other manufacturers. In addition, Canon implementation personnel are highly skilled in the areas of networking, having certifications from Microsoft (MCSE), Novell (CNE), and Cisco, to name a few.

Based on their individual backgrounds, Canon's team members are uniquely qualified to implement all components of a solution offering, including clients, servers, operating systems, and the networking infrastructure required to support a given implementation.

MEAP EMBEDDED PLATFORM CUSTOMIZATIONS

The power of Canon's MEAP embedded development platform is in its flexibility and adaptability to customer requirements. Canon's Embedded Customization offerings combine these attributes with our platform expertise to offer customers unique solutions that address their specific workflow needs.

Canon has completed the development of the core set of commonly requested solutions, and can quickly customize these MEAP applications to customer specifications. For more unique needs, Canon's dedicated MEAP engineering team can design and build solutions to customer specifications.

WINDOWS PLATFORM CUSTOMIZATIONS

Canon's development tools and engineering expertise make customizing Canon's Windows-based technology an effective way to meet unique customer requirements. Whether tightly integrating Canon software with existing customer systems, customizing print drivers, or designing custom workflow and routing solutions, Canon is uniquely qualified to design systems focused on optimizing workflow and return on your investment.

Our Partners



BILLBACK SYSTEMS

Billback Systems is a worldwide leader in cost management systems for professional service firms. The company's reputation is built on exceptional support and innovative technologies like the first browser-based, SQL Server powered cost-recovery solution. Billback helps clients boost profitability by managing expenses for client-related administrative costs, including network printing and faxing, copying, scanning, telephone and mobile phone calls, online searches, e-mails, credit card charges, courier costs, and more. Additionally, Billback seamlessly integrates with practice management/accounting packages (i.e., Elite, Rainmaker).



CAPTARIS® Fax Integration for MEAP

This new embedded RightFax and FaxPress Integration for MEAP transforms paper-based documents into electronic format, delivers the electronic documents via fax or e-mail, and provides notifications and history for fax tracking and audit trail. The user-friendly interface enables office workers to select fax options, attach cover sheets, input billing codes, select document types, and access the RightFax and FaxPress phone books—all from the front panel of the imageRUNNER device.



CERNER Cerner Certified imageRUNNER Devices

Cerner Corporation is taking the paper chart out of healthcare, reducing error, variance, and waste in the care process. With more than 6,000 clients worldwide, Cerner is the leading supplier of healthcare information technology (HIT) solutions that optimize clinical and financial outcomes.

Cerner's Technology Certification Lab has tested and awarded Cerner Certified status to Canon imageRUNNER devices. Customers can be assured these certified devices are compatible with Cerner operating systems, while enjoying the reliability and workflow advantages of Canon imageRUNNER devices.



CITRIX SYSTEMS, INC. MetaFrame® Presentation Server

Citrix® Systems, Inc. is an industry-leading organization providing access infrastructure solutions. Its flagship product, Citrix MetaFrame Presentation Server, enables centralized management of applications and the ability to access them from any location, device, or connection. With Citrix, organizations have the ability to implement workforce mobility, deliver remote office connectivity, and facilitate the deployment of applications and data across the enterprise in a secure, efficient manner. The latest Canon drivers offer support for Citrix environments. With this support, Canon imageRUNNER devices operate effectively, and feature-rich finishing features are available within the various printing architectures that are found in Citrix MetaFrame Presentation server environments.



CODEHOST BrightQ Pro® for UNIX®/Linux printing

Codehost® BrightQ Pro provides UNIX and Linux users with an easy-to-use, graphically rich printing environment. Designed specifically for high-end imaging products such as Canon imageRUNNER devices, this turnkey package allows users to take advantage of the high-quality finishing features offered by Canon devices, while still capitalizing on the strengths of their UNIX and Linux applications.



CONTROL SYSTEMS Copittrak eCclipse for Canon MEAP

Control Systems Copittrak has been designing, producing, installing, and maintaining cost-recovery solutions targeted at the legal and professional service community for 25 years. Working with more than 4,000 legal and professional firms around the world, Control Systems Copittrak utilizes sophisticated tools and reporting mechanisms to provide firms with a more accurate view of their entire business. Control Systems Copittrak's fully integrated systems accurately track, cost, sort, and even export expense data directly to existing time and billing systems for complete automated cost-recovery and expense management. Control Systems Copittrak provides the eCclipse cost-recovery application on MEAP enabled imageRUNNER devices.

Our Partners

eCOPY Products for Canon imageRUNNER/MEAP Devices, imagePRESS C1+ Color Digital Printing Systems, and Scanners

The eCopy solution enables you to extend the capabilities of a Canon device to bridge paper and digital workflows, seamlessly integrating paper documents with business applications. With eCopy, businesses can transform full-color or black-and-white paper documents into electronic images that are easily shared and distributed, utilizing network and business applications. eCopy offers native integration with Microsoft Outlook/Exchange, Lotus Notes, and supports LDAP/SMTP directories, validating each user at the copier. Additionally, with ShareScan Suite, which incorporates eCopy's develop connectors and services along with the software development kit, businesses can integrate their paper documents into any workflow.



EFI Digital StoreFront™

Digital StoreFront is a Web-to-print solution that simplifies the print procurement and production processes. It automates proofing, estimating, quoting, billing, reporting, and workflow; it streamlines print center operations by seamlessly integrating the flow of data through the print center; and, it optimizes device utilization and job turnaround by automating the flow of jobs to Canon output devices. Web sites developed for Digital StoreFront are customizable, accurately reflecting a given print provider's offerings and capabilities because they have direct input in the design process.



ELECTRONIC SYSTEMS PROTECTION Digital QC

Electronic Systems Protection (ESP) is the industry leader of power protection products in the office equipment industry. ESP products provide patented power filtration and protection technology to protect your customer's digital equipment from surges, ground noise, dirty power disruptions, lightning, and other harmful voltage transients. Electrical disturbances can easily disrupt the logic functions of the equipment's micro-processors which, in turn, causes machine malfunction, downtime, increased service expenses, decreased profits from loss of revenue, and customer dissatisfaction. ESP's power protection products keep your equipment working at peak efficiency by filtering the power to within Canon specifications.



EQUITRAC Equitrac Office, Equitrac Express, and Equitrac Professional

Equitrac offers a series of document accounting solutions that work with Canon imageRUNNER devices, enabling organizations to recover output costs, better manage their devices, and enhance document output security measures. Equitrac Office is targeted towards general office environments, enabling customers to be more efficient and productive while containing—and even lowering—operational costs. Equitrac Express is designed to help higher education and library customers manage pay-for-print and pay-for-copy environments. Equitrac Professional provides a single software-based print tracking and cost-recovery platform to help legal and professional firms capture all their clients' billable expenses as well as streamline workflows and lower operating costs. Equitrac Embedded for Canon MEAP supports Equitrac Office, Express, and Professional Servers that provide cost-recovery for copies, scans, and faxes in the touch-screen panel of the MEAP enabled imageRUNNER device.



MEADOWS PUBLISHING SOLUTIONS DesignMerge®

Meadows Publishing Solutions DesignMerge is an add-on component for the desktop publishing application, QuarkXPress™, which allows users to create customized 1:1 marketing documents by linking a QuarkXPress document to a database file. Each copy of a printed document can be personalized, customizing any item on the layout, such as name, address, graphics, paragraphs, and even entire layouts. The whole process is database- and menu-driven, completely flexible, and very easy to use. Best of all, for the user accustomed to page creation and output through QuarkXPress, DesignMerge does not change the workflow. This translates into a short learning curve, familiarity for the production team, "predictable" output, and continued confidence that the job will be delivered on time.



Our Partners



NQUEUE

nQueue provides software-based information accountability solutions to assist legal and professional firms in better managing and accounting for their digital transactions. nQueue offers a complete line of browser-based expense recovery, digital filing, and production workflow systems designed to track, manage, report, and chargeback costs associated with office equipment and administrative services. nQueue's embedded integrated cost-recovery for Canon provides cost-recovery options directly from MEAP enabled imageRUNNER devices.



OBJECTIF LUNE PlanetPress® Suite and PrintShop Mail

Objectif Lune provides solutions for the efficient design and high-volume printing of transactional and promotional variable content documents. PlanetPress Suite is a modular solution that enables high-end transactional printing on Canon devices without any changes to the host system. This provides the ability to introduce personalized promotional capabilities to typical transactional applications such as invoices and financial statements. In addition, the added benefits of a complete workflow solution are possible with extended electronic document delivery options. PrintShop Mail is a powerful, easy-to-use desktop tool that optimizes the merging of variable database information with document design with output to Canon devices at rated speed. With a product portfolio including both PlanetPress Suite and PrintShop Mail, Objectif Lune has the ability to offer a broad range of applications suitable for any organization's variable data printing needs.



PAGEFLEX Persona Cross Media Suite

Pageflex™ Persona™ Cross Media Suite is a completely new desktop software application that enables targeted and personalized content in both print and e-mail. The product incorporates award-winning variable data and cross-media functionality from Pageflex into a desktop application. Among the compelling features are cross-media capabilities for creating coordinated print and e-mail campaigns, variable-length document capability, flexible layouts, and the ability to compose text in more than 60 languages, including Japanese and Chinese. In addition, templates are completely compatible with other Pageflex products, meaning all templates, variables, and projects can be easily reused by Pageflex server-based Web-to-print applications.



PaperToOffice Pro

PaperToOffice Pro is a MEAP application developed by Panasonic Solution Technologies Co., Ltd. PaperToOffice Pro is a robust scanning application that converts hard-copy documents into electronic Microsoft Office (Word, Excel, PowerPoint, text, and PDF) format files by using an automatic OCR process. A user scans hard-copy documents right at the imageRUNNER device which, in turn, sends the image to the PaperToOffice Pro application where conversion to the selected format takes place. Once in electronic format, a user can edit, annotate, add, and delete content for enhanced documentation and collaboration. The value to convert hard-copy documents into editable electronic documents is tremendous to any organization as it provides an efficient tool to help with information management.



PHAROS SYSTEMS INTERNATIONAL Uniprint® and Blueprint® Enterprise

Pharos® Systems International, Inc. is the recognized industry leader in providing print asset management and cost-recovery solutions to both corporate office and higher education environments. With over a decade of experience, Pharos helps customers track, measure, and control their print assets to reduce waste, optimize performance, guide the purchase of new devices, and make the most of existing ones. As a result, over a thousand companies in 21 countries are currently benefiting from optimized printing environments and are experiencing significant expense reduction. Pharos iMFP for Canon provides embedded cost-recovery applications on MEAP enabled imageRUNNER devices.

Our Partners

PRINTABLE TECHNOLOGIES FusionPro Web

FusionPro Web is a turnkey Web-to-print solution for print service providers that's hosted by Printable. Using FusionPro Web, print and marketing service providers easily can create fully customized online ordering and e-commerce solutions for retail and corporate customers. From order origination through print production, FusionPro Web incorporates efficiencies that maximize value by automating the creation, submission, merging, proofing, and ordering of print products to be submitted to Canon devices. Print service providers—as well as their customers—can track and manage print jobs and quotes easily. This enables the service providers to drive more business by better managing customer relationships at a deeper level.



RIBSTONE SYSTEMS INC. Document Capture and Processing Solutions

Ribstone Systems™ applications have revolutionized the document workflow for law firms, facility management companies, legal service bureaus, and government agencies by leveraging the Canon imageRUNNER device. Ribstone provides the most dynamic solutions for document scanning, automated indexing, image processing, Bates Numbering, burning onto a CD, and high-speed printing in document-intensive legal and business environments. Ribstone Systems' easy-to-use suite of products has empowered the legal industry to maximize efficiencies and increase productivity.



Ribstone Systems' MEAP enabled application for imageRUNNER devices is based on Ribstone's popular Scan-to-Print product. Ribstone EM-1 is an easy-to-use Bates Numbering application for the simultaneous creation of paginated photo copies for corporate legal departments and law firms.

SAP® Device Types for Canon imageRUNNER Devices

SAP is a leading supplier of collaborative business solutions for all types of industries and major markets. Its scalable enterprise architecture solutions encompass supply chain management, procurement, resource planning, customer relationship management, and other integrated business applications. In order to ensure that customers are able to access the imageRUNNER device's finishing features while printing from SAP business applications, Canon and SAP engage in a co-development relationship, resulting in the availability of Device Types.



SEPIALINE

Sepialine delivers document and communication accounting for architecture, engineering, creative, and reprographic professionals. Its award-winning Argos software suite includes tamper-proof print tracking, compatibility with CAD and wide-format systems, Deltek accounting software integration, RIP and print room integration, and more. By capturing costs without stopping printing, Argos software increases billings without compromising productivity. Argos Embedded Copy Tracking for Canon MEAP captures copy and scan activity in a simple, elegant interface that routes the billing process away from the MFP and onto users' desktops. It's a workflow that's accurate and user-friendly, and it's only available from Sepialine.



Vertical Markets

The Alliance and Industry Marketing team has developed specific solutions in support of the Financial Services, Healthcare, and Legal industries. These solutions are geared to meet the unique needs and workflow requirements of customers within those particular environments.

FINANCIAL SERVICES

Technology advancements and convergence have opened new doors of opportunity for banking, brokerage, and insurance companies. Yet these companies still are looking for innovative best practices to reduce costs, streamline workflow, and manage mountains of documents efficiently while complying with statutory and regulatory requirements such as the Gramm-Leach-Bliley Act, USA PATRIOT Act, Sarbanes-Oxley Act, and SEC/NASD regulations.

Deployed at strategic points throughout the Branch, Central Processing, Customer Service, and Support Offices, Canon products have become the “hub of document activity.” Whether they scan checks, capture, index, and manage documents, print account statements, or move images electronically, Canon connects the paper world to the computer systems. Canon helps you secure information, reduce costs, accelerate workflow, lower operational business risk, and comply more effectively with regulatory requirements.

Canon serves over 7,500 banking, brokerage, and insurance companies. Our network of 600 solution-focused dealer organizations understands the unique needs of today’s financial services company and has the technical resources to deploy Canon technologies.



Canon Alliance and
Industry Marketing

FINANCIAL SERVICES INDUSTRY

HEALTHCARE

Today’s healthcare industry faces more challenges than ever before. Declining reimbursements, rising healthcare costs, nursing shortages, and HIPAA compliance combine to make normal business a challenge. All these issues distract healthcare from its number one priority—patients and customers.

With the experience of serving over 11,500 healthcare customers, Canon understands the industry’s challenges. Whether you need to overhaul a mission-critical data center with hundreds of forms or simplify nursing station document workflow with a single digital device, Canon has the products and expertise for healthcare. Our full line of hardware and software solutions addresses every segment of your business, from simple faxing and printing to complex HIPAA compliance. Combined with Canon’s high level of document and workflow security, your business data and protected health information can be safer than ever before. Canon solutions can help your business be more efficient, more profitable, and reduce time spent on documents so you can focus on patients.



Canon Alliance and
Industry Marketing

HEALTHCARE INDUSTRY

LEGAL

Law firms competing in today’s marketplace face several challenges in their information workflow. Surviving in a paper-intensive industry, law firms are required to develop and implement solutions to manage, store, retrieve, and send information on demand. As clients, opposing counsel, and courts increase their information requests and shorten their timeframes for this information, law firms need to be mindful of how this impacts their profitability and competitiveness.

Canon understands the unique business needs of law firms and legal services companies competing in the legal industry and offers a full line of hardware and software solutions to address their document imaging needs (capturing, managing, delivering, and archiving case information). Let Canon show you how to better manage your document workflow for copy, print, scan, fax, e-mail, and document management and distribution to help you make your legal entity more efficient, profitable, and competitive.



Canon Alliance and
Industry Marketing

LEGAL INDUSTRY

Statements made in this document are the opinions of Canon U.S.A. None of these statements should be construed to customers or Canon U.S.A.’s dealers as legal advice, as Canon U.S.A. does not provide legal counsel or compliance consultancy, including without limitation, Sarbanes-Oxley, HIPAA, GLBA, Check 21, or the USA Patriot Act. Each customer must have its own qualified counsel determine the advisability of a particular solution as it relates to regulatory and statutory compliance.

Product Index

Model	page	
CORPORATE SOLUTIONS		
Color Multifunction Devices	cpm/ppm	
Color imageRUNNER C4080 Series	Up to 36 (Color)/Up to 40 (B/W)	3
Color imageRUNNER C3480/ C3080 Series	Up to 30/28 (Color) Up to 34/30 (B/W)	4
Color imageRUNNER C2550	Up to 23 (Color)/25 (B/W)	5
B/W Multifunction Devices	cpm/ppm	
imageRUNNER 3245/3235 Series	Up to 45/35	6
imageRUNNER 3230/3225	Up to 30/25	7
imageRUNNER 3530	Up to 35	8
imageRUNNER 400V	Up to 40	9
imageRUNNER 3300E/3300EN	Up to 33	10
Print Solutions		
imagePASS-H1 v2.0		11
ColorPASS-GX200		11
imagePASS-J1		11
WORKGROUP SOLUTIONS		
Laser Beam Printers	cpm/ppm	
Color imageRUNNER LBP5975	Up to 30 (Color)/31 (B/W)	13
Color imageRUNNER LBP5970	Up to 30 (Color)/31 (B/W)	13
Color imageRUNNER LBP5360	Up to 22 (Color and B/W)	13
imageRUNNER LBP3460	Up to 35 (B/W)	13
Color Multifunction Devices	cpm/ppm	
Color imageRUNNER C1022/C1022i	Up to 22 (Color and B/W)	14
B/W Multifunction Devices	cpm/ppm	
imageRUNNER 2030i/2025i/ 2022/2022i/2018/2018i	Up to 30/25/ 22/18	15
imageRUNNER 1025/1025N/1025iF	Up to 25	16
Multifunction Facsimile Devices		
LASER CLASS 830i/810	cpm/ppm Up to 23	17
LASER CLASS 710	Up to 19	18
LASER CLASS 510	Up to 15	19
LASER CLASS 310	Up to 19	20
LASER CLASS 2050P	Up to 6	21
LARGE-FORMAT PRINTING SOLUTIONS		
Large-Format Printers		
imagePROGRAF iPF820/iPF810 and PRO Models		23
imagePROGRAF iPF720/iPF710		24
imagePROGRAF iPF610/iPF605/iPF500		25
imagePROGRAF iPF9100/iPF8100		26
imagePROGRAF iPF6200/iPF6100/iPF5100		27
imagePROGRAF iPF9000S/iPF8000S/iPF6000S		28
imagePROGRAF iPF710 Printer with Colortrac Scanning System		29

Model	page	
IMAGE FILING SOLUTIONS		
Scanners	ppm	
imageFORMULA ScanFront 220P	Up to 16 (Color)/26 (B/W)	31
imageFORMULA ScanFront 220	Up to 16 (Color)/26 (B/W)	32
imageFORMULA DR-X10C	Up to 128 (Color and B/W)	33
imageFORMULA DR-9080C	Up to 65 (Color)/Up to 110 (B/W)	34
imageFORMULA DR-7580	Up to 90 (B/W)	34
imageFORMULA DR-7090C	Up to 70 (Color and B/W)	35
imageFORMULA DR-5010C	Up to 64 (Color and B/W)	36
imageFORMULA DR-4010C	Up to 42 (Color and B/W)	37
imageFORMULA DR-3080CII	Up to 10 (Color)/32 (B/W)	38
imageFORMULA DR-3010C	Up to 30 (Color and B/W)	39
imageFORMULA DR-2580C	Up to 13 (Color)/25 (B/W)	40
imageFORMULA DR-2510C	Up to 25 (Color and B/W)	41
imageFORMULA DR-2010C	Up to 20 (Color and B/W)	41
imageFORMULA DR-2050C	Up to 7 (Color)/20 (B/W)	42
imageFORMULA DR-2050SP	Up to 7 (Color)/20 (B/W)	42
imageFORMULA DR-1210C	Up to 12 (Color and B/W)	43
INTEGRATED SOLUTIONS		
Canon Software		
imageWARE Product Suite		45
Professional Services from Canon		51
Our Partners		
Billback		
Captaris		
Cerner		52
Citrix Systems, Inc.		
Codehost: BrightQ		
Control Systems		
eCopy		
EFI: Digital StoreFront		
Electronic Systems Protection		53
Equitrac		
Meadows Publishing Solutions		
nQueue		
Objectif Lune		
Pageflex		54
Panasonic Solution Technologies Co., Ltd.:		
PaperToOffice Pro		
Pharos Systems International		
Printable Technologies		
Ribstone Systems Inc.		55
SAP		
Sepialine		
Vertical Markets		
Financial Services		
Healthcare		56
Legal		

As an ENERGY STAR® Partner, Canon U.S.A., Inc. has determined that the LASER CLASS 830i/810/510/310/2050P models; imageRUNNER 3245/3245i/3235i/3530/3230/3225/2030i/2025i/2022i/2018i/2018i/1025iF/1025N/1025 models; Color imageRUNNER C3480/C3480i/C3080/C3080i/C2550/C1022/C1022i models; Color imageRUNNER LBP5975/LBP5970/LBP5360 and imageRUNNER LBP3460 models; imageFORMULA ScanFront 220/220P, imageFORMULA DR-X10C/DR-5010C/DR-4010C/DR-2580C/DR-2510C/DR-2010C/DR-2050SP/DR-2050C/DR-1210C models; and imagePROGRAF iPF820/iPF810/iPF9100/iPF8100i/iPF720/iPF710/iPF5100/iPF610/iPF605/iPF500/iPF6200/iPF6100/iPF9000S/iPF8000S/iPF6000S models featured in this brochure meet the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Adobe, PostScript, and Acrobat are registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. EFI, Fiery, ColorWise, MicroPress, and Spot-On are registered trademarks of Electronics for Imaging, Inc. in the U.S. Patent and Trademark Office and/or certain other foreign jurisdictions. FreeForm and Digital StoreFront are trademarks of Electronics for Imaging, Inc. Microsoft, Windows, and Windows Vista are registered trademarks of Microsoft Corporation in the United States and/or other countries. Intel, Pentium, and Celeron are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and/or other countries. XEROX® is a trademark of Xerox Corporation in the U.S. and/or other countries. MultiStream and ISIS are trademarks of EMC Corporation. DesignMerge is a registered trademark of Meadows Information Systems, Inc. PlanetPress is a registered trademark or trademark of Objectif Lune, Inc. in the U.S. and/or other countries. QuarkXPress is a trademark of Quark, Inc. and all applicable affiliated companies, Reg. U.S. Pat. and Tm. Off. and in many other countries. I-O and the I-O logo are registered trademarks of I-O Corporation. Equitrac is a registered trademark of Equitrac Corporation. eCopy is a trademark of eCopy, Inc. Citrix and MetaFrame are registered trademarks of Citrix Systems, Inc. SWOP is a trademark of SWOP, Inc. SAP is a registered trademark of SAP AG. Captaris RightFax is a trademark of Captaris. Ribstone Capture is a registered trademark of Ribstone Systems Inc. Pharos, Uniprint, and Pharos Blueprint are trademarks of Pharos Systems International, Inc. Pageflex and Persona are trademarks of Bitstream, Inc. UNIX is a registered trademark of the Open Group in the US and other countries. NQUEUE is a registered trademark of NQueue, Inc. Codehost and BrightQ are registered trademarks of Codehost, Inc. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. PaperToOffice is a trademark of Matsushita Electric Industrial Co., Ltd. CapturePerfect is a registered trademark of Canon Electronics, Inc. CANON, COLORPASS, IMAGEPROGRAF, IMAGERUNNER, LASER CLASS, MEAP, IMAGEPASS, LUCIA, the GENUINE logo, and CANOFIL are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. IMAGEWARE is a registered trademark of Canon U.S.A., Inc. in the United States and is a trademark of Canon Inc. in certain other countries. IMAGEANYWARE is a trademark of Canon. All referenced product names and other marks are trademarks of their respective owners. Specifications and availability are subject to change without notice. Disclaimer: Canon presents Solution Provider and Solution Ally products and solutions, as some may be helpful to you or may be compatible with your Canon products. Canon does not warrant or guarantee these third-party solutions in any way. Canon has no responsibility for your use of these third-party products and solutions or their compatibility with Canon products in any way. Check with your local Authorized Canon Dealer for product availability.

©2009 Canon U.S.A., Inc. All rights reserved.

Canon
image*ANYWARE*

1-800-OK-CANON
www.usa.canon.com

Canon U.S.A., Inc.
One Canon Plaza
Lake Success, NY 11042

