



Color imageCLASS® MF9200Cdn Series

Technical Information

Printer Specifications

Printer Type
Color Laser

Print Speed
Up to 22 ppm color/black (letter)

Duplex Print
Yes

Duplex Print Speed
Up to 11 ipm color/black (letter)

First Print Time
Approx. 13 seconds

Printer Language
UFR II LT (Host-based) - MF9220Cdn
UFR II LT (Host-based), PCL 5c/6 (93 fonts),
PS 3 Emulation (136 fonts) - MF9280Cdn

Print Resolution
Up to 600 x 600 dpi; 2400 x 600 dpi quality

Print Modes
Poster, N on 1 (up to 16 on 1), Scaling

Print Memory
384MB (shared) - MF9220Cdn
768MB (shared) - MF9280Cdn

Memory Direct Print (MF9280Cdn only)
Source(s)
Memory Card Slot (x2)
Supported Media
USB Flash, CF, Micro Drive, SD, Memory Stick
Output File Formats
JPEG, TIFF

Copier Specifications

Copy Type
Color Laser

Copy Speed
Up to 22 cpm color/black (letter)

Duplex Copy/Bind Type
Yes, 1 to 2, 2 to 1, 2 to 2/Book, Calendar

Copy Resolution
Up to 600 x 600 dpi

Halftones
256 levels

Warm-up Time
Approx. 60 seconds from Power On

First Copy Time
Approx. 13 seconds

Reduction/Enlargement
50%, 64%, 78% / 129%, 200%

Zoom
50-200% in 1% increments

Copy Size
Platen: Up to 8.5" x 14"; ADF: Up to 8.5" x 14"

Copy Features
Auto Color Select, Frame Erase, Memory Sort, Toner Saver,
2 on 1, 4 on 1, ID Card Copy

Copy Memory
384MB (shared) - MF9220Cdn
768MB (shared) - MF9280Cdn

Fax/PC Fax Specifications

Duplex Fax
Yes (TX/RX)

Modem Speed
Up to 33.6 Kbps (Super G3)¹

Fax Resolution
Up to 406 x 391 dpi (ultra-fine)

Transmission Time
JBIG (approx. 3 seconds)¹

Memory Capacity
Up to 1,000 pages²

Speed Dials
200 one-touch - MF9220Cdn
200 one-touch, 100 address book - MF9280Cdn

Receive Modes
Fax Only, Manual, Answering, Fax/Tel Auto Switch

Fax Features
Remote RX, Delayed TX, Dual Access, Activity Reports

Memory Backup
Yes, 1 hour

PC Fax
Yes (TX only)

Fax Forwarding
Yes (Fax/I-Fax → Fax, I-Fax, Email, SMB, FTP)

Scanner Specifications

Available only via network

Duplex Scan
Yes

Scan Type
Color Charge-Coupled Device (CCD)

Color Depth
24-bit

Scan Resolution
Up to 600 x 600 dpi (optical)

Document Size
Platen: Up to 8.5" x 14"; ADF: Up to 8.5" x 14"

Compatibility
TWAIN, WIA

Output File Formats
JPEG, TIFF

Scan Features
Rotate, Negative/Positive Reversal, Mirror Image

Scan to USB
Yes (2 ports)

Send Specifications

Destinations
Email, SMB, FTP, I-Fax

Output File Formats
Hi-Compression PDF, PDF, JPEG, TIFF

Paper Handling Specifications

Standard Paper Source(s)
250-sheet cassette plus 100-sheet multipurpose tray

Optional Paper Source(s)
500-sheet cassette

Document Feeder
50-sheet duplex³

Paper Output
Approx. 250 sheets (face down)

Paper Weight
16 to 32 lb. bond (cassette);
16 to 47 lb. bond (multipurpose tray)

Paper Sizes
Letter, Legal, A4, A5, B5, Executive, Statement

Paper Types
Plain Paper, Heavy Paper, Bond Paper, Label,
Transparency, Recycled Paper, Color Paper, Envelopes

Envelope Capacity
10 envelopes

Envelope Types
Com 10, Monarch, DL, C5, B5

Connectivity & Software Specifications

Standard Interface(s)
USB 2.0 Hi-Speed, 10/100 Base-T Ethernet (Network)

Media Slots
USB Memory (x2) - MF9220Cdn;
Compact Flash, Micro Drive, Memory Stick, Memory Stick
Duo (adaptor required), Memory Stick Pro, SD Memory
Card, MiniSD Memory Card (adaptor required),
USB Memory (x2) - MF9280Cdn

USB Functions
Print, PC Fax

Network Functions
Print, PC Fax, Scan, Send⁴

Embedded Web Server (Remote UI)
Yes

Operating System
Windows[®] 7, Windows Server[®] 2008 R2,
Windows Server[®] 2008, Windows Vista[®],
Windows Server 2003, Windows XP/2000
Mac[®] OS X 10.4.9 - 10.6⁵

Drivers available for download from www.usa.canon.com

General Specifications

Dimensions
21.5" (W) x 20.8" (D) x 24.9" (H)

Unit Weight
Approx. 85.0 lbs. (w/o cartridge); 96.0 lbs. (w/cartridge)

Warranty
1 year limited on-site warranty⁶

Cartridge 111 C/M/Y/K
Yields approximately 6,000 pages based on 5% coverage

Cartridge Type
Single Cartridge System

LCD Display
3.5-inch Color TFT

Power Consumption
1300W (Max); 1W (Energy Saver Mode)⁷

Maximum Monthly Print Volume
Up to 65,000 pages per month

Security
Department ID Management, IP Filtering, MAC Address
Filtering, IEEE 802.1x

LDAP
Address Book (up to 1,000 addresses)

Safety
UL/cUL, CDRH (IEC 60825-1), FCC (Part 15 Class B),
FCC (Part 68)

Features and specifications are subject to change without notice.

¹ The Public Switched Telephone Network currently supports fax modem speeds of 28.8 Kbps or lower, depending on telephone line conditions. Sending and receiving fax machines need to conform to ITU-T v.34 guidelines. ² Based on ITU-T #1 Chart (standard mode). ³ Based on 20 lb. bond paper. ⁴ Network scanning is via Windows OS only. ⁵ Mac OS X supports Print, PC Fax & Send functions only. ⁶ Warranty program is subject to certain conditions and restrictions. See the warranty card for details. ⁷ Standalone mode only. Networked model consumes 17W in Energy Saver Mode.

Ordering Information

MFP and Accessories

Color imageCLASS® MF9220Cdn
Color imageCLASS® MF9280Cdn
Cartridge 111 Black (yields approx. 6,000 pages/5% coverage)
Cartridge 111 Cyan (yields approx. 6,000 pages/5% coverage)
Cartridge 111 Magenta (yields approx. 6,000 pages/5% coverage)
Cartridge 111 Yellow (yields approx. 6,000 pages/5% coverage)
Cassette Feeding Unit-AC1
Cabinet Type-A
Color imageCLASS® MF9220Cdn Virtual CarePAK (2 Year On-Site CarePAK)
Color imageCLASS® MF9220Cdn Printed CarePAK (2 Year On-Site CarePAK)
Color imageCLASS® MF9280Cdn Virtual CarePAK (2 Year On-Site CarePAK)
Color imageCLASS® MF9280Cdn Printed CarePAK (2 Year On-Site CarePAK)

4495B001AA
4497B001AA
1660B001BA
1659B001BA
1658B001BA
1657B001BA
2339B002AA
3325B001AA
6521A081AA
6521A080AA
6521A083AA
6521A082AA

For More Information Visit

www.usa.canon.com/consumer

For the name of the nearest dealer, call:
1-800-OK-CANON

Canon U.S.A., Inc.

One Canon Plaza, Lake Success, NY 11042
1-800-OK-CANON



Canon
image*ANYWARE*

Canon

Color imageCLASS MF9200Cdn Series

Color Laser Multifunction Printers

- Print and Copy in full-color and black & white at the **same speed of up to 22 ppm**
- **Duplex Versatility** — two-sided printing, copying, faxing and scanning
- **Superior Color Imaging** — capture finer details when you print or copy with remarkable tone-on-tone clarity where your image will be true to the original
- Password-protected **Department ID Management** helps control device usage
- **3.5-inch color panel with Easy-Scroll Wheel**
- Efficient energy saving mode; approximately **1W of energy used***
- **LDAP Address Book** facilitates quick and easy scanning and sending
- Achieve higher document control and quality with **PostScript 3 Emulation** and **PCL 5c/6 capabilities** (MF9280Cdn)
- Up to **50-sheet DADF** (Duplex Automatic Document Feeder)
- Print from compatible **Memory Cards** (MF9280Cdn)
- **Single Cartridge System** for cost-efficient supplies replenishment

* Standalone mode only. Network model consumes 17W in Energy Saver Mode.

MF9220Cdn
MF9280Cdn



*Print, Copy, Fax, and Scan with the
Color imageCLASS® MF9200Cdn Series
Color Laser Multifunction Printers from Canon.*

Duplex Versatility:

Print on two sides – use half the paper! Two-sided output for printing, copying and receiving faxes saves space and reduces paper consumption.

Quick First Print:

Why waste time waiting for your print to arrive. With Canon's QFP technology, your first print will arrive in approximately 13 seconds.

Control Panel/Easy-Scroll Wheel:

An innovative 3.5-inch color panel with Easy-Scroll Wheel provides effortless control over all your projects.

Network Capabilities:

Increase productivity and cost-efficiency with the built-in Ethernet port for networking. Share printing, PC faxing and scanning** directly from a PC.

** Network Scanning is via Windows OS only.



DUPLEX VERSATILITY

22
Black/Color
ppm/cpm

QUICK
1st
PRINT

COPY

FAX
33.6 kbps

Network SCAN
600×600dpi

Ethernet

3.5" TFT

COST & ENERGY
EFFICIENT



50
Sheets

Duplex ADF

QUICK
1st PRINT

1.0 W
POWER CONSUMPTION



Color Panel with
Easy-Scroll Wheel

The Canon Color imageCLASS® MF9200Cdn Series Color Laser Multifunction Printers set new standards for business photo quality results and speed. Their enhanced performance capabilities allow your small business or work group to compete in today's fast-paced business environment.

Powerful Features

Smart

LDAP Address Book support allows for browsing the corporate address book for easier scan-and-send operations while also reducing address book maintenance.

Fast

No more frustration. Color or black & white at the same fast speed of up to 22 pages per minute.

Convenient

Easily scan paper documents and send them to a recipient through E-mail, I-Fax, Fax, or File Server, bringing your work environment increased efficiency in the arena of document exchange.

Efficient

Reduce your power consumption with the Efficient Energy Saving Mode, approximately 1 watt of energy used, saving you money while maintaining our environment.*

* Standalone mode only. Network model consumes 17W in Energy Saver Mode.

Amazing Imaging Performance




Superior Color Imaging

Printing or copying a photo image can be discouraging when the color contrast ends up unlike the original. The MF9200Cdn Series captures fine details when you print or copy, with remarkable tone-on-tone clarity, helping your image stay true to the original.



Background Removal

Revitalize an old newspaper or document with the background removal tool. Copy or Scan originals, and the MF9200Cdn Series will automatically erase the aged or antiqued background, leaving you with the content you want without the look of a discolored document.



Pure Black Technology

Canon Pure Black Technology helps to ensure the richest blacks by utilizing only the black toner in comparison to traditional methods of combining toner colors.



Auto Gradation Adjustment

The four color Single Cartridge System works congruently to automatically adjust gradient, density, and color to help guarantee quality page after page.



Single Cartridge System

The Single Cartridge System toner, drum, and developer are easy to install and helps rejuvenate the printer to ensure consistent p



3.5" Color Panel with Easy-Scroll Wheel

Control Panel/ Easy-Scroll Wheel

An innovative 3.5-inch color panel with Easy-Scroll Wheel provides effortless control over all your projects. The control panel consists of a color TFT display for setting various functions through a user-friendly menu.

Scan to USB

With 2 USB ports, you can scan documents directly to your USB drive for easy transport.

MF9280Cdn shown



SD/MF Card Slot and CF Card Slot

2 USB ports

Environmentally Conscious



Generation Green is designed to provide business partners, customers and consumers a way to learn about the environmentally-friendly approach Canon takes in designing many of its current and future products.

For more information, visit our web site at usa.canon.com/green

Upgrade to imageCLASS MF9280Cdn

Memory Card Direct Print

Print JPEG or TIFF data files right from your media cards.

Printing Versatility

These machines both feature Canon's proprietary host-based printer language, UFR II LT (Ultra Fast Rendering), which takes full advantage of your PC's processing power so your printer does not require additional memory to perform high speed processing. If you use applications which require PCL (Printer Command Language) or PostScript 3 Emulation support, you'll also find this on the MF9280Cdn.



system
system combines the
development unit in an
e that when replaced,
entire imaging system
print quality.