Canon

- Print speeds listed below reflect measured values based on Canon's unique measurement conditions and are for reference only.
- Actual print speeds may vary depending on printing conditions (document complexity, print frequency, temperature, humidity, printer driver settings and version, application used, system requirements, interface, type of paper used, direct print settings, etc.). Print speeds listed below do not take into account data processing time on host computer and data transfer time.
- Print speeds are calculated by rounding off the actual measurement value to the nearest integer.

	Print Speed on Photo Paper (Required time for making a print)	Print Speed on Plain Paper (number of continuous prints)	Direct Print Speed on Photo Paper (Required time for making a print)
Print Pattern	Image data (1) Image data (2) 4"x6" borderless ISO/JIS-SCID N2 Image data (2) A4/Letter ISO/JIS-SCID N2	Image data (3) Image data (4) A4/Letter Monochrome Document Canon Standard Pattern Image data (4) A4/Letter A4/Letter Color Document Canon Standard Pattern	Image data (5) 7.1 megapixel image taken by certain Canon digital camera
Image Size	Image data(1): 4" x 6" Image data(2): 8" x 10"		Image data(5): 4" x 6"
Measurement Method	See *1 below	See *2 below	PictBridge:See *3 below
Media	Canon Photo Paper Plus Glossy PP-101	Plain Paper	Canon Photo Paper Plus Glossy PP-101
Settings	Page Size 4"x6" or A4/Letter Media Type Photo Paper Plus Glossy Print Quality Standard (Default) Borderless 4"x6": ON, A4/Letter: OFF	Page Size A4/Letter Media Type Plain Paper Print Quality Custom Setting 5 Borderless OFF	Paper Size Setting 4"x6" Paper Type Photo (Photo Paper Plus Glossy) - - ON
Application	Adobe Photoshop CS2	Microsoft Word 2007	
PC environment	OS: Microsoft Windows Vista CPU: Intel® Core™2 Duo E6700 2.66GHz RAM: 1GB Interface: USB2.0 Hi-Speed used when applicable		
Notes	*1 Print speeds on photo paper are measured based upon making a single print under the above measurement conditions, starting from the beginning of paper feed using the automatic sheet feeder to the end of paper ejection. *2 Print speeds on plain paper are measured based on making a continuous printing for more than 60 seconds under the above measurement conditions, starting from the beginning of the 1st sheet feeding from the automatic sheet feeder. *3 When printing equivalent to the 7.1 megapixel image taken by certain Canon digital camera from PictBridge with "Default" setting on Print Effect without border using Photo Paper Plus Glossy. Print speeds are measured based on making a single print, starting from the time when pressing the Start key to the end of paper ejection.		