

Small Footprint and Business Quality Printing right from your Tablet or Smartphone

- New space saving design is approx. 30% smaller than previous MX models.
- Enjoy new levels of printing convenience utilizing features such as AirPrint™ and Google Cloud Print™ to easily print from your tablet or Smartphone.^{1,2}
- The fully integrated Auto Document Feeder is elegantly designed to be both functional and practical.
- Need help setting up? We are here for you with 100% US-based Service & Support.



FEATURES

SPEED & QUALITY

4800 dpi
Maximum³

2 pl
Technology

Approx.
8.8 **4.4**
Black ipm Color ipm
ESAT⁴

Approx.
28 Sec
Color
FCOT⁴

Approx.
70
SEC
4" x 6" Photo⁵

FINE Cartridge

SCAN
600x1200 dpi⁶


EASE OF USE



CREATIVE PARK
PREMIUM⁸



CONNECTIVITY









Hi-Speed
USB

TECHNICAL SPECIFICATIONS


PRINT	
Print Features AirPrint ¹ , Borderless Printing ¹³ , Document Printing, Full HD Movie Print ¹⁴ , Special Filters, Google Cloud Print ² , My Image Garden ⁷ , Photo Printing, PIXMA Printing Solutions ¹¹ , Template Print, Quiet Mode, Wireless Printing ¹²	
Print Speed ^{4,5}	
4" x 6" Borderless Photo:	Approx. 70 seconds
ESAT (Black):	Approx. 8.8 ipm
ESAT (Color):	Approx. 4.4 ipm
Number of Nozzles Pigment Black: 320 / Color: 960 / Total: 1,280	
Picoliter Size (Color) 2 and 5	
Print Resolution ³	
Color:	Up to 4800 x 1200 dpi
Black:	Up to 600 x 600 dpi
Paper Sizes 4" x 6", 5" x 7", 8" x 10", Letter, Legal, U.S. #10 Envelopes	
Media Compatibility Plain: Plain Paper, High Resolution Paper; Super High Gloss: Photo Paper Pro Platinum, Glossy: Photo Paper Plus Glossy II, Photo Paper Glossy; Semi-Gloss: Photo Paper Plus Semi-Gloss, Photo Paper Pro Luster; Matte: Matte Photo Paper; Envelope: U.S. # 10 Envelope	
Paper Tray Capacity (Plain Paper) Auto Sheet Feeder: 100 Sheets ADF: 20 Sheets	
COPY	
Copy Features Auto Document Feeder (ADF), AE (Auto Exposure) Copy, Borderless Copy, Collated Copy, 2-on-1 Copy, 4-on-1 Copy, Fit-to-Page, Preset Copy Ratios, Frame Erase Copy (Flatbed), Zoom	
Copy Speed ⁴ ESAT: 3.6 ipm (Color)	
Reduction/Enlargement 25% – 400%	
SCAN	
Scan Features Auto Scan Mode ⁹ , Network Scan, PDF Password Security, Push Scan, Send to Cloud	
Scanning Element Contact Image Sensor (CIS)	
Scanning Resolution ⁶ 600 x 1200 dpi (Optical), 19,200 x 19,200 dpi (Interpolated), ADF: 600 x 600 dpi (Optical)	
Maximum Color Depth 48-bit internal/24-bit external	
Maximum Document Size Flatbed: 8.5" x 11" ADF: 8.5" x 14"	
FAX	
FAX Features Answering Machine Connectivity, Caller Rejection, Check RX Fax Info., Dial Search, Extra Fine Mode, Fax Reception Reject, Fax Number Re-Entry, Memory Transmission, Redial, Remote Reception	
Modem Speed (Up to) ¹⁴ 33.6 Kbps (Super G3 color FAX)	
Transmission Speed ¹⁵ Black: Approx. 3 sec per page Color: Approx. 1 min per page	
Memory Capacity ¹⁶ Approx. 50 Pages	
Group Dialing 19 Locations	

GENERAL	
Standard Interface Wireless LAN (IEEE 802.11b/g/n) ¹² Hi-Speed USB	
General Features Full Dot Matrix LCD, Access Point Mode, Auto Power Off, Dual Color Gamut Processing Technology, Fully Integrated Auto Document Feeder (ADF), Quiet Mode, Wireless Printing ¹²	
OS COMPATIBILITY ¹⁸	
Computer Operating Systems: Windows® 8, Windows 8.1, Windows 8.1 Update, Windows 7, Windows 7 SP1, Window Vista SP1, Vista SP2, Windows XP SP3 32-bit Mac OS X v10.7.5- v10.10	
Mobile Operating Systems: iOS, Android, Windows RT	
SOFTWARE (WINDOWS/MAC) ¹⁸	
Setup Software and User's Guide CD-ROM PIXMA MX492 Printer Driver Easy-WebPrint EX ¹⁹ My Image Garden ⁷ Full HD Movie Print ¹⁴ , CREATIVE PARK PREMIUM ⁸ , Special Filters, Image Correction/Enhance, Auto Document Fix, PDF Password Security, and scanning are accessed through My Image Garden Quick Menu Network Tool Speed Dial Utility	
WARRANTY ²⁰	
1-Year limited warranty with InstantExchange Program. 1-Year toll-free technical phone support.	
BOX CONTENTS	
PIXMA MX492 Wireless Office All-In-One Printer Power Cord FINE Cartridges Setup CD-ROM Telephone Line Cable Manuals and other documents	

ORDERING INFORMATION

MODEL NUMBER	DESCRIPTION	ITEM NUMBER	UPC CODE
PIXMA MX492	Wireless Office All-In-One Printer	0013C002AA	 0 13803 24936 1
COMPATIBLE INK			
PG-245XL	XL Black Ink Cartridge	8278B001AA	 0 13803 21551 9
PG-245	Black Ink Cartridge	8279B001AA	 0 13803 21553 3
CL-246XL	XL Color Ink Cartridge	8280B001AA	 0 13803 21554 0
CL-246	Color Ink Cartridge	8281B001AA	 0 13803 21556 4
PG-245XL/CL-246XL Combo Pack with GP-601 Paper	XL Cartridge/Paper Combo Pack	8728B005AB	 6 60685 11857 7

FOR REFERENCE ONLY



PALLET INFORMATION

ORIGIN	
Country of Origin	Vietnam
Tariff Number	8443310000
PRODUCT INFORMATION	
Individual Printer Dimensions	17.2" (W) x 11.7" (D) x 7.5" (H)
Individual Box Dimensions	21.9" (W) x 10.3" (D) x 15.0" (H)
Weight of Individual Printer	13.0 lbs.
Weight of Individual Box	17.2 lbs.
PALLET INFORMATION	
Number of Boxes per Pallet	24
Dimensions (Pallet and Boxes)	41.0" (W) x 48.0" (D) x 50.5" (H)
Dimensions without Pallet	41.0" (W) x 43.8" (D) x 45.0" (H)
Loaded Pallet Weight	462.8" lbs.
DATE	
Availability	February 2015

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL VIEWSCREEN AND PRINTER OUTPUT IMAGES ARE SIMULATED.

- 1 AirPrint functionality requires an iPad, iPhone 3GS or later, or iPod touch 3rd generation or later device running iOS 4.2 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base Station, or Time Capsule is not supported.
- 2 Requires an Internet connection and Google account. Subject to Google Terms of Service. Certain exceptions may apply.
- 3 Resolution may vary based on printer driver setting. Color ink droplets can be placed with a horizontal pitch of 1/4800 inch at minimum.
- 4 ISO/IEC 24734, 24735 define the default print and copy speed measurement methods. Print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734, excluding time to print the first set. Copy speed is the average of FCOT, ISO/IEC 24735 Annex D. ADF copy speed is the average of ESAT in General Performance Test for the default simplex mode, ISO/IEC 24735, excluding time to copy the first set. See www.usa.canon.com/ipm for additional details.
- 5 Photo print speeds are based on the standard mode driver setting using photo test pattern(s) and select Canon Photo Paper. Print speed is measured as soon as first page begins to feed into printer and will vary depending on system configuration, interface, software, document complexity, print mode, types of paper used, and page coverage. See www.usa.canon.com/printspeed for additional information.
- 6 Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- 7 To install using Windows® OS, .NET Framework 4 is required. Compatible still image formats are PDF (created using Canon PDF Creator only), JPEG (Exif), TIFF, and PNG. Compatible video formats are MOV (from select Canon digital cameras only) and MP4 (from select Canon digital camcorders only).
- 8 CREATIVE PARK PREMIUM is a premium content service available exclusively to users only when all of the colors of genuine Canon inks and all of the software that came with the printer are properly installed.
- 9 For network users, Auto Scan Mode is only available when scanning at a computer using MP Navigator EX software and selecting the 1-click feature then "Save to PC."
- 10 Mopria functionality requires a Mopria-certified mobile devices with Android 4.4 operating system or later with the Mopria Print Service pre-loaded and a Mopria-enabled printer connected to the same network as your Mopria-certified device. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.
- 11 Wireless printing requires a working Ethernet network with wireless 802.11b/g or n capability. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- 12 Requires an Internet connection and the PIXMA Printing Solutions ("PPS") app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation or later devices running iOS 5.1 or later, and Android mobile devices running Android 2.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n capability as your printer. For users of compatible Apple mobile devices, document printing requires Apple AirPrint, which requires an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- 13 Envelopes and High Resolution Paper are NOT supported for borderless printing.
- 14 "Full HD Movie Print" is available from "MOV" and "MP4" movie files created by select Canon EOS Digital SLRs, PowerShot, and VIXIA digital cameras and camcorders. Requires PC or Mac with Intel® processor and Canon ZoomBrowser EX 6.5 or later or Canon ImageBrowser 6.5 or later for "MOV" files, or Canon ImageBrowser EX 1.0 or later for "MOV" or "MP4" files. Print quality is determined by the video resolution. Function does not upscale video resolution.
- 15 The Public Switched Telephone Network currently supports fax modem speeds of 28.8 Kbps or lower, depending on telephone line conditions. Sending and receiving fax machines need to conform to ITU-T v.34 guidelines.
- 16 Black & white document fax transmission speed is based on default setting using ITU-T No.1 chart. Color document fax transmission speed is based on default setting using Canon Color Fax Test Sheet. Actual transmission speed may vary depending on document complexity, fax setting at receiving end, and line conditions etc.
- 17 Page count is based on ITU-T No.1 chart or Canon FAX Standard Chart No.1.
- 18 System requirements vary by application. For Mac OS, an Internet connection is required during software installation. For Windows OS, .NET Framework 4 is required to install My Image Garden, Quick Menu, and Easy-WebPrint EX software.
- 19 Easy-WebPrint EX requires Internet Explorer 7 or 8 for Windows, Internet Explorer 9 or 10 for Windows Vista SP2 (or later) or Windows 7, or Safari 4.0 – 5.0 for Mac OS X v10.5.8 – 10.6.x.
- 20 Warranty programs are subject to certain conditions and restrictions. See www.usa.canon.com/support for details.



©2015 Canon U.S.A., Inc. Canon and PIXMA are registered trademarks of Canon Inc. in the U.S. and may be registered trademarks or trademarks in other countries. Microsoft, Windows, the Windows logo and Internet Explorer are trademarks or registered trademarks of the Microsoft group of companies in the U.S. and other countries. AirPort, Apple, iPad, iPhone, iPod touch and Time Capsule are registered trademarks of Apple Inc. AirPrint is a trademark of Apple Inc. App Store is a service mark of Apple Inc. iOS is a trademark or registered trademark of Cisco in the U.S. and other countries and is used under license. Android and Google Play are trademarks of Google Inc. Mopria is a trademark of the Mopria Alliance. The USB-IF logo is a trademark of Universal Serial Bus Implementers Forum, Inc. Wi-Fi is a registered trademark of the Wi-Fi Alliance. The 'Wi-Fi CERTIFIED' logo is a certification mark of the Wi-Fi Alliance. The Wi-Fi Protected Setup Mark is a mark of the Wi-Fi Alliance. All other product and brand names are trademarks of their respective owners. As an ENERGY STAR® partner, Canon U.S.A., Inc. has determined that this product meets the ENERGY STAR® guidelines for energy efficiency.

