Voluntary Product Accessibility Template (VPAT)

Name of Product: Canon DR-6010C Date: March 16, 2016

Note: This document was prepared based on normal walk-up functionality. It does not include maintenance and troubleshooting procedures. The information contained in this document is proprietary information and is not for reproduction, publication or manipulation in any way or form. This template addresses a multitude of Canon DR-6010C features; however, any specific inquiries should be made to the Canon Government Marketing Representative.

The rules below refer to the Electronic and Information Technology Accessibility Standards (covered by Section 508 of the Rehabilitation Act of 1998) issued by the Architectural and Transportation Compliance Board. Comments in the "Supporting Features" column are based on the Information Technology Industry Council's suggested language for use when filling out the Voluntary Product Accessibility Template. The Remarks and Explanations column provides additional information on the evaluation results, and explains the standard functions of the DR-6010C that can accommodate users with disabilities.

Summary Table

Criteria	Supporting Features	Remarks and explanations
Section 1194.21Software Applications and Operating Systems	Supports with minor exception. *	
Section 1194.22 Web-based Internet Information and Applications	Not applicable.	
Section 1194.23 Telecommunications Products	Not Applicable.	
Section 1194.24 Video and Multi-media Products	Not Applicable.	
Section 1194.25 Self-Contained, Closed Products	Supports. *	
Section 1194.26 Desktop and Portable Computer	Not Applicable.	
Section 1194.31 Functional Performance Criteria	Supports. *	
Section 1194.41 Information, Documentation, and Support	Supports with exception. *	

Voluntary Product Accessibility Template

*Please refer to the following pages for detailed information on supporting features and exceptions.

Section 1194.21 Software Applications and Operating Systems		
Criteria	Supporting Features	Remarks and explanations
(a) When software is designed to run on a	Supports	
system that has a keyboard, product functions		
shall be executable from a keyboard where the		
function itself or the result of performing a		
function can be discerned textually.		_
(b) Applications shall not disrupt or disable activated features of other products that are		
identified as accessibility features, where		
those features are developed and documented		
according to industry standards. Applications		
also shall not disrupt or disable activated		
features of any operating system that are		
identified as accessibility features where the		
application programming interface for those		
accessibility features has been documented by the manufacturer of the operating system and		
is available to the product developer.		
(c) A well-defined on-screen indication of the	Supports	1
current focus shall be provided that moves		
among interactive interface elements as the		
input focus changes. The focus shall be		
programmatically exposed so that Assistive		
Technology can track focus and focus		
changes.		
(d) Sufficient information about a user		Brightness and Contrast control in the
interface element including the identity,		driver setting are conveyed by image
operation and state of the element shall be available to Assistive Technology. When an		only.
image represents a program element, the		
information conveyed by the image must also		
be available in text.		
(e) When bitmap images are used to identify	Supports	
controls, status indicators, or other		
programmatic elements, the meaning assigned		
to those images shall be consistent throughout		
an application's performance.	<u> </u>	
(f) Textual information shall be provided through operating system functions for		
displaying text. The minimum information		
that shall be made available is text content,		
text input caret location, and text attributes.		
(g) Applications shall not override user	Supports	1
selected contrast and color selections and		
other individual display attributes.		
(h) When animation is displayed, the	Not applicable	The driver/ utility software does not
information shall be displayable in at least one		utilize animation.
non-animated presentation mode at the option		
of the user.		
(i) Color coding shall not be used as the only		
means of conveying information, indicating an action, prompting a response, or		
action, prompting a response, or distinguishing a visual element.		
(j) When a product permits a user to adjust	Not applicable	The product does not permit the user to
() when a product permits a user to adjust color and contrast settings, a variety of color		The product does not permit the user to adjust color and contrast settings.
selections capable of producing a range of		aujust color and contrast settings.
contrast levels shall be provided.		
(k) Software shall not use flashing or blinking	Not applicable	The driver/ utility software does not

or blink frequency greater than 2 Hz and lower than 55 Hz.	with a frequency greater than 2Hz and lower than 55Hz.
(1) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	 Brightness/contrast controls and gamma settings in the driver setting screen are conveyed by image only.

Section 1194.25 Self-Contained, Closed Products		
Criteria	Supporting Features	Remarks and explanations
(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.		Paper tray extensions may require assistive technology to pull out.
(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.		
(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with Section 1194.23 (k) (1) through (4).		See below (k)(1)-(k)(4) for more details.
(k)(1) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.		All hard keys are tactilely discernible. The Start and Stop keys are tactilely discernible by their unique shapes and sizes.
(k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum.		Paper tray extensions may require assistive technology to pull out.
(k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.		There is no key repeat.
(k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.	facilitation	Although the details of the customer registered scan jobs are not visually discernible on the hardware, they can be written on the provided stickers. In addition, all the registered jobs are visually discernible through the provided application software.
(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.		
(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.		There is no function to deliver voice output.
(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A		There is no function to deliver voice output.

function shall be provided to automatically		
reset the volume to the default level after		
every use.		
(g) Color coding shall not be used as the only		
means of conveying information, indicating an		
action, prompting a response, or		
distinguishing a visual element.		
(h) When a product permits a user to adjust	Not applicable	The product does not permit the user to
color and contrast settings, a range of color		adjust color and contrast settings.
selections capable of producing a variety of		-
contrast levels shall be provided.		
(i) Products shall be designed to avoid causing	Not applicable	The product does not flicker.
the screen to flicker with a frequency greater		
than 2 Hz and lower than 55 Hz.		
(j) (1) Products which are freestanding, non-	Not applicable	Because the product is a desktop
portable, and intended to be used in one		model, the position of the machine can
location and which have operable controls		be adjusted to accommodate users with
shall comply with the following: The position		varying degrees of mobility.
of any operable control shall be determined		, , , , , , , , , , , , , , , , , , ,
with respect to a vertical plane, which is 48		
inches in length, centered on the operable		
control, and at the maximum protrusion of the		
product within the 48 inch length on products		
which are freestanding, non-portable, and		
intended to be used in one location and which		
have operable controls.		
(j)(2) Products which are freestanding, non-	Not applicable	Because the product is a desktop
portable, and intended to be used in one		model, the position of the machine can
location and which have operable controls		be adjusted to accommodate users with
shall comply with the following: Where any		varying degrees of mobility.
operable control is 10 inches or less behind		
the reference plane, the height shall be 54		
inches maximum and 15 inches minimum		
above the floor.		
(j)(3) Products which are freestanding, non-	Not applicable	Because the product is a desktop
portable, and intended to be used in one		model, the position of the machine can
location and which have operable controls		be adjusted to accommodate users with
shall comply with the following: Where any		varying degrees of mobility.
operable control is more than 10 inches and		
not more than 24 inches behind the reference		
plane, the height shall be 46 inches maximum		
and 15 inches minimum above the floor.		
(j)(4) Products which are freestanding, non-	Not applicable	Because the product is a desktop
portable, and intended to be used in one		model, the position of the machine can
location and which have operable controls		be adjusted to accommodate users with
shall comply with the following: Operable		varying degrees of mobility.
controls shall not be more than 24 inches		· · · · ·
behind the reference plane.		

Section 1194.31 Functional Performance Criteria		
Criteria	Supporting Features	Remarks and explanations
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.		All keys on the control panel are tactilely discernible. The Document Feeder guarantees proper placement of documents.
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided.		
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided.		
(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.		There is no audio information.
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.		There is no voice operated function.
(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.		

Criteria	Supporting Features	Remarks and explanations
(a) Product support documentation available to end-users is available in alternate formats upon request, at no additional charge.	Supports.	Product support documentation will be provided upon request in electronic format, at no additional charge.
(b) End-users have access to a description of the accessibility and compatibility features of products in alternate formats and alternate methods upon request, at no additional charge.	Supports with exception.	An evaluation of the accessibility features of products will be provided upon request in electronic format, at no additional charge.
(c) Support services for products accommodate the communication needs of end-users with disabilities.	Supports.	Canon U.S.A., Inc. provides support services accommodating users with disabilities through OK CANON assistance, TTY support at (866) 251- 3752. Canon otherwise available to U.S. federal government agencies through Federal Relay.

Section 1194.41 Information, Documentation, and Support

This document is for informational purposes only. This information is based on Canon's current understanding of 36 CFR Part 1194 - Electronic and Information Technology Accessibility Standard and Section 508 of the Rehabilitation Act. It is not intended to address applicability of these laws to a particular end-user, customer, application or procurement.

All product design and specifications are subject to change. Some of the information may be based upon data collected or tests conducted on similar product modules.

The information in this Voluntary Product Accessibility Template (VPAT) should not be considered a contractual agreement by Canon. FURTHER, THE INFORMATION AND MATERIALS PROVIDED IN THIS VPAT ARE "AS IS" WITHOUT WARRANTIES OF ANY KIND, INCLUDING WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF INTELLECTUAL PROPERTY. Canon does not warrant the accuracy and completeness of the information or materials in this VPAT. Canon may make changes to the information in this VPAT, or to the products described in this VPAT at any time, without notice.