


Connecting to a Wireless Access Point - Manual

Connecting to Access Points in the List







Press the <▲><▼> buttons or turn the <®> dial to choose an access point, and then press the <®> button.






5 Enter an encryption key.

- Press the < bul>
 button to access the keyboard, and then enter the encryption key (43).
- Press the <▲><▼> buttons or turn the <</p>
 ⇒ dial to choose [Next], and then press the <<p>strip
 button.





- Press the <▲><▼> buttons or turn the <</p>
 ⇒ dial to choose [Auto], and then press the <(□) > button.
- A list of other devices connected to the access point will appear in the [Select a Device] screen.

7 Choose a computer to connect to.

 Choose the computer to connect to, following steps 7 – 8 on \$\infty\$65. The computer is now added to the list.



- Up to 16 access points will be displayed. If no access points are detected, choose [Manual Settings] in step 4 to manually set an access point. Follow on-screen instructions and enter an SSID, security settings, and an encryption key.
- [***] is displayed for the encryption key in step 5 when the same access point is used to connect to another device. To use the same encryption key, choose [Next] (either press the <◀><▶> buttons or turn the <働> dial) and press the <∰> button.
- To add multiple computers, repeat the above procedures starting from step 1



You can also configure this setting through touch-screen operations (QQ 91).