


### **Obtaining Your Network Key**

PIXMA MP495 Mac OS

### **Navigation Tips for Macintosh Users**



To navigate this guide, please use the arrows on the MAC keyboard or use the PAGE UP and Page DOWN keys.

Page UP

Page DOWN

### **Obtaining Your Network Key**

### PIXMA MP495 Mac OS

Introduction	4
Download the Canon PIXMA Wireless Setup Assistant Using the Canon PIXMA Wireless Setup Assistant	5 7

### Introduction

### Introduction

If you are unable to proceed past the **Access Points** screen during wireless setup because the required Network Key is not known, you may be able to retrieve the information using the **Canon PIXMA Wireless Setup Assistant**.

IMPORTANT: When you do not need this tool anymore, drag the file in the Trash, and delete it.

NOTE: The Wireless Setup Assistant is supported on Mac OS X 10.4 or greater

# Download the Canon PIXMA Wireless Setup Assistant





### **Download the Canon PIXMA Wireless Setup Assistant**


To use the machine by connecting it to a computer, software including the drivers needs to be copied (installed) to the computer's hard disk. The installation process takes about 20 minutes. (The installation time varies depending on the computer environment or the number of applications to be installed.)

### Step One

Go to the **Drivers & Software** for your model

#### Step Two

Select your operating system in the **Select OS** dropdown menu.



### Download the Canon PIXMA Wireless Setup Assistant





#### Step Three

In the Software section, click the Download icon to download the file CanonAPChkTool.



#### Step Four


On the next screen, read the information and instructions and click I Agree - Begin Download

Choose to "Save" the file. Write down the file name and the location to where the file is being saved.

### **Using the Canon PIXMA Wireless Setup Assistant**

### Step One

Open the Access Points window.



#### If the Access Points window is closed:


- 1. If you are installing the latest driver from download, re-run the the driver/network installation by double-clicking the driver file you downloaded previously.
- 2. If you are installing from the CD-ROM, select Custom Install, printer driver / MP Drivers, and then perform the installation.

#### Step Two

Run the downloaded tool "Wireless Setup Assistant" that you downloaded to the computer by double clicking its icon.

### **Step Three**

Read the License Agreement, and then click **Yes** when you accept the agreement.



### Step Four

When the following dialog is displayed, click **OK**.



### Step Five

- 1. When the "Confirm Access to Keychain" dialog is displayed, click **Allow Once** in Mac OS X v10.4, **Allow** in Mac OS X v10.5/v10.6.
- 2. If the dialog is displayed more than once, click the abovementioned button in each dialog.
- 3. **Do not click Always Allow**, the information will not be obtained properly.



<Mac OS X v10.4>




<Mac OS X v10.5/v10.6>

#### Step Six

- The "Canon PIXMA Wireless Setup Assistant" tool is launched.
- 2. Confirm that the same access points are listed in the Assistant and Access Point windows.
- 3. Write down the Network Password of the access point or click **Copy Network Password**.

**NOTE:** The Network Password may be displayed with texts of the alphabets from A to F (base 16number). Write down it as-is.



#### Step Seven

- Click the access point name(s) specified in Step One in the Access Point window (you will find the name(s) in "Detected Access Points" there.).
- 2. Click the Network Password "Input box"
- 3. Now enter or paste the network key (network password)


#### NOTE:

- If you enter the password manually, verify that it is correct.
- If the same network names are displayed, select either one of them. (Either one will be fine.)
- To use the printer together with the multiple Access Points, click the **Manual Setup** button for setup instead of the **Connect** button.



### Step Eight

Click "Connect." When the setup is completed, the Setup Complete dialog is displayed.



### **Troubleshooting**

### **Troubleshooting**

If the message "The Printer could not be connected to the specified access point" is displayed when clicking the Connect button, you may have selected the network name (Access Point name (SSID)) you are not using (e.g. the one your neighbor is using). In such a case, please select the other one.

