


# Creative Tools for Turning Ideas into Reality

2016 School Catalog



**Learn More About School Purchasing at:**

**Phone:** 866.50.CANON (866.502.2666)

**Email:** [education@cusa.canon.com](mailto:education@cusa.canon.com)

**Web:** [www.usa.canon.com/educationsales](http://www.usa.canon.com/educationsales)

**Product Service & Support:** 1.800.OK.CANON







## DARE TO DREAM

### VIDEO CREATOR KIT

EOS 70D | EOS REBEL T6i | EOS REBEL T5i



## STAND OUT FROM THE CROWD

When you're one in a mass of a million voices, do you dare to dream and outshine the rest? For all creators aiming to stand out from the crowd, let Canon's Video Creator Kit help you broadcast your vision with eye-opening image quality and performance that professionals have trusted for years. You've got the talent. We've got the tools. Now let's make that dream of yours a reality.

## VIBRANT VIDEO

Capture Full HD videos with options from 24p recording for a cinema-like style, to 60p recording for slow motion action. Make it easy with continuous autofocus that keeps your videos smooth and sharp, and save them in MP4 or MOV format for easy sharing.




## SMOOTH SOUND

Easily hook up a microphone to record crisp audio with the built-in mic port and hot shoe. The lightweight and sturdy RODE® VideoMic GO™ microphone that comes with the Video Creator Kit is a great choice to help enhance your audio quality.



## SELFIE-READY WITH WIDE-ANGLE

Selfies and big group shots are easy with wide-angle lenses like the EF-S 10-18mm f/4.5-5.6 IS STM. Their range means you don't have to leave anyone out, and you don't have to squeeze close together to do it.

## STEP IT UP WITH SELECT STM LENSES

Canon's EF lenses can help bring high image quality to a wide variety of videos, from selfies with friends to distant action scenes. What's more, Stepping Motor or STM lenses operate in near silence so you can shoot videos without worrying about extra noises from the lenses.



## HEAR EVERY NOTE WITH STM

STM lenses like the EF 50mm f/1.8 STM focus in near silence, meaning they're great for videos where you can't afford any unwanted noise. Record original music and more without extra sounds getting in your way.



## JUMP INTO ACTION WITH TELEPHOTO

Leap right to the action with telephoto lenses. With an incredible zoom like the EF-S 55-250mm f/4-5.6 IS STM's, you can get close to even faraway scenes.



### EOS 70D Video Creator Kit

EOS 70D EF-S 18-135mm IS STM Kit, RODE® VideoMic GO™ Microphone, 32 GB Class 10 SDHC Memory Card

8469B155



### EOS Rebel T6i Video Creator Kit

EOS Rebel T6i EF-S 18-55mm IS STM Kit, RODE® VideoMic GO™ Microphone, 32 GB Class 10 SDHC Memory Card

0591C024





LOW-PASS  
FILTER  
CANCELLATION  
EFFECT

## EOS 5DS / 5DS R

50.6MP FULL FRAME CMOS, 3.2" LCD with LiveView, Full HD 30p Video, Dual DiGiC 6 Image Processors, ISO 100-6400 (expandable to 102400), 61 Point (41 Cross-type) AF, 5 fps Continuous, Advanced Mirror Control (5DS), Magnesium alloy body, 400,000 Cycle shutter durability, Dust/Weather resistant, Dual Card Slots (CF & SD/SDHC/SDXC)

Camera Body 5DS: 0581C002 • Camera Body 5DS R: 0582C002



**LPF (Low-Pass Filter)** effect cancellation takes full advantage of the original resolving power of the 50.6 effective megapixels CMOS sensor delivering even higher resolution images. (5DS R Only)

## EOS 5D Mark III

22.3 MP Full Frame CMOS sensor, 3.2" LCD with LiveView, DiGiC 5+, Full HD Video, 61 Point AF, 63 Zone Dual Layer Metering, 6 fps up to 65 JPEGs, 150,000 shutter cycle durability tested, Magnesium Alloy body, Dual Card Slots (CF & SD/SDHC/SDXC)

Camera Body: 5260B002 • EF 24-105 f/4.0 L IS Kit: 5260B009



## EOS 7D Mark II

20.2 MP CMOS (APS-C), 3.0" LCD with LiveView, Full HD video with Custom Movie Servo AF, 65 Point Cross-type AF system, ISO 100-16000 (expandable to 51200), 10.0 fps to 1090 JPEG, Dual DiGiC 6, Magnesium alloy body, 200,000 cycle shutter durability, Dust/Weather resistant, Dual Card Slots (CF & SD/SDHC/SDXC)

Camera Body: 9128B002  
EF-S 18-135 IS STM Kit: 9128B016



## EOS 6D

20.2 MP Full Frame CMOS sensor, 3.0" LCD with LiveView, Built-in WiFi, GPS, DiGiC 5+, Full HD Video with EOS Movie Mode, 11 Point AF, 63 Zone Dual Layer Metering, 4.5 fps to 58 JPEG, SD/SDHC/SDXC compatible

Camera Body: 8035B002  
EF 24-105 f/4.0 L IS Lens Kit: 8035B009



## EOS 80D NEW

24.2 MP CMOS (APS-C), 3.0" LCD Vari-Angle Touch Screen LCD with Clear View, Full HD with EOS Movie Mode, Dual Pixel CMOS AF for enhanced video capture, 45 Point Cross-type AF, ISO 100-12800 (expandable to 25600), 7.0 fps to 65 JPEG, DiGiC 6, Built-in WiFi and NFC

Camera Body: 1263C004  
EF-S 18-55 IS STM Kit: 1263C005  
EF-S 18-135 IS USM Kit: 1263C006



## EOS 70D

20.2 MP CMOS (APS-C), 3.0" LCD Vari-Angle Touch Screen LCD with LiveView, Full HD with EOS Movie Mode, Dual Pixel CMOS AF for Enhanced Video Capture, 19 Point AF, 7.0 fps to 40 JPEG, DiGiC 5+, Built-in WiFi

Camera Body: 8469B002  
EF-S 18-55 IS STM Lens Kit: 8469B009  
EF-S 18-135 IS STM Lens Kit: 8469B016



## EOS Rebel T6i

24.2 MP CMOS (APS-C), 3.0" Vari-Angle Touch Screen LCD with LiveView, 1080 Full HD Video, 19 Point Cross-type AF, ISO 100-12800 (expandable to 25600), 5.0 fps continuous shooting, DiGiC 6, Built-in WiFi & NFC

Camera Body: 0591C001  
EF-S 18-55 IS STM Kit: 0591C003 • EF-S 18-135 IS STM Kit: 0591C005



## EOS Rebel T6s

24.2 MP CMOS (APS-C), 3.0" Vari-Angle Touch Screen LCD with LiveView, 1080 Full HD Video, 19 Point Cross-type AF, ISO 100-28000 (expandable to 25600), 5.0 fps continuous shooting, DiGiC 6, LCD Control Panel, Locking Quick Control Dial, Built-in WiFi & NFC

Camera Body: 0020C001  
EF-S 18-135 IS STM Kit: 0020C003



## EOS Rebel T5i

18.0 MP CMOS (APS-C), 3.0" Vari-Angle Touch Screen LCD with LiveView, Full HD with EOS Movie Mode, 9 Point Cross-type AF, ISO 100-12800 (expandable to 25600), 5.0 fps to 30 JPEG, DiGiC 5

Camera Body: 8595B001 • EF-S 18-55 IS STM Kit: 8595B003  
EF-S 18-135 IS STM Kit: 8595B005



## EOS Rebel T6

18.0 MP CMOS (APS-C), 3.0" LCD Screen, 1080p Full HD Recording at 30fps, 9 Point AF (Center Cross-Type Point), ISO 100-6400 (expandable to 12800), 3 fps continuous shooting, DiGiC 4+, Built-in WiFi & NFC

EF-S 18-55 IS II Lens Kit: 1159C003





# EOS M3

24.2 MP CMOS (APS-C) sensor, 3.0" Tilt Up LCD (180 degree up, 45 degree down), 1080 Full HD Video, ISO 100-12800 (expandable to 25600), 4.2 fps continuous shooting, DiGIC 6, Built-in WiFi & NFC, Compatible with EF-M lenses and full line of EF/EF-S lenses (EF-EOS M Adapter required)

**Camera Body: 9694B001**  
**EF-M 18-55 IS STM Kits • Black: 9694B011 • White: 9772B011**  
**EF-M 18-55 IS STM & EF-M 55-200 IS STM Kit: 9694B031**



**EF-M LENSES** designed exclusively for the EOS M digital camera



## EF-M 55-200mm f/4.5-6.3 IS STM

Lightweight and compact design, Telephoto zoom lens, Optical Image Stabilizer, 5-group optical zoom system, Built-in stepping motor (STM), 7-Blade circular aperture

**Silver: 1122C002 • Graphite: 9517B002**



## EF-M 15-45mm f/3.5-6.3 IS STM

Compact and stylish standard zoom lens, Optical Image Stabilizer, Built-in stepping motor (STM), Full-time manual focus mode

**Silver: 0597C002 • Graphite: 0572C002**



# EOS M10

18.0 MP CMOS (APS-C) sensor, 3.0" Tilt LCD (180 degree up), 1080 Full HD Video, ISO 100-12800 (expandable to 25600), 4.6 fps continuous shooting, DiGIC 6, Built-in WiFi & NFC, Compatible with EF-M lenses and full line of EF/EF-S lenses (EF-EOS M Adapter required)

**EF-M 15-45 IS STM Kits • Black: 0584C011 • White: 0922C011**  
**EF-M 15-45 IS STM & EF-M 55-200 IS STM Kit: 0584C031**



## EF-M 11-22mm f/4-5.6 IS STM

Lightweight design, Wide-angle zoom lens, Optical Image Stabilizer, Rear focus system, Built-in stepping motor (STM), Dynamic IS, 7-Blade circular aperture, Full-time manual focus mode

**Graphite: 7568B002**



## EF-M 22mm f/2 STM

Ultra-slim and lightweight design, moderate wide-angle lens, Built-in stepping motor (STM), 7-Blade circular aperture

**Silver: 9808B002 • Graphite: 5985B002**



## EF-M 18-55mm f/3.5-5.6 IS STM

Compact and lightweight design, Optical Image Stabilizer, Built-in stepping motor (STM), Dynamic IS, 7-Blade circular aperture

**Graphite: 5984B002**



## TELEPHOTO ZOOM LENS




## EF-S 55-250mm f/4-5.6 IS STM

- **Focal Length & Maximum Aperture:** 55-250mm, 1:4-5.6
- **Lens Construction:** 15 elements in 12 groups
- **Closest Focusing Distance:** 0.85m / 2.79 ft.
- **Filter Size:** 58mm
- **Compatibility:** All EOS (APS-C Sensor) Cameras
- **Max. Diameter x Length, Weight:** 2.8" x 4.4", 13.2 oz. / 70.0 x 111.2mm, 375g

8546B002

## MACRO LENS



## EF 75-300mm f/4-5.6 III USM

- **Focal Length & Maximum Aperture:** 75-300mm, 1:4-5.6
- **Lens Construction:** 13 elements in 9 groups
- **Closest Focusing Distance:** 1.5m / 4.9 ft.
- **Filter Size:** 58mm
- **Compatibility:** All EOS Cameras (Adapter required for EOS M series)
- **Max. Diameter x Length, Weight:** 2.8" x 4.8", 16.8 oz. / 71mm x 122mm, 480g

6472A002

## ULTRA WIDE ZOOM LENS



## EF-S 10-22mm f/3.5-4.5 USM

- **Focal Length & Maximum Aperture:** 10-22mm, 1:3.5-4.5
- **Lens Construction:** 13 elements in 10 groups
- **Closest Focusing Distance:** 0.24m / 0.79 ft.
- **Filter Size:** 77mm
- **Compatibility:** All EOS (APS-C Sensor) Cameras
- **Max. Diameter x Length, Weight:** 3.3" x 3.5", 13.6 oz. / 83.5 x 89.8mm, 385g

9518A002



## EF-S 10-18mm f/4.5-5.6 IS STM

- **Focal Length & Maximum Aperture:** 10-18mm, 1:4.5-5.6
- **Lens Construction:** 14 elements in 11 groups
- **Closest Focusing Distance:** 0.22m / 0.72 ft.
- **Filter Size:** 67mm
- **Compatibility:** All EOS (APS-C Sensor) Cameras
- **Max. Diameter x Length, Weight:** 2.9" x 2.8", 8.5 oz. / 74.6 x 72.0mm, 240g

9519B002

## MACRO LENS



## EF-S 60mm f/2.8 Macro USM

- **Focal Length & Maximum Aperture:** 60mm 1:2.8
- **Lens Construction:** 12 elements in 8 groups
- **Closest Focusing Distance:** 0.2m / 0.65 ft.
- **Filter Size:** 52mm
- **Compatibility:** All EOS (APS-C Sensor) Cameras
- **Max. Diameter x Length, Weight:** 2.9" x 2.8", 11.8 oz. / 73 x 69.8mm, 335g (lens only)

0284B002

Speedlite 430EX III-RT **NEW**

- Zoom flash head covers range of 24-105mm
- Maximum Guide Number (141 ft. / 43m at ISO 100)
- Swivel Head 150° Left and 180° Right
- One touch quick lock for easy attach and detach
- Metal foot for added strength
- Wireless shooting to support use with multiple flash units and cameras simultaneously

0585C006

Speedlite 600EX II-RT **NEW**

- Zoom flash head covers range of 20-200mm
- Maximum Guide Number (197 ft. / 60m at ISO 100)
- Fully swiveling head, 180° in either direction
- Wireless shooting to support use with multiple flash units and cameras simultaneously

1177C002

IMAGE  
STABILIZER

## 18 x 50 / 15 x 50 IS All Weather

18x/15x Magnification with Image Stabilization, All Weather Construction, Multi-Coated Ultra-Low Dispersion (UD) Element, Doublet Field Flattener, Bright Objective Lens

18 x 50: 4624A002 • 15 x 50: 4625A002

**NEW**IMAGE  
STABILIZER

## 12 x 36 IS III

12x High Magnification Ratio with Image Stabilization, 36mm/1.42-inch Effective Diameter, Double Field-Flattener, Microcomputer (similar to Canon's EF lenses) for Improved IS Performance and Stable High-Magnification Viewing, Improved Power Efficiency and Battery Consumption

9526B002

IMAGE  
STABILIZER

## 10 x 30 IS II

10x High Magnification Ratio with Image Stabilization, 30mm/1.18 Objective Lens Effective Diameter, Double Field-Flattener, Microcomputer (similar to Canon's EF lenses) for Improved IS Performance and Stable High-Magnification Viewing, Improved Power Efficiency and Battery Consumption

9525B002

IMAGE  
STABILIZER

## 8 x 25 Image Stabilizer

8x Magnification with Image Stabilization, Smallest & Lightest Canon IS Binoculars, Super Spectra Lens Coating, Ergonomical Design

7562A002



ADVANCED CAMERAS



PowerShot G3X  
DIGITAL CAMERA

20.2 MP 1" High Sensitivity CMOS Sensor, Bright f/2.8-5.6 lens with 25x Optical Zoom (24-600mm equivalent), 9 blade aperture and Optical Image Stabilization with Intelligent IS, 3.2" Tilt Up Touch Screen LCD, DiGiC 6 Image Processor, High Speed AF with 31 Focus Points, 5.9 fps continuous shooting, ISO 12,800 for low light shooting, 1080 Full HD Video at 60p, HDMI Output, Dust and Water Resistant, Built-in WiFi & NFC

Black: 0106C001



PowerShot G5X  
DIGITAL CAMERA

20.2 MP 1" High Sensitivity CMOS Sensor, Bright f/1.8-2.8 lens with 4.2x Optical Zoom (24-100mm equivalent), 9 blade aperture and Optical Image Stabilization with Intelligent IS, 3.0" Vari-Angle Touch Screen LCD, 2.36 million dot Electronic Viewfinder, Accessory Shoe, DiGiC 6 Image Processor, ISO 12,800 for low light shooting, 1080 Full HD Video at 60p, HDMI Output, Built-in WiFi & NFC

Black: 0510C001



PowerShot G7X  
Mark II  
DIGITAL CAMERA

20.1 MP 1" High Sensitivity CMOS Sensor, Bright f/1.8-2.8 lens with 4.2x Optical Zoom (24-100mm equivalent), 9 blade aperture and Optical Image Stabilization with Intelligent IS, 3.0" Multi Angle Touch Screen LCD, DiGiC 7 Image Processor, ISO 12,800 for low light shooting, 1080 Full HD Video at 60p, Built-in WiFi & NFC

Black: 1066C001



PowerShot G9X  
DIGITAL CAMERA

20.1 MP 1" High Sensitivity CMOS Sensor, Bright f/2.0-4.9 lens with 3x Optical Zoom (28-84mm equivalent), 9 blade aperture and Optical Image Stabilization with Intelligent IS, 3.0" Touch Screen LCD, DiGiC 6 Image Processor, ISO 12,800 for low light shooting, 1080 Full HD Video at 60p, Built-in WiFi & NFC

Black: 0511C001 • Silver: 0924C001



LONG ZOOM CAMERAS



PowerShot SX60 HS

16.1 MP HS CMOS Sensor, 65x Wide Zoom (24-1365mm) with Optical Image Stabilization, 3.0" Vari-Angle LCD, DiGiC 6, 1080p Full HD Video, Built-in WiFi & NFC with Mobile Device Connect Button

Black: 9543B001



PowerShot SX720 HS

20.3 MP HS CMOS Sensor, 40x Optical Zoom (24-960mm) with Optical Image Stabilization, 3.0" LCD, DiGiC 6, 1080p Full HD Video, Built-in WiFi & NFC

Black: 1070C001



PowerShot SX620 HS

20.0 MP HS CMOS Sensor, 25x Wide Zoom (25-625mm) with Optical Image Stabilization, 3.0" LCD, DiGiC 4+, 1080p Full HD Video, Built-in WiFi & NFC

Black: 1072C001  
Silver: 1074C001  
Red: 1073C001



PowerShot SX420 IS

20.0 MP CCD Sensor, 42x Optical Zoom (24-1008mm) with Optical Image Stabilization, 3.0" LCD, DiGiC 4+, 720p HD Video, Built-in WiFi & NFC

Black: 1068C001  
Red: 1069C001



PowerShot ELPH 360 HS

20.2 MP HS CMOS Sensor, 12x Optical Zoom (25-300mm) with Intelligent IS, 3.0" LCD, DiGiC 4+, 1080p Full HD Video, Built-in WiFi & NFC

Black: 1075C001  
Purple: 1081C001  
Silver: 1078C001



PowerShot ELPH 190 IS

20.0 MP CCD Sensor, 10x Optical Zoom (24-250mm) with Intelligent IS, 2.7" LCD, DiGiC 4+, 720p HD Video, Built-in WiFi & NFC

Black: 1084C001  
Blue: 1090C001  
Red: 1087C001



PowerShot N2

16.1 MP HS CMOS sensor, 8x Optical Zoom (28-224mm) with 28mm Wide-Angle lens and Optical Image Stabilization, 2.8" Tilt-Up Touch Screen LCD, DiGiC 6, Full HD Video, Built-in WiFi, NFC & Mobile Device Connect Button

Black: 9547B001  
White: 9770B001



PowerShot D30

Waterproof to 82 ft! Freezeproof to 14 ft! 12.1 MP HS CMOS Sensor, 5x Wide Zoom (28-140mm) with Intelligent IS, 3.0" LCD, DiGiC 4, Full HD Video, Built-in GPS

Blue: 9337B001



SLIM & STYLISH CAMERAS

CREATIVE

WATERPROOF



## VIXIA HF G40

Full HD, 2.9 MP Advanced HD CMOS PRO Sensor, 20x HD Optical Zoom with Image Stabilization, 3.5" OLED Viewscreen, Electronic Viewfinder, MP4 or AVCHD files 1080/60p recording, Dual SD Card Slots, Built-in WiFi with FTP Transfer Capability

1005C002



## VIXIA HF R72

3.28 MP Full HD CMOS Sensor, 57x Advanced Zoom with Optical IS, 3.0" Touch Panel LCD, DiGiC DV 4, 32 GB Internal Memory & Card Slot, Built-in WiFi & NFC for sharing and Live Streaming

1236C003



## VIXIA HF R70

3.28 MP Full HD CMOS Sensor, 57x Advanced Zoom with Optical IS, 3.0" Touch Panel LCD, DiGiC DV 4, 16 GB Internal Memory & Card Slot, Built-in WiFi & NFC for sharing and Live Streaming

1237C001



## VIXIA HF R700

3.28 MP Full HD CMOS Sensor, 57x Advanced Zoom with Optical IS, 3.0" Touch Panel LCD, DiGiC DV 4, Smart Auto Mode, Memory Card Slot

White: 1238C002 • Black: 1238C001



## VIXIA mini X



## VIXIA mini X

12.8 MP HS CMOS Sensor, 2.7" Tilt-Up Touch Panel LCD, DiGiC DV4, Wide f/2.8 Fisheye Lens (fixed), Stereo Microphone, Record in MP4 and AVCHD, Memory Card Slot, Built-in WiFi for Sharing and Live Streaming

9114B002



## XF 305/300 HD Camcorder

MPEG-2 4:2:2 50 Mbps Codec, Record to affordable Compact Flash Cards, Genuine Canon 18x HD L Series Lens, Three Canon native 1920x1080 CMOS Image Sensors, Large 4 inch 1.23 megapixel LCD Monitor, XF305 capable of Timecode and Genlock synchs

XF305: 4454B001 • XF300: 4457B001



## XF205 / XF200 HD Camcorder

26.8mm Wide, 20x Optical Zoom Lens with three separate rings, AF Options (Instant AF, Face Detection) and reduced MOD, 35 Mbps 1440 x 1080 recording supported for broadcast usage (MXF), Slow and Fast Motion Supported, HD-SDI, Timecode and Genlock (XF205 Only), 5 GHz and 2.4 GHz dual frequency Built-in WiFi, Ethernet LAN terminal

XF205: 9592B002 • XF200: 9593B002



## XA35

1/2.84" HD CMOS Pro Sensor, 1920x1080 up to 59.94p, 20x Canon Optical Zoom Lens, HD/SD-SDI Output, Wide DR Gamma (600%) Mode, Highlight Priority Mode, 3.5" OLED Touchscreen & EVF, 2x XLR Audio Inputs with Manual Controls, Dual SD/SDHC/SDXC Media Card Slots, Built-in WiFi with FTP Capabilities

1003C002



## XC10 4K Professional Camcorder

1" CMOS Sensor and DiGiC DV 5 Processor, UltraHD 4K at 29.97/23.98p, H.264 Recording in MXF Wrapper, Up to 305 Mbps 4K / 50 Mbps HD Recording, SDHC/SDXC and CFast Card Slots, HDMI Output - Supports 4K Monitoring, 10x Zoom / 8.9 to 89mm Focal Length, f/2.8 to 5.6 Aperture Range, 100 to 20,000 ISO Range, Ergonomic Tilting Hand Grip

0565C013



## XF105 / XF100 HD Camcorder

MPEG-2 4:2:2 50 Mbps Codec, Records to CF Cards, Canon 10x HD Video Lens, Canon Native 1920x1080 CMOS Image Sensor, Large 3.5 inch LCD Monitor, HD-SDI output, Timecode and Genlock (XF105 Only)

XF105: 4885B001 • XF100: 4888B001



## XA30

1/2.84" HD CMOS Pro Sensor, 1920x1080 up to 59.94p, 20x Canon Optical Zoom Lens, Wide DR Gamma (600%) Mode, Highlight Priority Mode, 3.5" OLED Touchscreen & EVF, 2x XLR Audio Inputs with Manual Controls, Dual SD/SDHC/SDXC Media Card Slots, Built-in WiFi with FTP Capabilities

1004C002







## MAXIFY MB5320

### Wireless Office All-In-One Printer

3.0" Touch LCD, XL High Yield Ink Tanks, High Speed 50pg ADF, Auto 2-Sided Printing, Copy, Scan & Fax, 250 sheet cassette, Ethernet, Print from/Scan on USB Memory, 30,000pg Monthly Duty Cycle, AirPrint (iOS) & Mobile Device Printing with Built-in WiFi

9492B002



## MAXIFY MB5020

### Wireless Office All-In-One Printer

3.0" Touch LCD, XL High Yield Ink Tanks, High Speed 50pg ADF, Auto 2-Sided Printing, Copy, Scan & Fax, 250 Sheet Cassette, Ethernet, Print from/Scan on USB Memory, 30,000 pg Monthly Duty Cycle, AirPrint (iOS) & Mobile Device Printing with Built-in WiFi

9627B002



## MAXIFY MB2320

### Wireless Office All-In-One Printer

3.0" Touch LCD, XL High Yield Ink Tanks, High Speed 50 pg ADF, Auto 2-Sided Printing, Copy, Scan & Fax, Dual 250 Sheet Cassette, Ethernet, Print from/Scan on USB Memory, AirPrint (iOS) & Mobile Device Printing with Built-in WiFi

9488B002



## imagePROGRAF PRO-1000

Max Resolution: 2400 x 1200 dpi, Max Print Size: 17 x 22" (Sheet Media), Print Speed: 17 x 22" in 4 Min 10 Sec, Borderless Printing at up to 17" Wide, FINE Printing Technology, L-COA PRO Image Processing Engine, 12 LUCIA PRO Pigment-Based Inks, Grayscale Photo Printing, 3.0" Color LCD, Canon PRINT App, PIXMA Cloud Link, USB 2.0, Ethernet & WiFi Connectivity

0608C002

## PIXMA PRO-1

4800 x 2400 dpi, Print 8 x 10" in 2 Minutes, 10 Seconds, Ethernet, PictBridge, Print Sizes up to 13 x 19", 12 Ink Cartridges Including 5 Monochrome, No Black Ink Swapping Required, Chroma Optimizer Enhances Black Density, CD, DVD, Blu-ray Printing, Easy-Photo Print Pro for Photoshop, DPP

4786B002



## PIXMA MG7720

### Wireless Inkjet Photo All-In-One Printer

3.5" Touch Screen with Intelligent Touch System, 6 Ink Tanks, 9600 dpi, Auto 2-Sided Print, Copy & Scan, DVD/CD Printing, Memory Card Slots, Auto Power On, Quiet Mode, Ethernet, Wireless PictBridge, AirPrint (iOS), Mobile Device Printing with Built-in WiFi & NFC (Android)

Gold: 0596C062 • Black: 0596C002 • White: 0596C022 • Red: 0596C042



## PIXMA iP8720 Wireless Crafting Printer

Borderless Photos, 13" x 19", 4" x 6", 6 Color Individual Ink Tank System, 9600 dpi, AirPrint & Google Cloud Print, Full HD Movie Print

8746B002



## PIXMA iP7220 Wireless Inkjet Photo Printer

5 Individual Ink Tanks, 9600 dpi, Auto Duplex, DVD/CD Printing, AirPrint & Mobile Device Printing with Built-in WiFi

6219B002

Wireless printing options at your fingertips.

