

Color imageCLASS MF746(dw

Color imageCLASS MF746Cdw

Color | Compact | Multifunction

Print up to 28 ppm

Print up to 8-1/2" x 14"

850-sheet maximum paper capacity

Supports uniFLOW and uniFLOW Online

Designed for small work groups, the Canon Color imageCLASS MF746Cdw offers feature-rich capabilities with high-quality imaging and minimal maintenance. Print, copy, scan, and fax capabilities help you accomplish necessary tasks with just one machine. A 5" color touchscreen delivers an intuitive user experience and can be customized by a device administrator to simplify many daily tasks.





WORKFLOW EFFICIENCY

- 5" intuitive color touchscreen with smartphone-like usability.
- A unique, customized device experience with Application Library.
- Supports certain compatible mobile solutions for printing and scanning.¹
- Scan and convert documents to searchable digital files through a single-pass, duplex document feeder.
- Designed for smaller print jobs with first print-out time as fast as 7.5 seconds.



SECURITY FEATURES

- Helps mitigate risk of confidential information loss, as documents are only stored in short-term memory.
- Security settings can be set behind an administrator log-in. When used in conjunction with imageWARE Enterprise Management Console Device Configuration Manager Plug-in, these settings can be captured and exported to other devices on the same network.²
- Remotely control device access and set rules via optional uniFLOW software.
- Limit document distribution by implementing Send-to-Myself-only.



COST MANAGEMENT

- Leverage optional uniFLOW software for full accounting and reporting for Canon and third-party devices, pull printing, and job routing.
- Service parts are designed for the machine's life cycle to help minimize need for proactive maintenance and helps reduce service calls.
- High-capacity, all-in-one cartridge helps reduce overall supply costs.



DEVICE AND FLEET MANAGEMENT

- · Designed for quick, easy deployment.
- Remote diagnostics for rapid service response.
- Easily monitor device status and consumable levels, observe meter readings, manage settings, and implement security settings.




QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies keep productivity high and minimize the impact on support resources.
- Designed to achieve maximum uptime with status notifications to help keep supplies replenished.
- Intuitive animations for common tasks like consumables replacement.



SUSTAINABILITY

- A combination of fusing technologies and low-melting-point toner minimizes power requirements and therefore uses less energy.
- Encourages environmentally conscious work practices by enabling multiple settings that can help save paper and energy.
- ENERGY STAR* certified and currently rated EPEAT* Silver.3



MANAGE OUTPUT WITH uniFLOW SOFTWARE

The optional uniFLOW portfolio offers an on-premise or cloud solution⁶ that imageCLASS devices can utilize with flexible authentication. With either card-based or PIN code based authentication, imageCLASS devices can secure output management, track costs with reporting, and operate mobile printing.



FLEET MANAGEMENT TOOLS

imageWARE Enterprise Management Console can be used by a device administrator to centrally manage the Canon printer fleet, including consumables, status notifications, meters, and configuration settings. imageWARE Remote allows for the service provider to manage devices proactively, including remote diagnosis and reporting. Local Content Delivery System facilitates remote firmware download at the device level.



FAST, SINGLE-PASS DUPLEX SCANNING

The Color imageCLASS MF746Cdw model leverages a single-pass document feeder for two-sided scanning at up to 51 images per minute (ipm) in black and white or up to 27 ipm in color. Scanned files can be converted into multiple file formats, including Hi-Compression PDF and Searchable PDF (OCR).





EASY TO USE WITH APPLICATION LIBRARY

Unique to the Canon imageCLASS product line, the Application Library platform allows for one-touch button creation of key functions: Print Template, Standby Slide (screen saver), Scan-to-Preset Destination, ID Card Copy, Consumables Information, Copy (Eco), Copy (Bleed Reduce), Passport Copy, Fax and Store, Name and Scan, Copy (Enhance Text) and Language.



SPECIFICATIONS

Main Unit

Core Functions

Standard: Print, Copy, Scan, Fax, Send (Lite)

Item Code 3101C005

Processor

Canon Custom Processor

Control Panel 5" Color Touch Panel

Memory 1GB

Standard Interface Connection

USB 2.0 x2 (Host), USB 2.0 x1 (Device) High-Speed, 10/100/1000Base-T Ethernet (Network), Wi-Fi 802.1lb/g/n, Wi-Fi® Direct Connection, Near Field Communication

Paper Capacity (Letter, 20 lb. Bond)

Standard: 300 Sheets 850 Sheets

Paper Sources (Letter, 20 lb. Bond)

250-sheet Paper Cassette, Standard 50-sheet Stack Bypass Optional: 550-sheet Paper Cassette

(Cassette Unit AF-1)

Paper Output Capacity (Letter, 20 lb. Bond)

Standard: 75 Sheets Supported Media Types

Thin, Plain, Recycled, Color, Thick, Coated, Cassettes:

Label, Letter, Envelope (10 Envelopes) Stack Bypass: Thin, Plain, Recycled, Color, Thick, Coated, Label, Letter, Envelope (1 Envelope)

Supported Media Sizes

Letter, Legal, Statement, Executive, Envelope: COM10, Monarch, C5, DL, Cassettes:

Custom (Min. 3" x 5" to Max. 8.5" x 14") Letter, Legal, Statement, Executive Envelope: COM10, Monarch, C5, DL Custom (Min. 3" x 5" to Max. 8.5" x 14")

Supported Media Weights

Cassettes: 16 lb. Bond to 53 lb. Bond (60 to 200 g/m²) Stack Bypass: 16 lb. Bond to 53 lb. Bond ($60 \text{ to } 200 \text{ g/m}^2$)

Warm-up Time

Stack Bypass:

From Power On: 13 Seconds or Less From Sleep 6.1 Seconds or Less

Dimensions (W x D x H)

18.8" x 18.8" x 18.4" Standard (478 mm x 478 mm x 467 mm) (Desktop): 24.0" x 23.0" x 23.2" Box: (610 mm x 584 mm x 589 mm)

Installation Space (W x D x H)

21.4" x 43.8" x 29" Standard (544 mm x 1,112 mm x 736 mm) (Desktop):

Fully 21.4" x 43.8" x 34.1"

Configured: (544 mm x 1,112 mm x 866 mm)

Weight

Approx. 64 lb. (29 kg) Unit: Boxed Weight: Approx. 76 lb.(35 kg)

Supported OS

Windows 7/Windows 8.1/Windows 10/Windows Server 2008/Windows Server 2008 R2/Windows Server 2012/ Windows Server 2012 R2/Windows Server 2016/

Mac OS X v10.9.5 (or later) What Comes In The Box

MF746Cdw Product, Cartridge 055 CMY Starter: 1,200 Yield/Black Standard: 2,300 Yield, Power Cord, Telephone Cable, Starter Guide, User Software

DVD-ROM, Warranty Card

Print Specifications

Printing Method

Laser Beam Printing

Print Speed⁵

Up to 28 ppm (Letter); Up to 22.9 ppm (Legal)

First-Print-Out Time Approx. 7.5 Seconds

Recommended Monthly Page Volume

750 - 4.000 Pages

Print Resolution (dpi)

600 x 600

Standard Page Description Languages UFR II, PCL*6, PCL*5, Adobe PostScript* 3™

Double-Sided Printing

Automatic (Standard)

Direct Print

Available from USB Memory (JPEG, TIFF, PDF)

Printing from Mobile and Cloud-based Services¹

Apple® AirPrint,® Canon PRINT Business, Mopria™

Print Service

Copy Specifications

Copy Speed

Up to 28 ppm (Letter); Up to 22.9 ppm (Legal)

First-Copy-Out Time (Letter)

11.2 seconds/13.1 seconds (BW/Color) 9.9 seconds/11.8 seconds (BW/Color) Platen:

Copy Resolution (dpi)

600 x 600 Copy Size

Platen: Up to Letter ADF: Up to Legal

Multiple Copies Up to 999 Copies

Magnification

25% - 400% (1% Increments)

Preset Reductions 25%, 50%, 64%, 78%

Preset Enlargements 129%, 200%, 400%

Copy Features

Paper Setting, Favorite Setting, Two-sided, Original Type Selection, Cancel, N-on-1, Density Adjustment, Sharpness,

Erase Frame, Collate, Copy ID Card

Scan Specifications

Type

Single-Pass Duplexing Automatic Document Feeder

Document Feeder Paper Capacity

50 Sheets (20 lb. Bond)

Document Feeder Supported Media Sizes

Legal, Letter, Statement

Document Feeder Supported Media Weights

13-28 lb. Bond (50-105 g/m²)

Platen Acceptable Originals

Sheet, Book

Pull Scan

ScanGear MF for TWAIN, and WIA

Scan Resolution (dpi)

Up to 300×600 Push Scan: Pull Scan-Up to 600 x 600

Scan-to-Mobile Devices Canon PRINT Business

Scan Speed (Letter)

Single-sided: 14/28 ipm (300 x 600 dpi) (Color/BW) Double-sided: 27/51 ipm (300 x 600 dpi) (Color/BW)

Memory Media

Standard USB Memory (JPEG, TIFF, PDF)

Send Specifications

Destination

Email/Internet FAX (SMTP), SMB, FTP

Address Book

LDAP (50)/Local (300)/Speed Dial (281)

Send Resolution (dpi)

600 x 600 (Pull Scan), 196 x 204 (iFax), 300 x 300 (Other)

Communication Protocol FTP. SMB File-

Email/iFax: SMTP, POP3, iFax (Simple)

File Format

Standard: TIFF, JPEG, PDF (Compact, Searchable) Optional: PDF (Encrypted, Digital Signature)

Fax Specifications

Modem Speed

Super G3: 33.6 kbps 14.4 kbps Compression Method

MH. MR. MMR. JBIG

Resolution (dpi) 400 x 400, 200 x 400, 200 x 200, 200 x 100

Sending/Recording Size Statement to Legal

Fax Memory Up to 512 Pages

Speed Dials Max. 281

Group Dials/Destinations

Max. 299 Dials

Sequential Broadcast Max. 310 Addresses Memory Backup

Fax Features

RX Mode, Resolution, Two-sided Original, Density, Sharpness, Favorite Settings, Duplex Fax

Security Specifications

Authentication

Embedded Universal Login Manager, Department ID Authentication Standard:

uniFLOW, uniFLOW Online

Ontional: Network

IP/MAC Address Filtering, IPSEC, TLS Standard:

Encrypted Communication, SNMP V3.0, IEEE 802.1X(Wired Only), IPv6, SMTP Authentication, POP Authentication, POP Authentication before SMTP

Document

Standard-Secure Print

Wi-Fi Authentication Methods

Wi-Fi

Infrastructure WEP 64/128 bit, WPA-PSK (TKIP/AES),

Mode: WPA2-PSK (AES)

Wi-Fi Access

WPA2-PSK (AES) Point:

Environmental Specifications

Operating Environment

Temperature: 50 to 86° F

Humidity: 20 to 80% RH (no condensation)

Power Requirements AC 120-127 V:6.5 A. 60 Hz

Power Consumption

Approx. 1470 W Maximum: Standby: Approx. 20.5 W Sleep Mode: Approx. 0.6 W Typical 0.31 kWh

Electricity Consumption (TEC) Rating: Standards

ENERGY STAR® Qualified, Rated EPEAT Silver3

CONFIGURATION AND ACCESSORIES





Accessories

Card Readers*

MiCard Readers**

Proximity card reader designed to be used with uniFLOW for card authentication

Copy Card Reader-F1

Department ID authentication with Canon magnetic stripe

- * Attachment kit required. ** Ask Dealer for reader compatibility information.

Print/Scan Accessories

Barcode Print Kit-E1 Installs bar code fonts for bar code printing

Send PDF Security Kit-E1 Send encrypted PDFs and add digital device signatures

Extended Service Packs

Canon eCarePAK Canon Extended Service Plans

offer coverage beyond the standard one-year warranty⁶ up to four years.

GENUINE® CONSUMABLES

Always look for the Canon anticounterfeiting hologram on your Canon GENUINE product packaging.



Cartridge 055 Black	Item No.: 3016C1001	Yields 2,300 Pages
Cartridge 055 H Black	Item No.: 3020C001	Yields 7,600 Pages
Cartridge 055 Cyan	Item No.: 3015C001	Yields 2,100 Pages
Cartridge 055 H Cyan	Item No.: 3019C001	Yields 5,900 Pages
Cartridge 055 Magenta	Item No.: 3014C001	Yields 2,100 Pages
Cartridge 055 H Magenta	Item No.: 3018C001	Yields 5,900 Pages
Cartridge 055 Yellow	Item No.: 3013C001	Yields 2,100 Pages
Cartridge 055 H Yellow	Item No.: 3017C001	Yields 5,900 Pages

Use of Canon GENUINE toner cartridges helps provide longer equipment life, high yields, reliable performance, high-quality output, and minimal jamming or issues.

- Canon PRINT Business is a free app available on the App Store* and Google Play™ Store. For more information, including compatibility, please visit https://www.usa.canon.com/mobile-app. Please see the respective websites for Apple Air Print and Mopria Print Service for compatibility and additional information.
- ² Please reference user manuals for details on settings available to export.
- ³ For latest EPEAT ratings (Gold/Silver/Bronze), please visit www.epeat.net.
- 5 Print speed is based on internal testing. Print speed may vary, depending on the number of copies selected as well as the settings for size, type, and orientation of paper.
- ⁶ Warranty program is subject to certain conditions and restrictions. See warranty card for details.













Wi-Fi is a registered trademark of the Wi-Fi Alliance. Android and Google Play are trademarks of Google Inc. iPad, iPhone, iPod touch, Mac and the App Store are trademarks of Apple Inc., registered in the United States and/or other countries. Air Print and the Air Print logo are trademarks of Apple Inc. Mopria and the Mopria logo are trademarks of the Mopria Alliance, Inc. Windows and Windows Server are trademarks of Microsoft Inc. in the United States and/or other countries. As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified this model as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Canon products offer certain security features, yet many variables can impact the security of value devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. All other referenced product names and marks are trademarks of their respective owners. Specifications and availability subject to change without notice. Not responsible for

typographical errors. ©2020 Canon U.S.A., Inc. All rights reserved.



