

imagePROGRAF PRO-1000

PRO SERIES

THE PRINTER THAT'S EQUALLY OBSESSED.




A PROFESSIONAL PRINTER WITH NEXT-LEVEL CAPABILITIES

Introducing the Canon imagePROGRAF PRO-1000. A 17" wide format professional printer with an 11-Color plus Chroma Optimizer ink system that does it all. Arguably one of the best printers we've ever engineered. Distinguished by a bold red line.



AIR FEEDING SYSTEM

The Canon Air Feeding System prevents each page from skewing for accurate ink placement. The Air Feeding System creates a printing environment that keeps a consistent height between the print head and the media being used. Variances in height can occur due to the paper curl or variations on temperature and humidity. A consistent level surface leads to remarkable ink droplet accuracy and improved image quality.



SKEW CORRECTION

The Skew Correction function guarantees that all types of paper, including thick fine art type papers, can be fed without the need for reprints.




NO SWITCHING OF BLACK INKS

On other printers, switching from matte black to photo black consumes a significant amount of ink and time. The imagePROGRAF PRO-1000 is designed to work seamlessly when changing media types. Matte black and photo black inks have their own dedicated nozzles, so no switching is necessary. You can print on fine art paper then glossy paper with no worries, no changes, and no waste.


ANTI-CLOGGING TECHNOLOGY

The FINE print head institutes a tubular ink delivery system. This generates faster print speeds and reduces the possibility of clogging. Additionally, ink ejection conditions are precisely checked with sensors, and if a clog is detected, another nozzle automatically provides backup.



OUR INK TECHNOLOGY MEETS YOUR WORK OF ART





LUCIA PRO INK SYSTEM

The LUCIA PRO 11-color plus Chroma Optimizer ink system satisfies the demands of the most critical photographer or graphic artist. Denser droplet placement provides a broader color gamut and improved gloss uniformity for superb glossiness and anti-bronzing. Incredibly accurate color reproduction, outstanding image clarity, and enhanced detail in darker areas distinguish each print. On fine art papers, higher black density renders even the finest shadow detail, for a print that becomes a work of art.

11-INK SYSTEM PLUS CHROMA OPTIMIZER

Utilizing new pigment ink with modified compositions and new colors, LUCIA PRO INKS have enabled a broader color gamut and greater shadow detail reproduction in dark areas.

L-COA PRO IMAGE PROCESSING ENGINE

This high-precision control engine performs the high-speed processing of massive volumes of image data, generates the printing data, and controls the optimal ink layout for the purpose of achieving high resolution prints. It represents the brain of the imagePROGRAF PRO-1000.

WIDE COLOR GAMU

A new ink system adopts 11-color inks and Chroma Optimizer ink. This system helps you achieve an improvement in color-reproduction, image clarity, and enhanced darker areas. It faithfully reproduces colors and dark areas crucial for printing works of art. The newly formulated blue and magenta inks will help recreate the finest details when printing nightscapes and sunsets.







imagePROGRAF PRO-1000

TECHNICAL INFORMATION

PRINT			
Print Features	AirPrint, Borderless Printing, Canon PRINT app, Grayscale Photo Printing, Wireless PictBridge, Wireless Printing, Pro Gallery Print, PIXMA Cloud Link		
Printing Technology	FINE: Full-Photolithography Inkjet Nozzle Engineering		
Head Configuration	12 Ink Integrated Type (4 Ink Chips x 3)		
Nozzle Pitch	600 dpi x 2		
Nozzle Configuration	1,536 Nozzles x 12 Inks, Total: 18,432		
Droplet Size	Minimum 4 Picoliters per Color		
Maximum Print Resolution ⁷	Up to 2400 x 1200 dpi		
Ink Information	Type: Pigment Based LUCIA PRO Ink Technology Tank Fill Volume: 80 ml		
Print Speed ^{8,9}	17" x 22" Bordered Photo (Color): Approx. 4 minutes 10 seconds ⁹ 13" x 19" Bordered Photo (Color): Approx. 2 minutes 30 seconds ⁹		
MEDIA			
Media Handling	Rear Tray and Manual Feed Slot		
Media Sizes	(All Media Sizes Capable of Borderless Printing) 17" x 22", 14" x 17", 13" x 19", 11" x 14", 10" x 12," 8.5" x 11", 8" x 10", 5" x 7", 4" x 1		
Media Thickness	Rear Tray: Maximum 0.3 mm Manual Feed Slot: 0.1 mm - 0.7 mm		
GENERAL			
General Features	12 Individual Ink Tanks, Advanced Pattern Print, Index Print, Fine Art Paper Support, L-COA PRO Image Processing Engine, Non-Firing and Compension Function, Real Time Control of Ink Ejection, Air Feeding System, Color Density Sensor, Calibration Link, Contrast Reproduction		
Interfaces	Hi-Speed USB 2.0, Ethernet (10/100Base -T/TX), PictBridge (Wireless LAN); Wireless LAN) (IEEE 802.11b/g/n)*		
Acoustic Noise Level ^{10,11}	Approx. 41.0 dB(A) ¹¹		
Printer Memory	1 GB (Standard)		
Display	3.0" LCD		
Certification	Rated EPEAT Silver, Energy Star Certified, RoHS Directive Certification		
Size/Weight	28.5"(W) x 17.0"(D) x 11.2"(H) / 70.5 lbs.		
Recommended Operating Environment ¹²	Temperature: 59 - 86 F° (15 - 30 C°), Relative Humidity: 10 - 80% (No Condensation)		
Storage Environment	Temperature: 32 - 104 F° (0 - 40 C°) Relative Humidity: 5 - 95% (No Condensation)		
Software (Mac*/Windows*)13,14	Setup Software & User's Guide CD-ROM, imagePROGRAF PRO-1000 Printer Driver, Print Studio Pro v 2.0, Management Tools: Media Configuration Tool, Accounting Manager, Device Management Console, Quick Utility Toolbox		
OS Compatibility ^{13,14}	Computer Operating Systems: Mac: ¹³ Mac OS* X v10.7.5 – 10.10 X Windows: ¹⁴ Windows* 10, Windows 8, Windows 8.1, Windows 7, Windows 7 SP1, Windows Vista* SP1, Vista SP2, Windows Server 2012, 2012 R2, 2008, 2008 R2 Mobile Operating Systems: iOS,* Android**		
Warranty ¹⁶	1-Year limited warranty with InstantExchange Program. 1-Year toll-free U.Sbased technical phone support.		

PRODUCT INFO / INKS

Model No.	imagePROGRAF 17" Professional	0608C002AB	
Compatible Inks	PFI-1000 MBK PFI-1000 PBK PFI-1000 C PFI-1000 M PFI-1000 Y PFI-1000 PC PFI-1000 PGY PFI-1000 PGY PFI-1000 B PFI-1000 B PFI-1000 CO	Matte Black Ink Tank Photo Black Ink Tank Cyan Ink Tank Magenta Ink Tank Yellow Ink Tank Photo Cyan Ink Tank Photo Magenta Ink Tank Photo Magenta Ink Tank Gray Ink Tank Red Ink Tank Blue Ink Tank Chroma Optimizer Ink Tank	0545C002AA 0546C002AA 0547C002AA 0548C002AA 0549C002AA 0550C002AA 0551C002AA 0553C002AA 0555C002AA 0555C002AA
Maintenance Cartridge	MC-20	Maintenance Cartridge	0628C002AA

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL PRINTER OUTPUT IMAGES ARE SIMULATED.

- 1. AirPrint functionality requires an iPad, iPhone 3GS or later, or iPod touch 3rd generation or later device running iOS 4.2 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- 2 Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with IPad, iPhone 3GS or later, and IPad touch 3rd generation or later devices running IOS 7.0 or later, and Android mobile devices running Android 2.3 or later. Your device must be connected to the same working network with wireless 80.211 b/g/n. capability as your printer. For users of compatible Apple mobile devices, document printing requires Apple AirPrint, which requires an AirPrint-enabled printer connected to the same network as your IOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- 3 DPS over IP compatible device required.
- 4 Wireless printing requires a working network with wireless 802.11b/g or n capability. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- 5 Requires an Internet connection and the Pro Gallery Print app, available for free on the App Store. Compatible with IPad 2, IPad (3rd/4th generation), IPad Air, IPad Air 2 or later and devices running IOS 7.0 or later. Compatible with SmugMug and Zenfolio web services.
- 6 Requires an Internet connection.
- 7 Ink droplets can be placed with a pitch of 1/2400 inch at minimum. Results may vary depending on printer driver settings.
- 8 Photo print speed is based on the default setting using ISO/JIS-SCID N2. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- $9\,$ When using Canon Photo Paper Pro Luster (LU-101) .
- 10 Acoustic Noise is measured based on ISO7779 standard
- $11\ \ When\ printing\ ISO/JIS-SCID\ N2\ pattern\ on\ Photo\ Paper\ Pro\ Platinum\ (PT-101)\ using\ default\ settings.$
- 12 For the temperature and humidity conditions of papers such as photo paper, refer to the paper's packaging or the supplied instructions.
- 13 Internet Connection required during software installation.
- 14 Operation can only be guaranteed on a PC with pre-installed Windows 10, Windows 8, Windows 8, Windows 7, Vista or XP.
- 15 Print Studio Pro v 2.0 plug-in software is compatible with Adobe Photoshop CS5/CS6/CC/CC(2014)/CC(2015), Adobe Photoshop Elements 11/12/13, Adobe Photoshop Lightroom 3/4/5/6 and Canon Digital Photo Professional 3.12 or later.
- 16 Warranty programs are subject to certain conditions and restrictions. See www.usa.canon.com/support for details.

Service & Support



Benefits Summary

- Toll-free technical support: 1-800-423-2366
- 100% U.S.-based Canon staffed
- PRO-1000 trained tech support specialists available to assist you:
 Monday – Friday 8:00 am - 8:00 pm (EST) and Saturday 10:00 am - 7:00 pm (EST), excluding holidays.
- Email support www.usa.canon.com/support
- Service Options:
- Carry-in / Mail-in Service through Canon's Authorized Service Facility (ASF) Network
- InstantExchange Service
- Optional Canon CarePAK Pro Extended Service Plan is available to support your needs.
 For more information, call 1-800-385-2155 or visit our website at www.canonesp.com

CPS - Personalized Support for the Imaging Professional

Canon Professional Services (CPS) provides significant membership benefits to individual working professionals who use qualifying Canon imaging equipment. In addition to 24/7 international and domestic telephone support, CPS offers to qualified members (depending on membership level) expedited

and discounted repair service, service loaners, equipment evaluations loans, free clean and check coupons, on-site support at shows and events, discounts on Canon Live Learning workshops and more. For more information about membership, visit: www.usa.canon.com/cps



CPS proudly introduces the imagePROGRAF PRO-1000 to its roster of products eligible for service and repair. Members can now enjoy key service benefits exclusive to the imagePROGRAF PRO-1000. Please visit www.usa.canon.com/cps for full list of benefits related to this product.

FOR MORE INFORMATION VISIT:

www.usa.canon.com/proprinters

For the name of the nearest dealer, call: 1-800-OK-CANON

Canon U.S.A., Inc.

One Canon Park, Melville, NY 11747 1-800-OK-CANON

PRINT LONGEVITY

	GAS FASTNESS	LIGHT FASTNESS	ALBUM LIFE
TEST ITEM	03	Xenon	Album in dark area
TEST METHOD	JEITA	JEITA	JEITA
CRITERIA	JEITA	JEITA	JEITA
PHOTO PAPER PRO PLATINUM	Approx. 60 Years	Approx. 60 Years	Approx. 200 Years
PHOTO PAPER PRO LUSTER	Approx. 60 Years	Approx. 45 Years	Approx. 200 Years

* Based on accelerated testing by Canon in dark storage under controlled temperature, humidity, and gas conditions, simulating storage in an album with plastic sleeves. Canon cannot guarantee the longevity of print results may vary depending on printed image, drying time, display/storage conditions, and environmental factors. Criteria for estimation of album life, light fastness and gas fastness. The image permanence data of album life, light fastness, and gas fastness are estimated based on each test of Indoor Thermal Stability, Indoor Light Stability and Indoor Ozone Stability which are set as "Digital Colon Photo Print Stability Evaluation" (JEITA CP-3901) standard issued by JEITA (Japan Electronics and Information Technology Industries Association).









