

## **Canon Accessibility Conformance Report**

ITI VPAT® Version 2.4

#### Name of Product:

Canon imageRUNNER ADVANCE DX 529iFZ Canon imageRUNNER ADVANCE DX 619iFZ Canon imageRUNNER ADVANCE DX 719iFZ Canon imageRUNNER ADVANCE DX 529iZ Canon imageRUNNER ADVANCE DX 619iZ Canon imageRUNNER ADVANCE DX 719iZ



Product Description: Office Printer & Copiers / Color Multifunction Laser Printer

Date: March 22, 2023

Contact information: accessibility@cusa.canon.com

Contact information: US section 508: accessibility@cusa.canon.com

EN 301 549 : DS-accessibility@canon-europe.com

**Evaluation Methods Used:** Inspection, measurement and testing are based on product knowledge and testing with consistant evaluation methods through our products. Softwares are tested with JAWS.

### Applicable Standards / Guidelines & Table of contents:

This report covers the degree of conformance for the following accessibility standards/guidelines:

US Section 508 standards (2017) with corrections (2018)

EN 301 549 V3.1.1 (2019) WCAG 2.1 (2018) ISO/IEC 10779:2020

### The composition of evaluated product:

Hardware Device

**Driver:** Printer Driver Software **Web Application:** Remote UI

Other Applications:

**Documents** 

**Terms:** The terms used in the Conformance Level information are defined as follows:

<u>Supports:</u> The functionality of the product has at least one method that meets the criteria without known defects or meets with equivalent facilitation.

Partially Supports: Some functionality of the product does not meet the criteria.

<u>Supports through Equivalent Facilitation:</u> Some functionality of the product meet the intent of the Criteria through alternate way.

<u>Supports when combined with Compatible AT:</u> Some functionality of the product meet the criteria using assistive technology which is not a part of the product itself.

Does Not Support: Majority of functionality of the product does not meet the criteria.

Not Applicable: The criteria are not relevant to the product. In the WCAG section, use 'supports' instead of 'not applicable' when reporting web conformance.

Not Applicable – Fundamental Alteration Exception Applies: The criteria are relevant to the product, but fundamentally impossible to meet the criteria, because of its conditions.

1

# **US Section 508 Standards**

**Chapter 3: Functional Performance Criteria** 

Refer the URL for the requirements: https://www.access-board.gov/ict/

Criteria Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	The Remote UI is the third alternative. When a screen reader or screen magnifier is used with the Remote UI, blind or visually impaired users can operate Job.  Operation status can be determined through audio tones that confirm key entry, error, and job done as well as text messages on the display.  The Automatic Document Feeder helps ensure proper document placement.
302.2 With Limited Vision	Supports	The text at the top of the screen is not stylized and there is considerable contrast with the background. There is also a feature to enlarge text.
302.3 Without Perception of Color	Supports	All information conveyed using color is also conveyed using text and icons.
302.4 Without Hearing	Supports	Standard operation of this product does not require hearing.
302.5 With Limited Hearing	Supports	Standard operation of this product does not require hearing.
302.6 Without Speech	Supports	Standard operation of this product does not require vocal input.
302.7 With Limited Manipulation	Supports	The UI for this product does not require complex manipulation or simultaneous button presses/gestures.
302.8 With Limited <del>Reach and</del> Strength	Supports	The standard Remote UI provides alternative access to users with mobility and dexterity impairments.
302.8 With Limited Reach-and-Strength	Supports	The standard Remote UI provides alternative access to users with mobility and dexterity impairments.
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially supports	The local UI is not considered simple by default, but the buttons on the Home screen can be rearranged.

## Chapter 4: Hardware

Criteria	Conformance Level	Remarks and Explanations
402.1 General. (Closed Functionality )	No response required according to VPAT.	
402.2.1 Information Displayed On-Screen	Does not Support	
402.2.2 Transactional Outputs	Not applicable	
402.2.3 Speech Delivery Type and Coordination	Not Applicable	Voice guidance kits are not supported.

Not Applicable Not Ap		T	
Not Applicable  Not Applicable	402.2.4 User Control	Not Applicable	Voice guidance kits are not supported.
Not Applicable Valce guidance kits are not supported.  102.3.2 Non-private Listening Not Applicable Voice guidance kits are not supported.  102.4. Characters on Display Screens  The text at the top of the socient is not alyized and there is considerable contrast with the background. There is also a feature to enlarge text.  102.5. Characters on Variable Message Signs Not applicable Not applicable Not applicable Not applicable Non-proprietary information Provided for Accessibility Not applicable Supports  103.1. Preservation of Information Provided for Accessibility Not applicable Not applicable Non-proprietary information provided for Accessibility Not applicable Supports  103.1. Privacy  104.1. Preservation of Information Provided for Accessibility Not applicable Not applicable Not applicable Supports  105.1. Standard Connections  106.1. Standard Connections  107.1. Standard Connections  108.1. Standa	402.2.5 Braille Instructions	Not Applicable	Voice guidance kits are not supported.
Not Applicable Vision guidance kits are not supported.  The text at the top of the screen is not styltred and there is considerable contrast with the background. There is also a feature to entirage lext.  The text at the top of the screen is not styltred and there is considerable contrast with the background. There is also a feature to entirage lext.  402.5 Characters on Variable Message Signs  Not applicable  Not applicable  Not applicable  Not applicable Signetic forms of user identification are not used.  Non-proprietary information Provided for Accessibility  Supports  Not applicable  Not applicable  Not applicable  Not applicable  Speech output is not supported for authentication screens often the more of settings is not removed by this product.  This product provides a connection method that conforms to a non-proprietary industry standard.  407.1 Tractilely Discermble  Not applicable  The control panel of the unit is a flat touch panel but is can be connected to a Tacilely discermble character keys with USB keyboard.  407.3.2 Alphabetic Keys  The control panel of the unit is a flat touch panel but is can be connected to a Tacilely discermble character keys with USB keyboard.  407.4 Key Repeat  Supports  The control panel of the unit is a flat touch panel but is can be connected to a Tacilely discermble character keys with USB keyboard.  407.5 Timed Response  In the Auto clear function, used to clear settings, the trace shall be adjustable to a fleat 2 seconds, key repeat sale shall be adjustable to a fleat is a flat touch panel but is can be connected in a Tacilely discermble character keys with USB keyboard.  407.6 Cheration. ( General)  Supports  Not applicable  Not applicable  Not applicable  Not applicable  Not applicable	402.3.1 Private Listening	Not Applicable	Voice guidance kits are not supported.
Supports  The text at the log of the screen is not stylpted and three is considerable contrast with the background There is also a feature to entarge text.  402.5 Characters on Variable Message Signs  Not applicable  Not applicable  Not applicable Signetic forms of user identification are not used.  404.1 Preservation of information Provided for Accessibility  Supports  Supports  Supports  The spreadure forms of user identification are not used.  405.1 Privacy  Not applicable  Supports  Speech output is not supported for authentication screens other than department authentication.  406.1 Standard Connections  This product provides a connection method that conforms to a non-proprietary industry standard.  407.2 Confrast  There is considerable contrast between characters, symbols, and the backgrounds used by keys and other controls.  Not applicable  Not applicable  Not applicable  There is considerable contrast between characters, symbols, and the backgrounds used by keys and other controls.  There is considerable contrast between characters, symbols, and the backgrounds used by keys and other controls.  407.3.3 Numeric Keys  The control panel of the unit is a flat touch panel.but it can be connected to a Tacillety discernible character keys with USB keyboard.  407.4 Key Repeat  If Key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat shall be adjustable to at least 2 seconds. Key repeat shall be adjustable to at least 2 seconds. Key repeat shall be adjustable to a text 2 seconds. Key repeat shall be adjustable to a text 2 seconds. Key repeat shall be adjustable to a text 2 seconds. Key repeat shall be adjustable to a text 2 seconds. Key repeat shall be adjustable to a text 2 seconds. Key repeat shall be adjustable to a text 2 seconds. Key repeat shall be adjustable to a text 2 seconds. Key repeat shall be adjustable to a text 2 seconds. Key repeat shall be adjustable to a text 2 seconds. Key repeat shall be adjustable to a text 2 seconds. Key repeat shall be adjus	402.3.2 Non-private Listening	Not Applicable	Voice guidance kits are not supported.
Not applicable No characters on variable message signs.  403.1 Biometrics Not applicable Biometric forms of user identification are not used. 404.1 Preservation of Information Provided for Accessibility Non-proprietation of Information provided for Accessibility Supports Non-proprietation of Information provided for Accessibility Non-proprietation of Information provided for Accessibility Supports Speech output is not supported for authentication acreens other than department authentication.  406.1 Standard Connections This product provides a connection method that conforms to a non-proprietary industry standard.  407.2 Contrast Supports There is considerable contrast between characters, symbols, and the backgrounds used by keys and other controls.  407.3.1 Tactilety Discernible Not applicable  407.3.2 Alphabetic Keys The control panel of the unit is a flat touch panel but it can be connected to a Tactilety discernible character keys with USB keyboard.  407.3.3 Numeric Keys The control panel of the unit is a flat touch panel but it can be connected to a Tactilety discernible character keys with USB keyboard.  407.4 Key Repeat  407.5 Timed Response In the Auto clear function, used to clear settings, the time can be to 0, there is no time limit.  407.6 Operation. ( General)  Basic operation of the device supports this. For maintenance and setup, it is imapplicable.  407.7 Tickets, Fare Cards, and Keysards Not applicable	402.4 Characters on Display Screens	Supports	there is considerable contrast with the background.
Not applicable    Biometric forms of user identification are not used.	402.5 Characters on Variable Message Signs	Not applicable	No characters on variable message signs.
Supports  Supports  Supports  Supports  Supports  Speech output is not supported for authentication screens other than department authentication.  406.1 Standard Connections  This product provides a connection method that conforms to a non-proprietary industry standard.  407.2 Contrast  There is considerable contrast between characters, symbols, and the backgrounds used by keys and other controls.  407.3.1 Tactilety Discernible  Not applicable  Not applicable  Not applicable  The control panel of the unit is a flat touch panel.but it can be connected to a Tactilety discernible chararacter keys with USB keyboard.  407.3.3 Numeric Keys  The control panel of the unit is a flat touch panel.but it can be connected to a Tactilety discernible chararacter keys with USB keyboard.  407.4 Key Repeat  If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.  407.5 Timed Response  In the Auto clear function, used to clear settings, the time can be to 0, there is no time limit.  407.6 Operation. ( General)  Supports  Basic operation of the device supports this. For maintenance and setup, it is inapplicable.  407.7 Tickets, Fare Cards, and Keycards  Not applicable	403.1 Biometrics	Not applicable	Biometric forms of user identification are not used.
Speech output is not supported for authentication.  406.1 Standard Connections  Supports  This product provides a connection method that conforms to a non-proprietary industry standard.  407.2 Contrast  There is considerable contrast between characters, symbols, and the backgrounds used by keys and other controls.  407.3.1 Tactilety Discernible  Not applicable  Not applicable  Not applicable  The control panel of the unit is a flat touch panel.but it can be connected to a Tactlety discernible chararacter keys with USB keyboard.  407.3.3 Numeric Keys  The control panel of the unit is a flat touch panel.but it can be connected to a Tactlety discernible chararacter keys with USB keyboard.  407.4 Key Repeat  The control panel of the unit is a flat touch panel.but it can be connected to a Tactlety discernible chararacter keys with USB keyboard.  407.4 Key Repeat  The control panel of the unit is a flat touch panel.but it can be connected to a Tactlety discernible chararacter keys with USB keyboard.  407.5 Timed Response  In the Auto clear function, used to clear settings, the time can be to 0, there is no time limit.  407.6 Operation. ( General)  Supports  Basic operation of the device supports this.  For maintenance and setup, it is inapplicable.  407.7 Tickets, Fare Cards, and Keycards  Not applicable	404.1 Preservation of Information Provided for Accessibility	Supports	accessibility during the transmission of information or the import/export of settings is not removed by
Supports  This product provides a connection method that conforms to a non-proprietary industry standard.  407.2 Contrast  There is considerable contrast between characters, symbols, and the backgrounds used by keys and other controls.  407.3.1 Tactilely Discernible  Not applicable  Not applicable  The control panel of the unit is a flat touch panel.but it can be connected to a Tactilely discernible chararacter keys with USB keyboard.  407.3.3 Numeric Keys  The control panel of the unit is a flat touch panel.but it can be connected to a Tactilely discernible chararacter keys with USB keyboard.  407.4 Key Repeat  If key repeat is supported it is altouch panel.but it can be connected to a Tactilely discernible chararacter keys with USB keyboard.  407.5 Timed Response  In the Auto clear function, used to clear settings, the time can be to 0, there is no time limit.  407.6 Operation. ( General)  Supports  Supports  Not applicable  407.7 Tickets, Fare Cards, and Keycards  Not applicable  407.8 1 Vertical Reference Plane	405.1 Privacy	Not applicable	
Supports  Supports  The control panel of the unit is a flat touch panel.but it can be connected to a Tactilety discernible chararacter keys with USB keyboard.  407.3.2 Alphabetic Keys  The control panel of the unit is a flat touch panel.but it can be connected to a Tactilety discernible chararacter keys with USB keyboard.  407.3.3 Numeric Keys  The control panel of the unit is a flat touch panel.but it can be connected to a Tactilety discernible chararacter keys with USB keyboard.  407.4 Key Repeat  If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.  407.5 Timed Response  In the Auto clear function, used to clear settings, the time can be to 0, there is no time limit.  407.6 Operation. ( General)  Basic operation of the device supports this. For maintenance and setup, it is inapplicable.  407.7 Tickets, Fare Cards, and Keycards  Not applicable	406.1 Standard Connections	Supports	
Not applicable  407.3.2 Alphabetic Keys  The control panel of the unit is a flat touch panel.but it can be connected to a Tactilely discernible chararracter keys with USB keyboard.  407.3.3 Numeric Keys  The control panel of the unit is a flat touch panel.but it can be connected to a Tactilely discernible chararracter keys with USB keyboard.  407.4 Key Repeat  If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.  407.5 Timed Response  In the Auto clear function, used to clear settings, the time can be to 0, there is no time limit.  407.6 Operation. ( General)  Basic operation of the device supports this. For maintenance and setup, it is inapplicable.  407.7 Tickets, Fare Cards, and Keycards  Not applicable	407.2 Contrast	Supports	symbols, and the backgrounds used by keys and
The control panel of the unit is a flat touch panel.but it can be connected to a Tactillely discernible chararacter keys with USB keyboard.  407.3.3 Numeric Keys  The control panel of the unit is a flat touch panel.but it can be connected to a Tactillely discernible chararacter keys with USB keyboard.  407.4 Key Repeat  If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.  407.5 Timed Response  In the Auto clear function, used to clear settings, the time can be to 0, there is no time limit.  407.6 Operation. ( General)  Basic operation of the device supports this. For maintenance and setup, it is inapplicable.  407.7 Tickets, Fare Cards, and Keycards  Not applicable	407.3.1 Tactilely Discernible	Not applicable	
The control panel of the unit is a flat touch panel.but it can be connected to a Tactilely discernible chararacter keys with USB keyboard.  407.4 Key Repeat  If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.  407.5 Timed Response  In the Auto clear function, used to clear settings, the time can be to 0, there is no time limit.  407.6 Operation. ( General)  Basic operation of the device supports this. For maintenance and setup, it is inapplicable.  407.7 Tickets, Fare Cards, and Keycards  Not applicable  407.8.1 Vertical Reference Plane	407.3.2 Alphabetic Keys	Supports	,
Supports  Supports  If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.  407.5 Timed Response  In the Auto clear function, used to clear settings, the time can be to 0, there is no time limit.  407.6 Operation. ( General)  Basic operation of the device supports this. For maintenance and setup, it is inapplicable.  407.7 Tickets, Fare Cards, and Keycards  Not applicable  407.8.1 Vertical Reference Plane	407.3.3 Numeric Keys	Supports	
Supports  In the Auto clear function, used to clear settings, the time can be to 0, there is no time limit.  407.6 Operation. ( General)  Basic operation of the device supports this. For maintenance and setup, it is inapplicable.  407.7 Tickets, Fare Cards, and Keycards  Not applicable  407.8.1 Vertical Reference Plane	407.4 Key Repeat	Supports	shall be adjustable to at least 2 seconds. Key repeat
Basic operation of the device supports this.  For maintenance and setup, it is inapplicable.  407.7 Tickets, Fare Cards, and Keycards  Not applicable  407.8.1 Vertical Reference Plane	407.5 Timed Response	Supports	In the Auto clear function, used to clear settings, the time can be to 0, there is no time limit.
Not applicable  407.8.1 Vertical Reference Plane	407.6 Operation. ( General)	Supports	
	407.7 Tickets, Fare Cards, and Keycards	Not applicable	
i	407.8.1 Vertical Reference Plane	Supports	

407.8.1.1 Vertical Plane for Side Reach	Supporto	
407.8.1.2 Vertical Plane for Forward Reach	Supports	
	Supports	
407.8.2 Side Reach	Supports	The height of the reader platen does not support the criteria when in the open position.  An Accessibility Handle is available for products equipped with a document feeder. Helpful for users copying from a seated position.
407.8.2.1 Unobstructed Side Reach	Supports	
407.8.2.2 Obstructed side reach	Not applicable	
407.8.3 Forward Reach	Not applicable	
407.8.3.1 Unobstructed forward reach	Not applicable	
407.8.3.2 Obstructed Forward Reach	Not applicable	
407.8.3.2.1 Height	Not applicable	
407.8.3.2.2 Knee and Toe Space	Not applicable	
408.2 Display Screens (General)	Supports	Basic operation of the device supports this. For maintenance and setup, it is inapplicable.
408.3 General. ( Flashing)	Supports	The LCD screen flicker does not occur within this range.
409.1 Status Indicators	Supports	
410.1 Color Coding	Supports	All information conveyed using color is also conveyed using text and icons.
411.1 Audible Signals	Supports	All notification sounds played during operation of the device are accompanied by visual UI elements.
412.2.1 Volume Gain for Wireline	Not applicable	
412.2.2 Volume Gain for Non-Wireline ICT	Not applicable	
412.3.1 Wireless Handsets	Not applicable	
412.3.2 Wireline Handsets	Not applicable	
412.4 Digital Encoding of Speech	Not applicable	
412.5 Real-Time Text Functionality (HCO and VCO Support)	Not applicable	
412.5 Real-Time Text Functionality (Interoperability)	Not applicable	
412.5 Real-Time Text Functionality (Compatibility with Interactive Voice Response)	Not applicable	
412.6 Caller ID	Not applicable	
412.7 Video Communication	Not applicable	
412.8.1 TTY Connectability	Not applicable	

412.8.2 Voice and Hearing Carry Over	Not applicable	
412.8.3 Signal Compatibility	Not applicable	
412.8.4 Voice Mail and Other Messaging Systems	Not applicable	
413.1.1 Decoding and Display of Closed Captions	Not applicable	
413.1.2 Pass-Through of Closed Caption	Not applicable	
414.1.1 Digital Television Tuners	Not applicable	
414.1.2 Other ICT	Not applicable	
415.1.1 Caption Controls	Not applicable	
415.1.2 Audio Description Controls	Not applicable	

Chapter 5: Software		
Criteria	Conformance Level	Remarks and Explanations
501.1 Scope. The requirements of Chapter 5 shall apply to software where required by 508 Chapter 2.	See WCAG section.	
502.2.1 User Control of Accessibility Features	PRINTER DRIVER: Not applicable	PRINTER DRIVER: The printer driver is not a platform.
502.2.2 No Disruption of Accessibility Features	PRINTER DRIVER: Supports	PRINTER DRIVER: The printer driver can be used without disruption of the accessibility features of the platform (verified with the accessibility functionality of Windows 10).
502.3.1 Object Information	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: The roles, states, and names of UI objects in the printer driver can be recognized programmatically. However, for the reading of labels indicating valid ranges of values that can be entered or tooltips, the use of assistive technology (e.g. JAWS) is needed.
502.3.2 Modification of Object Information	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: All components in the printer driver that can be configured by the user can also be configured programmatically. However, for some non-text content (icons), there are only differences in shape and color; therefore, these cannot be configured solely by the use of screen readers.
502.3.3 Row, Column, and Headers	PRINTER DRIVER: Supports when combined with Compatible AT	PRINTER DRIVER: The use of assistive technology (e.g. JAWS) is required for the recognition of table structures in the UI of the printer driver.
502.3.4 Values	PRINTER DRIVER: Supports when combined with Compatible AT	PRINTER DRIVER: The currently set value can be recognized programmatically for any UI object in the printer driver for which a value can be entered. However, for the reading of labels indicating valid ranges of values that can be entered, the use of assistive technology (e.g. JAWS) is needed.

502.3.5 Modification of Values		
	PRINTER DRIVER: Supports	PRINTER DRIVER: Values can be changed programmatically for any UI object in the printer driver for which a value can be entered.
502.3.6 Label Relationships	PRINTER DRIVER: Supports	PRINTER DRIVER: The labels associated with UI components in the printer driver can be recognized programmatically.
502.3.7 Hierarchical Relationships	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: The hierarchical (parent-child) relationships of UI components in the printer driver can be recognized programmatically. Note that there are some components whose hierarchical relationship can be difficult to determine from the component name alone; however, it is possible to understand the hierarchical relationship from the order in which the components receive focus.
502.3.8 Text	PRINTER DRIVER: Supports	PRINTER DRIVER: In the printer driver, the attributes of UI objects for which text can be entered, as well as the boundary of text displayed on the screen, can be recognized programmatically.
502.3.9 Modification of Text	PRINTER DRIVER: Supports	PRINTER DRIVER: Text can be changed programmatically for any UI object in the printer driver for which text can be entered.
502.3.10 List of Actions	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: In the printer driver, operations that can be executed on a UI object can be recognized with the use of screen readers. Note that there is some content that cannot be recognized with screen readers; however, these items can be configured using alternative methods.
502.3.11 Actions on Objects	PRINTER DRIVER: Supports	PRINTER DRIVER: In the printer driver, operations that can be executed from UI objects can be performed solely by the use of screen reading assistive technology (e.g. JAWS).
502.3.12 Focus Cursor	PRINTER DRIVER: Supports	PRINTER DRIVER: Changes of focus, component attributes, and text insertion points can be recognized by the printer driver.
502.3.13 Modification of Focus Cursor	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: Changes of focus, component attributes, and text insertion points can be recognized and set programmatically by the printer driver. However, for some non-text content (icons), there are only differences in shape and color; therefore, these cannot be configured solely by the use of screen readers.

502.3.14 Event Notification	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: The printer driver supports notification of changes to components when such changes occur. However, for the reading of tooltips, the use of assistive technology (e.g. JAWS) is needed.
502.4 Platform Accessibility Features	PRINTER DRIVER: Not applicable	PRINTER DRIVER: The printer driver is neither a platform nor platform software.
503.2 User Preferences	PRINTER DRIVER: Supports	PRINTER DRIVER: The printer driver uses and does not disable platform settings relating to display (verified with the accessibility functionality of Windows 10).
503.3 Alternative User Interfaces	PRINTER DRIVER: Not applicable	PRINTER DRIVER: The printer driver does not provide functionality relating to accessibility.
503.4.1 Caption Controls	PRINTER DRIVER: Not applicable	PRINTER DRIVER: The printer driver does not include any video content.
503.4.2 Audio Description Controls	PRINTER DRIVER: Not applicable	PRINTER DRIVER: The printer driver does not include any video content.

**Chapter 6: Support Documentation and Services** 

Criteria	Conformance Level	Remarks and Explanations
602.2 Accessibility and Compatibility Features	Supports	
602.3 Electronic Support Documentation	Partially supports	*An alternate means to non-textual content is not provided which directly describes the non-textual content.  *When shifting focus using cursor keys, a shifting order may not coincide with an order of displayed elements.
602.4 Alternate Formats for Non-electronic Support Documentation	Supports	Product support documentation will be
603.2 Information on Accessibility and Compatibility Features	Partially supports	An information of the accessibility features of products will be provided upon request in electronic format.
603.3 Accommodation of Communication Needs	Supports	Canon U.S.A., Inc. provides support services accommodating users with disabilities through OKCANON assistance, TTY support at (866) 251-3752. Canon otherwise available to U.S. federal government agencies through Federal Relay.

EN 301 549 Accessibility requirements for ICT products and services

Refer the URL for the requirements: https://www.etsi.org/deliver/etsi\_en/301500\_301599/301549/03.01.01\_60/en\_301549v030101p.pdf

Chapter 4: Functional Performance Statements

Conformance Level	Remarks and Explanations
	The Remote UI is the third alternative. When a screen reader or screen magnifier is used with the Remote UI, blind or visually impaired users can operate Job.
Partially Supports	Operation status can be determined through audio tones that confirm key entry, error, and job done as well as text messages on the display.
	The Automatic Document Feeder helps ensure proper document placement.
Supports	The text at the top of the screen is not stylized and there is considerable contrast with the background. There is also a feature to enlarge text.
Supports	All information conveyed using color is also conveyed using text and icons.
Not applicable	Standard operation of this product does not require hearing.
Not applicable	Standard operation of this product does not require hearing.
Not applicable	Standard operation of this product does not require vocal input.
Supports	The UI for this product does not require complex manipulation or simultaneous button presses/gestures.
Not applicable	The standard Remote UI provides alternative access to users with mobility and dexterity impairments.
Partially supports	The standard Remote UI provides alternative access to users with mobility and dexterity impairments.
Supports	Both local and remote UI for the product fulfill this requirement.
Partially supports	The local UI is not considered simple by default, but the buttons on the Home screen can be rearranged.
Supports	The local UI does not offer any features which relate to a user's privacy.  The remote UI, if used on a standard PC, allows the use of a headphone jack to protect privacy.
	Partially Supports  Supports  Not applicable  Not applicable  Not applicable  Supports  And applicable  Partially supports  Supports  Partially supports

Chapter 5: Generic Requirements  Criteria	Conformance Level	Remarks and Explanations
5.1.2.2 Assistive technology	See information in 5.1.3 through	
	5.1.6	
5.1.3.1 Audio output of visual information	HARDWARE: Does not Support PRINTER DRIVER: Not applicable Remote UI: Not applicable	PRINTER DRIVER: This guideline is not applicable to the printer driver.  Remote UI: This is not applicable because the Remote UI supports the use of assistive technology (such as JAWS).
5.1.3.2 Auditory output delivery including speech	HARDWARE: Not applicable PRINTER DRIVER: Not applicable Remote UI: Not applicable	HARDWARE: Voice guidance kits are not supported.  PRINTER DRIVER: This guideline is not applicable to the printer driver.  Remote UI: The Remote UI does not have any auditory output functionality, but this can be provided with assistive technology (such as JAWS).
5.1.3.3 Auditory output correlation	HARDWARE: Not applicable PRINTER DRIVER: Supports Remote UI: Partially supports	HARDWARE: Voice guidance kits are not supported.  Remote UI: The Remote UI does not have any auditory output functionality, but this can be provided with assistive technology (such as JAWS), and the auditory information is correlated with the information displayed on the screen.
5.1.3.4 Speech output user control	HARDWARE: Not Applicable PRINTER DRIVER: Supports Remote UI: Supports	HARDWARE: Voice guidance kits are not supported.  Remote UI: Speech output from the Remote UI is possible using assistive technology (such as JAWS), and the remote UI has no functionality that interferes with such speech output.
5.1.3.5 Speech output automatic interruption	HARDWARE: Not Applicable PRINTER DRIVER: Supports Remote UI: Supports	HARDWARE: Voice guidance kits are not supported.  Remote UI: Speech output from the Remote UI is possible using assistive technology (such as JAWS), and the remote UI has no functionality that interferes with such speech output.
5.1.3.6 Speech output for non-text content	HARDWARE: Does not Support PRINTER DRIVER: Supports through Equivalent Facilitation Remote UI: Supports	PRINTER DRIVER: Based on the WCAG guideline 1.1.1 evaluation results.
5.1.3.7 Speech output for video information	HARDWARE: Not applicable PRINTER DRIVER: Not applicable Remote UI: Not applicable	HARDWARE: The product does not use any video content.  PRINTER DRIVER: The printer driver does not include any video content.  Remote UI: The Remote UI does not use any pre-recorded video content.

5.1.3.8 Masked entry	HARDWARE: Not applicable PRINTER DRIVER: Supports Remote UI: Supports	HARDWARE: Voice guidance kits are not supported.  PRINTER DRIVER: The masking characters are read as displayed, and the entered characters are not read.  Remote UI: Assistive technology (such as JAWS) will not provide auditory output of information hidden by masking characters in the Remote UI.
5.1.3.9 Private access to personal data	HARDWARE: Not applicable PRINTER DRIVER: Supports Remote UI: Supports	HARDWARE: Voice guidance kits are not supported.  Remote UI: By using earphones, auditory output of personal information output by assistive technology (such as JAWS) can be provided privately.
5.1.3.10 Non-interfering audio output	HARDWARE: Not Applicable PRINTER DRIVER: Supports Remote UI: Supports	HARDWARE: Voice guidance kits are not supported.  Remote UI: Auditory output from the Remote UI is possible with assistive technology (such as JAWS), and the Remote UI does not interfere with the functionality of the assistive technology.
5.1.3.11 Private listening	HARDWARE: Not applicable PRINTER DRIVER: Supports Remote UI: Supports	HARDWARE: Voice guidance kits are not supported.  PRINTER DRIVER: Auditory output volume can be controlled using functionality native to the PC.  Remote UI: The Remote UI does not have any auditory output functionality, but this can be provided with assistive technology (such as JAWS), and the volume can be adjusted via the assistive technology or through the OS.
5.1.3.12 Speaker volume	HARDWARE: Not Applicable PRINTER DRIVER: Not applicable Remote UI: Not applicable	HARDWARE: Voice guidance kits are not supported.  PRINTER DRIVER: The printer driver does not have auditory output functionality.  Remote UI: As the output volume is dependent on the speakers, assistive technology (such as JAWS) is not applicable.
5.1.3.13 Volume reset	HARDWARE: Not Applicable PRINTER DRIVER: Not applicable Remote UI: Not applicable	HARDWARE: Voice guidance kits are not supported.  PRINTER DRIVER: The printer driver does not have auditory output functionality.
5.1.3.14 Spoken languages	HARDWARE: Does not Support PRINTER DRIVER: Supports Remote UI: Supports	PRINTER DRIVER: Reading in the displayed language is possible with the use of screen readers.
5.1.3.15 Non-visual error identification	HARDWARE: Does not Support PRINTER DRIVER: Supports Remote UI: Supports	PRINTER DRIVER: In the printer driver, when errors are displayed, the display of the error can be recognized programmatically and the error is displayed using an item name together with error content, which can be read by screen readers.

E 4 0 40 December 4 closes and transport and control of		
5.1.3.16 Receipts, tickets, and transactional outputs	HARDWARE: Not applicable PRINTER DRIVER: Not applicable Remote UI: Not applicable	PRINTER DRIVER: The printer driver is not provided as a self-service interface.  Remote UI: The Remote UI does not have any functionality that outputs receipts, tickets, or the results of other self-service transactions.
5.1.4 Functionality closed to text enlargement	HARDWARE: Supports PRINTER DRIVER: Not	HARDWARE: The area around the screen is uncluttered,
	applicable Remote UI: Not applicable	allowing the user to move their face closer to the screen.
		PRINTER DRIVER: Not evaluated because the UI text in the printer driver can be resized using functionality provided by the OS without loss of printer driver functionality.
		Remote UI: This is not applicable as text enlargement of the Remote UI is possible using the text enlargement/zoom functionality of a Web browser or PC.
5.1.5 Visual output for auditory information	HARDWARE: Not applicable PRINTER DRIVER: Not applicable	HARDWARE: The product does not use any pre-recorded auditory information.
	Remote UI: Not applicable	PRINTER DRIVER: The printer driver does not have any functionality that plays audio data.
		Remote UI: The Remote UI does not use any pre-recorded auditory information.
5.1.6.1 Closed functionality	HARDWARE: See information in 5.1.3.1 through 5.1.3.16 PRINTER DRIVER: See information in 5.1.3.1 through 5.1.3.16 Remote UI: Supports	
5.1.6.2 Input focus	HARDWARE: Not applicable PRINTER DRIVER: Not applicable Remote UI: Supports	HARDWARE: There is no movement of focus between UI elements.  PRINTER DRIVER: Not evaluated because the printer driver runs on systems with keyboards.
5.1.7 Access without speech	HARDWARE: Not applicable PRINTER DRIVER: Not applicable Remote UI: Not applicable	PRINTER DRIVER: The printer driver does not have any functionality that requires speech to operate.

5.2 Activation of accessibility features		
	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports	HARDWARE: Low-vision users may enable accessibility features by doing the following: -Use a pinch gesture to enlarge screen items -Enable the reversed display colors feature (Once the setting has been linked to the device via the authentication settings, it may be enabled using IC card authentication).  Users who have difficulty with complex gestures may adjust Key Repeat and enable or disable Flick/Pinch settings using IC card authentication (after the settings have been linked to the device via the authentication settings).  PRINTER DRIVER: The printer driver does not impede the activation of support functions used by the printer driver.  Remote UI: The Remote UI does not interfere with the activation of accessibility features of the OS or that of assistive technology (such as JAWS).
5.3 Biometrics		
	HARDWARE: Not applicable PRINTER DRIVER: Not applicable Remote UI: Not applicable	HARDWARE: Biometric forms of user identification are not used.  PRINTER DRIVER: The printer driver does not support the use of biological characteristics for user identification.  Remote UI: The Remote UI does not have any biometric authentication functionality.
5.4 Preservation of accessibility information during conversion	HARDWARE: Supports PRINTER DRIVER: Not applicable Remote UI: Supports	HARDWARE: Non-proprietary information provided for accessibility during the transmission of information or the import/export of settings is not removed by this product.  PRINTER DRIVER: The printer driver does not provide functionality relating to accessibility.  Remote UI: Non-proprietary information provided for accessibility during the transmission of information or the import/export of settings is not removed by this product.
5.5.1 Means of operation	HARDWARE: Supports PRINTER DRIVER: Not applicable Remote UI: Not applicable	HARDWARE: Basic operation of the device supports this. For maintenance and setup, it is inapplicable.  PRINTER DRIVER: This guideline is not applicable to the printer driver.  Remote UI: This is not applicable because the Remote UI is software.
5.5.2 Operable parts discernibility	HARDWARE: Not applicable PRINTER DRIVER: Supports Remote UI: Supports	PRINTER DRIVER: Based on the WCAG guideline 3.2.1 evaluation results.  Remote UI: The operable parts of the Remote UI can be distinguished with assistive technology (such as JAWS) without activating the function associated with the operable part.

5.6.1 Tactile or auditory status		
,	HARDWARE: Partially supports PRINTER DRIVER: Supports Remote UI: Supports	PRINTER DRIVER: Based on the WCAG guideline 1.3.1 evaluation results for auditory status.
		Remote UI: The status of operable parts for locking or other toggles can be visually confirmed on the Remote UI, and auditory confirmation is possible with assistive technology (such as JAWS).
5.6.2 Visual status	HADDWADE, D. C. II	DDINTED DDIVED.
	HARDWARE: Partially supports PRINTER DRIVER: Supports Remote UI: Supports	PRINTER DRIVER: Based on the WCAG guideline 1.3.1 evaluation results for auditory status.  Remote UI:
		The status of operable parts for locking or other toggles can be visually confirmed on the Remote UI, and auditory confirmation is possible with assistive technology (such as JAWS).
5.7 Key repeat	HARRIMARE O	DOWNER DOWNER
	HARDWARE: Supports PRINTER DRIVER: Supports	PRINTER DRIVER: Configurable in the operating system.
	Remote UI: Supports	Remote UI:
		Key repeat can be prevented with functionality in the OS (Windows) that the Remote UI runs on, and the Remote UI does not interfere with that functionality.
5.8 Double-strike key acceptance		
	HARDWARE: Does not Support PRINTER DRIVER: Supports Remote UI: Supports	PRINTER DRIVER: Configurable in the operating system.
	, ,	Remote UI: An accidental additional key-press of the same key can be prevented with functionality in the OS (Windows) that the Remote UI runs on, and the Remote UI does not interfere with that functionality.
5.9 Simultaneous user actions		
and animalian additional animalian a	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports	PRINTER DRIVER: For keyboard operation, operating system settings can be configured so that multiple simultaneous key presses are unnecessary.
		Remote UI: It is possible to configure the accessibility settings of the OS to provide an alternative method for operations in the Remote UI that require simultaneous actions, and the Remote UI does not interfere with this functionality.

Chapter 6: ICT with Two-Way Voice Communication

Criteria	Conformance Level	Remarks and Explanations
6.1 Audio bandwidth for speech	Not applicable	
6.2.1.1 RTT communication	Not applicable	
6.2.1.2 Concurrent voice and text	Not applicable	
6.2.2.1 Visually distinguishable display	Not applicable	
6.2.2.2 Programmatically determinable send and receive direction	Not applicable	
6.2.2.3 Speaker identification	Not applicable	
6.2.2.4 Visual indicator of Audio with RTT	Not applicable	
6.2.3 Interoperability	Not applicable	
6.2.4 RTT responsiveness	Not applicable	

6.3 Caller ID	Not applicable	
6.4 Alternatives to voice-based services	Not applicable	
6.5.2 Resolution	Not applicable	
6.5.3 Frame rate	Not applicable	
6.5.4 Synchronization between audio and video	Not applicable	
6.5.5 Visual indicator of audio with video	Not applicable	
6.5.6 Speaker identification with video (sign language) communication	Not applicable	
6.6 Alternatives to video-based services	No response required according to ITI VPAT	

## **Chapter 7: ICT with Video Capabilities**

Criteria	Conformance Level	Remarks and Explanations
7.1.1 Captioning playback	Not applicable	
7.1.2 Captioning synchronization	Not applicable	
7.1.3 Preservation of captioning	Not applicable	
7.1.4 Captions characteristics	Not applicable	
7.1.5 Spoken subtitles	Not applicable	
7.2.1 Audio description playback	Not applicable	
7.2.2 Audio description synchronization	Not applicable	
7.2.3 Preservation of audio description	Not applicable	
7.3 User controls for captions and audio description	Not applicable	

Chapter 8: Hardware

Criteria	Conformance Level	Remarks and Explanations
8.1.2 Standard connections	Supports	This product provides a connection method that conforms to a non-proprietary industry standard.
8.1.3 Colour	Supports	All information conveyed using color is also conveyed using text and icons.
8.2.1.1 Speech volume range	Not applicable	
8.2.1.2 Incremental volume control	Not applicable	
8.2.2.1 Fixed-line devices	Not applicable	
8.2.2.2 Wireless communication devices	Not applicable	

8.3.4.1 Change in level	Not applicable	
8.3.4.2 Clear floor or ground space	Not applicable	
8.3.4.3.1 General	Not applicable	
8.3.4.3.2 Forward approach	Not applicable	
8.3.4.3.3 Parallel approach	Not applicable	
8.3.2.4 Knee and toe clearance width	Not applicable	
8.3.2.5 Toe clearance	Not applicable	
8.3.2.6 Knee clearance	Not applicable	
8.3.2.1 Unobstructed high forward reach	Not applicable	
8.3.2.2 Unobstructed low forward reach	Not applicable	
8.3.2.3.1 Clear space	Not applicable	
8.3.2.3.2 Obstructed (< 510 mm) forward reach	Not applicable	
8.3.2.3.3 Obstructed (< 635 mm) forward reach	Not applicable	
8.3.3.1 Unobstructed high side reach	Supports	
8.3.3.2 Unobstructed low side reach	Supports	
8.3.3.3.1 Obstructed (≤ 255 mm) side reach	Supports	The height of the reader platen does not support the criteria when in the open position.  An Accessibility Handle is available for products equipped with a document feeder. Helpful for users copying from a seated position.
8.3.3.3.2 Obstructed (≤ 610 mm) side reach	Not applicable	
8.3.5 Visibility	Supports	Basic operation of the device supports this. For maintenance and setup, it is inapplicable.
8.3.6 Installation instructions	Not applicable	
8.4.1 Numeric keys	Supports	The control panel of the unit is a flat touch panel.but it can be connected to a Tactilely discernible chararacter keys with USB keyboard.
8.4.2.1 Means of Operation of mechanical parts	Supports	Basic operation of the device supports this. For maintenance and setup, it is inapplicable.
8.4.2.2 Force of operation of mechanical parts	Supports	
	'''	
8.4.3 Keys, tickets and fare cards	Not applicable	

Chapter 9: Web

Criteria	Conformance Level	Remarks and Explanations
9.1.1.1 through 9.4.1.3	See WCAG section.	

**Chapter 10: Non-web Documents** 

Criteria	Conformance Level	Remarks and Explanations
10.1.1.1 through 10.4.1.3	See WCAG section.	
10.5 Caption positioning	DOCUMENT: Not applicable	
10.6 Audio description timing	DOCUMENT: Not applicable	

Chapter 11: Software		
Criteria	Conformance Level	Remarks and Explanations
11.1.1.1 through 11.4.1.3	See WCAG section.	
11.5.2.1 Platform accessibility service support for software that provides a user interface	See information in 11.5.2.5 through 11.5.2.17	
11.5.2.2 Platform accessibility service support for assistive technologies	See information in 11.5.2.5 through 11.5.2.17	
11.5.2.3 Use of accessibility services	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: The printer driver uses the accessibility services of the platform (verified with the accessibility functionality of Windows 10), and operation is possible. However, for the reading of labels indicating valid ranges of values that can be entered or tooltips, the use of assistive technology (e.g. JAWS) is needed. Furthermore, for some non-text content (icons), there are only differences in shape and color; therefore, these cannot be recognized/configured solely by the use of screen readers.
11.5.2.4 Assistive technology	PRINTER DRIVER: Not applicable	PRINTER DRIVER: The printer driver is not assistive technology.
11.5.2.5 Object information	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: The roles, states, and names of UI objects in the printer driver can be recognized programmatically. However, for the reading of labels indicating valid ranges of values that can be entered or tooltips, the use of assistive technology (e.g. JAWS) is needed.
11.5.2.6 Row, column, and headers	PRINTER DRIVER: Supports when combined with Compatible AT	PRINTER DRIVER: The use of assistive technology (e.g. JAWS) is required for the recognition of table structures in the UI of the printer driver.
11.5.2.7 Values	PRINTER DRIVER: Supports when combined with Compatible AT	PRINTER DRIVER: The currently set value can be recognized programmatically for any UI object in the printer driver for which a value can be entered. However, for the reading of labels indicating valid ranges of values that can be entered, the use of assistive technology (e.g. JAWS) is needed.

11.5.2.8 Label relationships		T
11.5.2.0 Laber relationships	PRINTER DRIVER: Supports	PRINTER DRIVER: The labels associated with UI components in the printer driver can be recognized programmatically.
11.5.2.9 Parent-child relationships	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: The hierarchical (parent-child) relationships of UI components in the printer driver can be recognized programmatically. Note that there are some components whose hierarchical relationship can be difficult to determine from the component name alone; however, it is possible to understand the hierarchical relationship from the order in which the components receive focus.
11.5.2.10 Text	PRINTER DRIVER: Supports	PRINTER DRIVER: In the printer driver, the attributes of UI objects for which text can be entered, as well as the boundary of text displayed on the screen, can be recognized programmatically.
11.5.2.11 List of available actions	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: In the printer driver, operations that can be executed on a UI object can be recognized with the use of screen readers. Note that there is some content that cannot be recognized with screen readers; however, these items can be configured using alternative methods.
11.5.2.12 Execution of available actions	PRINTER DRIVER: Supports	PRINTER DRIVER: In the printer driver, operations that can be executed from UI objects can be performed solely by the use of screen reading assistive technology (e.g. JAWS).
11.5.2.13 Tracking of focus and selection attributes	PRINTER DRIVER: Supports	PRINTER DRIVER: Changes of focus, component attributes, and text insertion points can be recognized by the printer driver.
11.5.2.14 Modification of focus and selection attributes	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: Changes of focus, component attributes, and text insertion points can be recognized and set programmatically by the printer driver. However, for some non-text content (icons), there are only differences in shape and color; therefore, these cannot be configured solely by the use of screen readers.
11.5.2.15 Change notification	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: The printer driver supports notification of changes to components when such changes occur. However, for the reading of tooltips, the use of assistive technology (e.g. JAWS) is needed.
11.5.2.16 Modifications of states and properties	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: All components in the printer driver that can be configured by the user can also be configured programmatically. However, for some non-text content (icons), there are only differences in shape and color; therefore, these cannot be configured solely by the use of screen readers.

11.5.2.17 Modifications of values and text		
11.5.2.17 Modifications of values and text	PRINTER DRIVER: Supports	PRINTER DRIVER: Text can be changed programmatically for any UI object in the printer driver for which text can be entered. Values can be changed programmatically for any UI object in the printer driver for which a value can be entered.
11.6.1 User control of accessibility features	PRINTER DRIVER: Not applicable	PRINTER DRIVER: The printer driver is not a platform.
11.6.2 No disruption of accessibility features	PRINTER DRIVER: Supports	PRINTER DRIVER: The printer driver can be used without disruption of the accessibility features of the platform (verified with the accessibility functionality of Windows 10).
11.7 User preferences	PRINTER DRIVER: Supports	PRINTER DRIVER: The printer driver uses and does not disable platform settings relating to display (verified with the accessibility functionality of Windows 10).
11.8.2 Accessible content creation	PRINTER DRIVER: Not applicable	
11.8.3 Preservation of accessibility information in transformations	PRINTER DRIVER: Not applicable	
11.8.4 Repair assistance	PRINTER DRIVER: Not applicable	
11.8.5 Templates	PRINTER DRIVER: Not applicable	

**Chapter 12: Documentation and Support Services** 

Criteria	Conformance Level	Remarks and Explanations
12.1.1 Accessibility and compatibility features	Supports	
12.1.2 Accessible documentation	Supports	
12.2.2 Information on accessibility and compatibility features	Partially supports	Basic Information is described in user manual for each product. Additional information will be provided based on request basis.
12.2.3 Effective communication	Partially supports	You can reach contact support from below URL. https://www.canon-europe.com/support/business-product-support/contact_support/ Please choose proper country. Phone number and e-mail address are described.  If there is not proper country, please access below and contact each office in your country. https://www.canon-europe.com/contact_us/canon_europe_middle_east_and_africa_offices/
12.2.4 Accessible documentation	Supports	

Chapter 13: ICT Providing Relay or Emergency Service Access

Criteria	Conformance Level	Remarks and Explanations
13.1.2 Text relay services	Not applicable	
13.1.3 Sign relay services	Not applicable	
13.1.4 Lip-reading relay services	Not applicable	
13.1.5 Captioned telephony services	Not applicable	
13.1.6 Speech to speech relay services	Not applicable	
13.2 Access to relay services	Not applicable	
13.3 Access to emergency services	Not applicable	

# WCAG Web Contents Accesseibility Guidelines

WCAG Report (Level A & AA)

Refer the URL for the requirements: http://www.w3.org/TR/WCAG21/

WCAG Report (Level A & AA)	0	Boundary and Free London
Criteria 1.1.1 Non-text Content(A)	Conformance Level	Remarks and Explanations
	HARDWARE: See information in 5.1.3.6 PRINTER DRIVER: upports through Equivalent Facilitation Remote UI: Supports DOCUMENT: Does not Support	PRINTER DRIVER: The non-text content items in the UI of the printer driver are visual representations of various setting values; therefore, there are text alternatives. There is some non-text content that cannot be recognized by screen readers; however, these items can be configured using alternative methods.  Remote UI: Images that convey important information have text that explains the purpose or meaning of the image.  DOCUMENT: An alternate means to non-textual content is not provided which directly describes the non-textual content.
1.2.1 Audio-only and Video-only (Prerecorded)(A)		
The state of the s	HARDWARE: See information in 5.1.5、5.1.3.7 PRINTER DRIVER: Not applicable Remote UI: Supports DOCUMENT: Not applicable	PRINTER DRIVER: The printer driver does not include any audio/video content.  Remote UI: Remote UI does not use any multimedia presentations.
1.2.2 Captions (Prerecorded)(A)	LIADDWADE, Cummente	DRINTER DRIVER.
	HARDWARE: Supports PRINTER DRIVER: Not applicable Remote UI: Supports DOCUMENT: Not applicable	PRINTER DRIVER: The printer driver does not include any audio/video content.  Remote UI: Remote UI does not use any multimedia presentations.
1.2.3 Audio Description or Media Alternative (Prerecorded)(A)		
	HARDWARE: See information in 5.1.3.7 PRINTER DRIVER: Not applicable Remote UI: Supports DOCUMENT: Not applicable	PRINTER DRIVER: The printer driver does not include any audio/video content.  Remote UI: Remote UI does not use any multimedia presentations.
1.2.4 Captions (Live)(AA)		
	HARDWARE: Supports PRINTER DRIVER: Not applicable Remote UI: Supports DOCUMENT: Not applicable	PRINTER DRIVER: The printer driver does not include any audio/video content.  Remote UI: Remote UI does not use any multimedia presentations.
1.2.5 Audio Description (Prerecorded)(AA)	HARDWARE: Supports	PRINTER DRIVER:
	PRINTER DRIVER: Not applicable Remote UI: Supports DOCUMENT: Not applicable	The printer driver does not include any audio/video content.  Remote UI: Remote UI does not use any multimedia presentations.
1.3.1 Info and Relationships(A)		
	HARDWARE: See information in 5.1.3.1 PRINTER DRIVER: Partially Supports Remote UI: Partially supports DOCUMENT: Supports	PRINTER DRIVER: Text is provided for structures that can be interpreted programmatically. However, for table structures and tooltips, the use of assistive technology (e.g. JAWS) is needed for cursor movement.  Remote UI: Explanations are conveyed primarily via text, but for information that requires cursor movement to be properly conveyed the use of JAWS is required for
		increased accessibility.

1.3.2 Meaningful Seguence(A)	<u> </u>	
1.3.2 Meaningful Sequence(A)	HARDWARE: See information in 5.1.3.1 PRINTER DRIVER: Partially Supports Remote UI: Partially supports DOCUMENT: Supports	PRINTER DRIVER: In the printer driver, the order in which the UI content is read by screen readers matches the order in which it is presented, and the content can be read in the correct order even in cases where the order will affect the meaning. However, for the reading of labels indicating valid ranges of values that can be entered or tooltips, the use of assistive technology (e.g. JAWS) is needed.  Remote UI: For cases where the order in which information is presented could affect its meaning, that information is presented in the same order whether or not voiceover is used. However, for information that requires cursor movement to be properly conveyed, the use of JAWS is required for increased accessibility.
1.3.3 Sensory Characteristics(A)	HARDWARE: Supports PRINTER DRIVER: Partially Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: In the printer driver, text is provided in the UI for explaining and operating content; therefore, the instructions do not solely rely on sensory characteristics. However, for the reading of labels indicating valid ranges of values that can be entered or tooltips, the use of assistive technology (e.g. JAWS) is needed. Furthermore, for some non-text content (icons), there are only differences in shape and color; therefore, these cannot be recognized solely by the use of screen readers.  Remote UI: Explanations of content and controls are conveyed via text and do not ever rely solely upon the user's ability to determine sequence.
1.3.4 Orientation(AA)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	HARDWARE: Operation is from a control panel on the front of the device itself, so change of display orientation is unnecessary.  PRINTER DRIVER: Meets the requirements. The display orientation changes in accordance with the OS settings.
1.3.5 Identify Input Purpose(AA)	HARDWARE: Partially supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Not applicable	HARDWARE: The device itself does not have audio screen reading support, but as operation via PC is possible, audio screen reading support is available via PC.  PRINTER DRIVER: Meets the requirements. When entering user information, the purpose and associated information can be read using screen readers (e.g. JAWS).  Remote UI: Entry fields for user information in the Remote UI have labels or additional guidance messages that allow the purpose of each field to be understood.

1.4.1 Use of Color(A)		
	HARDWARE: Supports PRINTER DRIVER: Supports through Equivalent Facilitation Remote UI: Supports DOCUMENT: Supports	HARDWARE: All information conveyed using color is also conveyed using text and icons.  PRINTER DRIVER: The printer driver does not use color-coding as the only means of conveying information. Text information is included with color-coding. However, for some non-text content (icons), there are only differences in color; therefore, these cannot be recognized solely by the use of screen readers.  Remote UI: Remote UI does not use color-coding as the only means of conveying information. It has text information with color-coding. Information and instructions in Remote UI are not communicated only through color. They have context or markup.
1.4.2 Audio Control(A)	HARDWARE: Supports PRINTER DRIVER: Not applicable Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: The printer driver does not have any functionality that plays audio data.  Remote UI: The remote UI for this product does not play any audio.
1.4.3 Contrast (Minimum)(AA)	HARDWARE: Supports PRINTER DRIVER: Not applicable Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: The text in the printer driver meets the contrast ratio requirements.  Remote UI: Displayed text meets contrast requirements/standards.
1.4.4 Resize text(AA)	HARDWARE: See information in 5.1.4 PRINTER DRIVER: Not applicable Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: The UI text in the printer driver can be resized using functionality provided by the OS without loss of printer driver functionality, and there is no functionality in the printer driver that impedes the resizing of text.  Remote UI: Users may resize text while operating the device via the remote UI on a standard PC browser without any loss of functionality.
1.4.5 Images of Text(AA)	HARDWARE: See information in 5.1.3.6 PRINTER DRIVER: Not applicable Remote UI: Supports DOCUMENT: Does not Support	PRINTER DRIVER: The printer driver uses text to convey information and does not have any images of text.  Remote UI: The remote UI does not use any images of text.  DOCUMENT: An alternate means to non-textual content is not provided which directly describes the non-textual content.
1.4.10 Reflow(AA)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Partially Supports DOCUMENT: Supports	PRINTER DRIVER: This printer driver only has 1 level of content, with some exceptions where the amount of scrolling required does not impact accessibility.  Remote UI: Support is provided for screens other than the Job Log screen.

[	T	
1.4.11 Non-text Contrast(AA)	HARDWARE: Supports PRINTER DRIVER: Partially Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: There is 1 bitmap icon in the [Poster Details] dialog for which the contrast does not fully meet the requirements (2.8:1). All other items meet the requirements.
1.4.12 Text Spacing(AA)	HARDWARE: Supports PRINTER DRIVER: Not applicable Remote UI: Supports DOCUMENT: Supports	HARDWARE: Markup language is not used in the local user interface.  PRINTER DRIVER: No part of the printer driver is implemented using markup languages.
1.4.13 Content on Hover or Focus(AA)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Not applicable	HARDWARE: There is no additional content display that is triggered by pointer hover or keyboard focus.  PRINTER DRIVER: Meets the requirements. These conditions also apply to tooltips in this driver.
2.1.1 Keyboard(A)	HARDWARE: See information in 5.1.6.1 PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: The printer driver runs on systems with keyboards, and all functionality can be operated solely with the keyboard.  Remote UI: Remote UI allows the user to move through the software using the "Tab" and "Shift + Tab" keys.  Operations may be executed using the "Enter" key.
2.1.2 No Keyboard Trap(A)	HARDWARE: See information in 5.1.6.2 PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: It is possible to move the keyboard focus among page components using only the keyboard.  Remote UI: Any component to which focus may be moved using only a keyboard may also have focus moved away from it using only a keyboard.
2.1.4 Character Key Shortcuts(A)	HARDWARE: See information in 5.1.6.1 PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Not applicable	PRINTER DRIVER: General operations meet the requirements; however, there are some operations that are exceptions due to limitations in the OS.
2.2.1 Timing Adjustable(A)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Does not Support DOCUMENT: Not applicable	HARDWARE: The time limit for Auto Reset can be disabled, but cannot be adjusted or extended to the extent defined in the conditions.  PRINTER DRIVER: There are no time limits applied to any operations that can be performed with the printer driver.  Remote UI: It is not possible to change the amount of time before remote UI session timeout.

O O O Davis - Otari - Historia		T
2.2.2 Pause, Stop, Hide(A)	HARDWARE: Does not Support PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Not applicable	HARDWARE: It is not possible to pause, stop, hide or control the frequency of the update for toggle messages.  PRINTER DRIVER: There are no UI components in the printer driver that automatically move or update.  Remote UI: The remote UI does not have any components which auto-update.
2.3.1 Three Flashes or Below Threshold(A)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Not applicable	PRINTER DRIVER: There are no UI components in the printer driver that flash.  Remote UI: Blinking or flashing objects in Remote UI such as LEDs for service calls have been evaluated. And these meet the criteria.
2.4.1 Bypass Blocks(A)	HARDWARE: Supports PRINTER DRIVER: Not applicable Remote UI: Partially supports DOCUMENT: Supports	PRINTER DRIVER: The printer driver is not a Web page.  Remote UI: The repetitive navigation links are read at the last of each page.
2.4.2 Page Titled(A)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: Although the printer driver is not a Web page, each screen of the printer driver has a title that indicates the purpose of the screen.  Remote UI: Each remote UI page displays a title or tab that explains the purpose of the screen on which it is displayed.
2.4.3 Focus Order(A)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Does not Support	PRINTER DRIVER: Although the printer driver is not a Web page, the order of navigation focus preserves meaning and operability.  Remote UI: All focusable components in the remote UI receive focus in an order that preserves meaning and operability.  DOCUMENT: When shifting focus using cursor keys, a shifting order may not coincide with an order of displayed elements.
2.4.4 Link Purpose (In Context)(A)	HARDWARE: Supports PRINTER DRIVER: Not applicable Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: There is no link text in the printer driver.  Remote UI: The purpose of each link in the remote UI can be determined from the link text.
2.4.5 Multiple Ways(AA)	HARDWARE: Supports PRINTER DRIVER: Not applicable Remote UI: Does not Support DOCUMENT: Supports	PRINTER DRIVER: The printer driver is not a Web page.  Remote UI: When using the remote UI, it is not possible to reach a page without going through the required pages in the required order.
L		

2.4.6 Headings and Labels(AA)		1
2.4.0 Headings and Labers(AA)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: The text used in the labels in the printer driver describes the content.  Remote UI: Each label and heading displayed in the remote UI describes purpose.
2.4.7 Focus Visible(AA)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: The keyboard focus is indicated visually in the UI of the printer driver.  Remote UI: When using the remote UI, the focus of the keyboard is conveyed visually.
2.5.1 Pointer Gestures(A)	HARDWARE: Supports PRINTER DRIVER: Not applicable Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: This driver does not have any multipoint/path-based gesture functionality.
2.5.2 Pointer Cancellation(A)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	HARDWARE: Functions can be canceled after completion of the down event. For the Start key, the user can cancel the operation by moving their finger outside of the area of the Start button while maintaining contact with the touch screen.  PRINTER DRIVER: All applicable areas of this printer driver meet the requirements.
2.5.3 Label in Name(A)	HARDWARE: See information in 5.1.3.3 PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Does not Support	PRINTER DRIVER: All applicable areas of this printer driver meet the requirements.
2.5.4 Motion Actuation(A)	HARDWARE: Supports PRINTER DRIVER: Not applicable Remote UI: Supports DOCUMENT: Not applicable	PRINTER DRIVER: This printer driver does not contain any functionality that can be operated by user or device motion.
3.1.1 Language of Page(A)	HARDWARE: See information in 5.1.3.14 PRINTER DRIVER: Partially Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: Although the printer driver is not a Web page, programmatic recognition of the names, structures, and relationships of UI components in the printer driver is possible. However, for the reading of labels indicating valid ranges of values that can be entered or tooltips, the use of assistive technology (e.g. JAWS) is needed. Furthermore, for some non-text content (icons), there are only differences in shape and color; therefore, these cannot be recognized solely by the use of screen readers.  Remote UI: The remote UI includes a language layer in addition to HTML and natural human language is used.

3.1.2 Language of Parts(AA)	T	Т
3.1.2 Language of Paris(M)	HARDWARE: Supports PRINTER DRIVER: Partially Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: Although the printer driver is not a Web page, programmatic recognition of the names, structures, and relationships of UI components in the printer driver is possible. However, for the reading of labels indicating valid ranges of values that can be entered or tooltips, the use of assistive technology (e.g. JAWS) is needed. Furthermore, for some non-text content (icons), there are only differences in shape and color; therefore, these cannot be recognized solely by the use of screen readers.  Remote UI: There are no cases of language aside from standard human language, proper names, or technical terms used in the remote UI.
3.2.1 On Focus(A)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: There are no UI components in the printer driver that change context upon receiving focus.  Remote UI: There are no components in the remote UI that initiate a change of context upon receiving focus.
3.2.2 On Input(A)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Partially supports DOCUMENT: Supports	PRINTER DRIVER: There are no circumstances in which changing the settings in the printer driver result in other settings being changed.  Remote UI: The remote UI includes components which may undergo a change of context after a change in settings.
3.2.3 Consistent Navigation(AA)	HARDWARE: Supports PRINTER DRIVER: Not applicable Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: The printer driver is not a Web page.  Remote UI: Navigational mechanisms that are repeated throughout the remote UI occur in the same order each time they are repeated.
3.2.4 Consistent Identification(AA)	HARDWARE: Supports PRINTER DRIVER: Not applicable Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: The printer driver is not a Web page.  Remote UI: The same terminology is used for the naming/labeling of components within the remote UI which have the same functionality.
3.3.1 Error Identification(A)	HARDWARE: See information in 5.1.3.15 PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: In the printer driver, when errors are displayed, the display of the error can be recognized programmatically and the error is displayed using an item name together with the error content.  Remote UI: In the remote UI, an item name is displayed along with an error description whenever possible.

3.3.2 Labels or Instructions(A)	1	T
J.J.Z. Labels of Histituctions(A)	HARDWARE: Partially supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	HARDWARE: The device itself does not have audio screen reading support, but as operation via PC is possible, audio screen reading support is available via PC.  PRINTER DRIVER: All entry fields in the UI of the printer driver are labeled.  Remote UI: Any content in the remote UI (such as text boxes), which require a user's input are appropriately labeled.
3.3.3 Error Suggestion(AA)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Partially supports DOCUMENT: Supports	HARDWARE: As far as possible, we provide suggestions for correction.  PRINTER DRIVER: Messages with instructions for correcting errors are displayed in the UI of the printer driver for all locations where errors can occur.  Remote UI: In the remote UI, suggestions for the correction of errors are not offered for every error, but they are offered in many cases.
3.3.4 Error Prevention (Legal, Financial, Data)(AA)	HARDWARE: Supports PRINTER DRIVER: Not applicable Remote UI: Supports DOCUMENT: Not applicable	HARDWARE: For billing jobs and the sending of legally binding documents/data or financial transactions using the fax or send functions, and for data deletion: Cancellation, checking and confirmation are all possible.  PRINTER DRIVER: There is no mechanism in the printer driver for sending information to external sites.  Remote UI: The remote UI does not send any information to outside sites.
4.1.1 Parsing(A)	HARDWARE: Supports PRINTER DRIVER: Not Applicable Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: No part of the printer driver is implemented using markup languages.  Remote UI: The HTML used in the remote UI adheres to the appropriate standards. As a result, assistive technology (such as JAWS) is able to properly navigate the data.
4.1.2 Name, Role, Value(A)	HARDWARE: Supports PRINTER DRIVER: Partially Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: In the printer driver, names and roles of UI components can be recognized and configured programmatically, and notification of changes can be made available. However, for some non-text content (icons), there are only differences in shape and color; therefore, these cannot be configured solely by the use of screen readers.  Remote UI: The HTML used in the remote UI adheres to the appropriate standards. As a result, assistive technology (such as JAWS) is able to properly navigate the data.
4.1.3 Status Messages(AA)	HARDWARE: Supports PRINTER DRIVER: Not applicable Remote UI: Supports DOCUMENT: Does not Support	PRINTER DRIVER: No part of the printer driver is implemented using markup languages.

# ISO/IEC 10779: 2020 Information technology - Office equipment

- Accessibility guidelines for older persons and persons with disabilities

**Chapter 5: Functional Performance Statements** 

Chapter 5: Functional Performance Statements Criteria	Conformance Level	Remarks and Explanations
5.1.2 Blindness		The Remote UI is the third alternative. When a screen reader or screen magnifier is used with the Remote UI, blind or visually impaired users can operate Job.
	Partially Supports	Operation status can be determined through audio tones that confirm key entry, error, and job done as well as text messages on the display.
		The Automatic Document Feeder helps ensure proper document placement.
5.1.3 Low vision	Supports	The text at the top of the screen is not stylized and there is considerable contrast with the background. There is also a feature to enlarge text.
5.1.4 Colour blindness	Supports	All information conveyed using color is also conveyed using text and icons.
5.1.5 Deafness	Not applicable	Standard operation of this product does not require hearing.
5.1.6 Hearing impairment	Not applicable	Standard operation of this product does not require hearing.
5.1.7 Speech impairment	Not applicable	Standard operation of this product does not require vocal input.
5.1.8 Impairment that limits upper limb strength and action (limited manipulation)	Supports	The UI for this product does not require complex manipulation or simultaneous button presses/gestures.
5.1.8 Impairment that limits upper limb strength and action (limited strength)	Not applicable	The standard Remote UI provides alternative access to users with mobility and dexterity impairments.
5.1.9 Impairment that limits reach ranges	Partially supports	The standard Remote UI provides alternative access to users with mobility and dexterity impairments.
5.1.10 Photosensitive seizure	Supports	Both local and remote UI for the product fulfill this requirement.
5.1.11 Cognitive, language, or learning disorders	Partially supports	The local UI is not considered simple by default, but the buttons on the Home screen can be rearranged.

Chapter 6: Requirements  Criteria	Conformance Level	Remarks and Explanations
6.1 General		Remarks and Explanations
	No response required	
6.2 Closed functionality (General)	No response required	
6.2.2 Speech-output enabled (General)	No response required	
6.2.2.2 Information displayed on-screen	Does not Support	The product does not use any video content.
6.2.2.3 Spoken languages	Does not Support	
6.2.2.4 Speech delivery type and coordination	Not Applicable	Voice guidance kits are not supported.
6.2.2.5 User control	Not Applicable	Voice guidance kits are not supported.
6.2.2.6 Non-interfering audio output	Not Applicable	Voice guidance kits are not supported.
6.2.2.7 Tactile indication of speech output mode	Not Applicable	Voice guidance kits are not supported.
6.2.3 Volume (General)	Not applicable	
6.2.3.2 Private listening	Not applicable	Voice guidance kits are not supported.
6.2.3.3 Non-private listening	Not Applicable	Voice guidance kits are not supported.
6.2.4 Characters on display screens	Supports	The text at the top of the screen is not stylized and there is considerable contrast with the background. There is also a feature to enlarge text.
6.3 Biometrics	Not applicable	Biometric forms of user identification are not used.
6.4 Preservation of information provided for accessibility	Supports	Non-proprietary information provided for accessibility during the transmission of information or the import/export of settings is not removed by this product.
6.5 Privacy	Not applicable	Speech output is not supported for authentication screens other than department authentication.
6.5.2 Masked entry	Not applicable	Voice guidance kits are not supported.
6.5.3 Private access to personal data	Not applicable	Voice guidance kits are not supported.
6.6 Standard connections	Supports	This product provides a connection method that conforms to a non-proprietary industry standard.
6.7 Operable parts (General)	No response required	
6.7.2 Contrast	Supports	There is considerable contrast between characters, symbols, and the backgrounds used by keys and other controls.
6.7.3 Input controls (General)	No response required	

6.7.3.2 Tactilely discernible		
	Not applicable	
6.7.3.3 Alphabetic keys	Supports	The control panel of the unit is a flat touch panel.but it can be connected to a Tactilely discernible chararacter keys with USB keyboard.
6.7.3.4 Numeric keys	Supports	The control panel of the unit is a flat touch panel.but it can be connected to a Tactilely discernible chararacter keys with USB keyboard.
6.7.4 Key repeat	Supports	
6.7.5 Double-strike key	Does not Support	
6.7.6 Timed response	Supports	In the Auto clear function, used to clear settings, the time can be to 0, there is no time limit.
6.7.7 Simultaneous user actions	Supports	
6.7.8 Physical operation	Supports	Basic operation of the device supports this. For maintenance and setup, it is inapplicable.
6.7.9 Fare cards and key cards	Not applicable	
6.7.10 Reach height and depth	No response required	
6.7.10.2 Vertical reference plane (General)	No response required	
6.7.10.2.2 Vertical plane for side reach	Supports	
6.7.10.2.3 Vertical plane for forward reach	Supports	
6.7.10.3 Side reach (6.7.10.3.1 General)	Supports	The height of the reader platen does not support the criteria when in the open position.  An Accessibility Handle is available for products equipped with a document feeder. Helpful for users copying from a seated position.
6.7.10.3.2 Unobstructed side reach	Supports	
6.7.10.3.3 Obstructed side reach	Not applicable	
6.7.10.4 Forward reach (6.7.10.4.1 General)	Not applicable	
6.7.10.4.2 Unobstructed forward reach	Not applicable	
6.7.10.4.3 Obstructed forward reach (6.7.10.4.3.1 General)	Not applicable	

6.7.10.4.3.2 Operable part height for office equipment with obstructed forward reach	Not applicable	
6.7.10.4.3.3 Knee and toe space under office equipment with obstructed forward reach	Not applicable	
6.8 Visibility of display screens	Supports	Basic operation of the device supports this. For maintenance and setup, it is inapplicable.
6.9 Flashing	Supports	The LCD screen flicker does not occur within this range.
6.10 Status indicators	Supports	
6.11 Colour coding	Supports	All information conveyed using color is also conveyed using text and icons.
6.12 Audible signals	Supports	All notification sounds played during operation of the device are accompanied by visual UI elements.
6.13 Software requirements for closed functionality (General)	No response required	
6.13.2 Sensory characteristics	Supports	
6.13.3 Audio control	Supports	
6.13.4 Text contrast	Supports	
6.13.5 Non-text contrast	Supports	
6.13.6 No-key trap	See information in 5.1.6.2	
6.13.7 Pause, stop, hide	Does not Support	It is not possible to pause, stop, hide or control the frequency of the update for toggle messages.
6.13.8 Focus order	Supports	
6.13.9 Focus visible	Supports	
6.13.10 Pointer gestures	Supports	
6.13.11 Label in name	See information in 5.1.3.3	
6.13.12 On focus	Supports	

Chapter 7: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
7.1 Disclosure of information related to accessibility	Supports	
7.2 Requirements for user documentation and support services	Partially supports	Basic Information is described in user manual for each product. Additional information will be provided based on request basis.  You can reach contact support from below URL. https://www.canon-europe.com/support/business-product-support/contact_support/ Please choose proper country. Phone number and e-mail address are described.  If there is not proper country, please access below and contact each office in your country. https://www.canon-europe.com/contact_us/canon_europe_middle_eas_and_africa_offices/

Note1: This document was prepared based on normal walk-up functionality. It does not include maintenance and troubleshooting procedures. The information contained in this document is proprietary information and is not for reproduction, publication or manipulation in any way or form. This document addresses a multitude of the product's features; however, any specific inquiries should be made to the Canon Marketing Representative.

<u>Note2</u>: Comments in the "Conformance Level" column are based on the Information Technology Industry Council's suggested language for use when filling out the Voluntary Product Accessibility Template. The Remarks and Explanations column provides additional information on the evaluation results, and explains the standard functions of the product that can accommodate users with disabilities.

<u>Note3</u>: This document is for informational purposes only. This information is based on Canon's current understanding of the standards It is not intended to address applicability of these laws to a particular end-user, customer, application or procurement.

<u>Note4</u>: All product design and specifications are subject to change. Some of the information may be based upon data collected or tests conducted on similar product modules.

Note5: The information in this Report should not be considered a contractual agreement by Canon. FURTHER, THE INFORMATION AND MATERIALS PROVIDED IN THIS REPORT ARE "AS IS" WITHOUT WARRANTIES OF ANY KIND, INCLUDING WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF INTELLECTUAL PROPERTY. Canon does not warrant the accuracy and completeness of the information or materials in this Report. Canon may make changes to the information in this Report, or to the products described in this Report at any time, without notice.